

1 Internet Printing Protocol WG
2 INTERNET-DRAFT
3 draft-ietf-ipp-implementers-guide-v11-03.txt
4 Obsoletes RFC 2639
5 [Target category: informational]
6 Expires: January 17, 2002

T. Hastings
C. Manros
P. Zehler
Xerox Corporation
C. Kugler
IBM Printing Systems Co
H. Holst
i-data Printing Systems
July 17, 2001

Internet Printing Protocol/1.1: Implementer's Guide

Copyright (C) The Internet Society (2001). All Rights Reserved.

Status of this Memo

14 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
15 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
16 areas, and its working groups. Note that other groups may also distribute working documents as
17 Internet-Drafts.

18 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced,
19 or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference
20 material or to cite them other than as "work in progress".

21 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

22 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

Abstract

24 This document is one of a set of documents, which together describe all aspects of a new Internet
25 Printing Protocol (IPP). IPP is an application level protocol that can be used for distributed printing
26 using Internet tools and technologies. This document contains information that supplements the IPP
27 Model and Semantics [RFC2911] and the IPP Transport and Encoding [RFC2910] documents. It is
28 intended to help implementers understand IPP/1.1, as well as IPP/1.0 [RFC2565, RFC2566], and some
29 of the considerations that may assist them in the design of their client and/or IPP object
30 implementations. For example, a typical order of processing requests is given, including error checking.
31 Motivation for some of the specification decisions is also included.

32 This document obsoletes RFC 2639 which was the Implementer's Guide for IPP/1.0.

33

33 **TABLE OF CONTENTS**

34	1	Introduction.....	5
35	1.1	Conformance language.....	5
36	1.2	Other terminology.....	6
37	1.3	Issues Raised from Interoperability Testing Events.....	6
38	2	IPP Objects.....	6
39	3	IPP Operations.....	8
40	3.1	Common Semantics.....	8
41	3.1.1	Summary of Operation Attributes.....	9
42	3.1.2	Suggested Operation Processing Steps for IPP Objects.....	14
43	3.1.2.1	Suggested Operation Processing Steps for all Operations.....	15
44	3.1.2.1.1	Validate version number.....	16
45	3.1.2.1.2	Validate operation identifier.....	16
46	3.1.2.1.3	Validate the request identifier.....	17
47	3.1.2.1.4	Validate attribute group and attribute presence and order.....	17
48	3.1.2.1.4.1	Validate the presence and order of attribute groups.....	17
49	3.1.2.1.4.2	Ignore unknown attribute groups in the expected position.....	17
50	3.1.2.1.4.3	Validate the presence of a single occurrence of required Operation attributes.....	18
51	3.1.2.1.5	Validate the values of the REQUIRED Operation attributes.....	24
52	3.1.2.1.6	Validate the values of the OPTIONAL Operation attributes.....	28
53	3.1.2.2	Suggested Additional Processing Steps for Operations that Create/Validate Jobs and Add Documents.....	31
54	3.1.2.2.1	Default "ipp-attribute-fidelity" if not supplied.....	31
55	3.1.2.2.2	Check that the Printer object is accepting jobs.....	32
56	3.1.2.2.3	Validate the values of the Job Template attributes.....	32
57	3.1.2.3	Algorithm for job validation.....	32
58	3.1.2.3.1	Check for conflicting Job Template attributes values.....	37
59	3.1.2.3.2	Decide whether to REJECT the request.....	37
60	3.1.2.3.3	For the Validate-Job operation, RETURN one of the success status codes.....	39
61	3.1.2.3.4	Create the Job object with attributes to support.....	39
62	3.1.2.3.5	Return one of the success status codes.....	40
63	3.1.2.3.6	Accept appended Document Content.....	41
64	3.1.2.3.7	Scheduling and Starting to Process the Job.....	41
65	3.1.2.3.8	Completing the Job.....	41
66	3.1.2.3.9	Destroying the Job after completion.....	41
67	3.1.2.3.10	Interaction with "ipp-attribute-fidelity".....	42
68	3.1.2.3.11	Character set code conversion support.....	42
69	3.1.2.3.12	What charset to return when an unsupported charset is requested (Issue 1.19)?.....	43
70	3.1.2.3.13	Natural Language Override (NLO).....	43
71	3.1.3	Status codes returned by operation.....	44
72	3.1.3.1	Printer Operations.....	44
73	3.1.3.1.1	Print-Job.....	45
74	3.1.3.1.2	Print-URI.....	46
75	3.1.3.1.3	Validate-Job.....	47
76	3.1.3.1.4	Create-Job.....	47
77	3.1.3.1.5	Get-Printer-Attributes.....	47
78	3.1.3.1.6	Get-Jobs.....	48
79	3.1.3.1.7	Pause-Printer.....	48
80	3.1.3.1.8	Resume-Printer.....	49
81	3.1.3.1.8.1	What about Printers unable to change state due to an error condition?.....	49

83	3.1.3.1.8.2	How is "printer-state" handled on Resume-Printer?.....	50
84	3.1.3.1.9	Purge-Printer	50
85	3.1.3.2	Job Operations.....	50
86	3.1.3.2.1	Send-Document	50
87	3.1.3.2.2	Send-URI	51
88	3.1.3.2.3	Cancel-Job.....	51
89	3.1.3.2.4	Get-Job-Attributes	52
90	3.1.3.2.5	Hold-Job.....	53
91	3.1.3.2.6	Release-Job.....	53
92	3.1.3.2.7	Restart-Job	53
93	3.1.3.2.7.1	Can documents be added to a restarted job?.....	54
94	3.1.4	Returning unsupported attributes in Get-Xxxx responses (Issue 1.18)	54
95	3.1.5	Sending empty attribute groups.....	54
96	3.2	Printer Operations	55
97	3.2.1	Print-Job operation	55
98	3.2.1.1	Flow controlling the data portion of a Print-Job request (Issue 1.22).....	55
99	3.2.1.2	Returning job-state in Print-Job response (Issue 1.30)	55
100	3.2.2	Get-Printer-Attributes operation	56
101	3.2.3	Get-Jobs operation.....	56
102	3.2.3.1	Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?.....	56
103	3.2.3.2	Why is there a "limit" attribute in the Get-Jobs operation?.....	56
104	3.2.4	Create-Job operation.....	57
105	3.3	Job Operations	57
106	3.3.1	Validate-Job	57
107	3.3.2	Restart-Job	57
108	4	Object Attributes.....	58
109	4.1	Attribute Syntax's.....	58
110	4.1.1	The 'none' value for empty sets (Issue 1.37)	58
111	4.1.2	Multi-valued attributes (Issue 1.31).....	58
112	4.1.3	Case Sensitivity in URIs (issue 1.6).....	58
113	4.1.4	Maximum length for xxxWithLanguage and xxxWithoutLanguage	59
114	4.2	Job Template Attributes	59
115	4.2.1	multiple-document-handling(type2 keyword)	59
116	4.2.1.1	Support of multiple document jobs.....	59
117	4.3	Job Description Attributes.....	60
118	4.3.1	Getting the date and time of day.....	60
119	4.4	Printer Description Attributes.....	60
120	4.4.1	queued-job-count (integer(0:MAX))	60
121	4.4.1.1	Why is "queued-job-count" RECOMMENDED (Issue 1.14)?.....	60
122	4.4.1.2	Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)?.....	60
123	4.4.2	printer-current-time (dateTime).....	61
124	4.4.3	Printer-uri.....	61
125	4.5	Empty Jobs	61
126	5	Directory Considerations.....	62
127	5.1	General Directory Schema Considerations	62
128	5.2	IPP Printer with a DNS name	62
129	6	Security Considerations.....	62
130	6.1	Querying jobs with IPP that were submitted using other job submission protocols (Issue 1.32)	
131		62	

132	7	Encoding and Transport	63
133	7.1	General Headers.....	64
134	7.2	Request Headers	65
135	7.3	Response Headers.....	66
136	7.4	Entity Headers	67
137	7.5	Optional support for HTTP/1.0.....	67
138	7.6	HTTP/1.1 Chunking.....	68
139	7.6.1	Disabling IPP Server Response Chunking	68
140	7.6.2	Warning About the Support of Chunked Requests	68
141	8	References	68
142	9	Authors' Address.....	70
143	10	Description of the Base IPP Documents	73
144	11	Full Copyright Statement	74
145			
146		TABLES	
147			
148		Table 1 - Summary of Printer operation attributes that sender MUST supply.....	9
149		Table 2 - Summary of Printer operation attributes that sender MAY supply.....	10
150		Table 3 - Summary of Job operation attributes that sender MUST supply.....	11
151		Table 4 - Summary of Job operation attributes that sender MAY supply.....	12
152		Table 5 - Printer operation response attributes.....	13
153		Table 6 - Examples of validating IPP version.....	16
154		Table 7 - Rules for validating single values X against Z.....	33
155			
156			

156
157
158

159 **1 Introduction**

160 The IPP Implementer's Guide (IIG) (this document) contains information that supplements the IPP
161 Model and Semantics [RFC2911] and the IPP Transport and Encoding [RFC2910] documents. This
162 document is just one of a suite of documents that fully define IPP. The base set of IPP documents
163 includes:

164 Design Goals for an Internet Printing Protocol [RFC2567]
165 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]
166 Internet Printing Protocol/1.1: Model and Semantics [RFC2911]
167 Internet Printing Protocol/1.1: Encoding and Transport [RFC2910]
168 Internet Printing Protocol/1.1: Implementer's Guide (this document)
169 Mapping between LPD and IPP Protocols [RFC2569]

170

171 See section 10 for a description of these base IPP documents. Anyone reading these documents for the
172 first time is strongly encouraged to read the IPP documents in the above order.

173 As such the information in this document is not part of the formal specification of IPP/1.1. Instead
174 information is presented to help implementers understand IPP/1.1, as well as IPP/1.0 [RFC2565,
175 RFC2566], including some of the motivation for decisions taken by the committee in developing the
176 specification. Some of the implementation considerations are intended to help implementers design their
177 client and/or IPP object implementations. If there are any contradictions between this document and
178 [RFC2911] or [RFC2910], those documents take precedence over this document.

179 Platform-specific implementation considerations will be included in this guide as they become known.

180 Note: In order to help the reader of the IIG and the IPP Model and Semantics document, the sections
181 in this document parallel the corresponding sections in the Model document and are numbered the same
182 for ease of cross reference. The sections that correspond to the IPP Transport and Encoding are
183 correspondingly offset.

184 **1.1 Conformance language**

185 Usually, this document does not contain the terminology MUST, MUST NOT, MAY, NEED NOT,
186 SHOULD, SHOULD NOT, REQUIRED, and OPTIONAL. However, when those terms do appear in
187 this document, their intent is to repeat what the [RFC2911] and [RFC2910] documents require and
188 allow, rather than specifying additional conformance requirements. These terms are defined in section
189 12 on conformance terminology in [RFC2911], most of which is taken from RFC 2119 [RFC2119].

190 Implementers should read section 12 (APPENDIX A) in [RFC2911] in order to understand these
191 capitalized words. The words MUST, MUST NOT, and REQUIRED indicate what implementations
192 are required to support in a client or IPP object in order to be conformant to [RFC2911] and
193 [RFC2910]. MAY, NEED NOT, and OPTIONAL indicate was is merely allowed as an implementer
194 option. The verbs SHOULD and SHOULD NOT indicate suggested behavior, but which is not
195 required or disallowed, respectively, in order to conform to the specification.

196 **1.2 Other terminology**

197 This document uses other terms, such as "attributes", "operation", and "Printer" as defined in
198 [RFC2911] section 12. In addition, the term "sender" refers to the client that sends a request or an IPP
199 object that returns a response. The term "receiver" refers to the IPP object that receives a request and
200 to a client that receives a response.

201 **1.3 Issues Raised from Interoperability Testing Events**

202 The IPP WG has conducted three open Interoperability Testing Events. The first one was held in
203 September 1998, the second one was held in March 1999, and the third one was held in October 2000.
204 See the summary reports in:

205 ftp://ftp.pwg.org/pub/pwg/ipp/new_TES/

206 The issues raised from the first Interoperability Testing Event are numbered 1.n in this document and
207 have been incorporated into "IPP/1.0 Model and Semantics" [RFC2566] and the "IPP/1.0 Encoding and
208 Transport" [RFC2565] documents. However, some of the discussion is left here in the Implementer's
209 Guide to help understanding.

210 The issues raised from the second Interoperability Testing Event are numbered 2.n in this document
211 have been incorporated into "IPP/1.1 Model and Semantics" [RFC2911] and the "IPP/1.1 Encoding and
212 Transport" [RFC2910] documents. However, some of the discussion is left here in the Implementer's
213 Guide to help understanding.

214 The issues raised from the third Interoperability Testing Event are numbered 3.n in this document and
215 are described in:

216 <ftp://ftp.pwg.org/pub/pwg/ipp/Issues/Issues-raised-at-Bake-Off3.pdf>
217 <ftp://ftp.pwg.org/pub/pwg/ipp/Issues/Issues-raised-at-Bake-Off3.doc>
218 <ftp://ftp.pwg.org/pub/pwg/ipp/Issues/Issues-raised-at-Bake-Off3.txt>

219 **2 IPP Objects**

220 The term "client" in IPP is intended to mean any client that issues IPP operation requests and accepts
221 IPP operation responses, whether it be a desktop or a server. In other words, the term "client" does not
222 just mean end-user clients, such as those associated with desktops.

223 The term "IPP Printer" in IPP is intended to mean an object that accepts IPP operation requests and
224 returns IPP operation responses, whether implemented in a server or a device. An IPP Printer object
225 MAY, if implemented in a server, turn around and forward received jobs (and other requests) to other
226 devices and print servers/services, either using IPP or some other protocol.

227

227 **3 IPP Operations**

228 This section corresponds to Section 3 "IPP Operations" in the IPP/1.1 Model and Semantics document
229 [RFC2911].

230 **3.1 Common Semantics**

231 This section discusses semantics common to all operations.

232 **3.1.1 Summary of Operation Attributes**233 **Table 1 - Summary of Printer operation attributes that sender MUST supply**

Operation Attributes	Printer Operations						
	Requests						Response s
	PJ, VJ (R)	PU (O)	CJ (O)	GPA (R)	GJ (R)	PP, RP, PP (O+)	All Operatio ns
Operation parameters--REQUIRED to be supplied by the sender:							
operation-id	R	R	R	R	R	R	
status-code							R
request-id	R	R	R	R	R	R	R
version-number	R	R	R	R	R	R	R
Operation attributes--REQUIRED to be supplied by the sender:							
attributes-charset	R	R	R	R	R	R	R
attributes-natural- language	R	R	R	R	R	R	R
document-uri		R					
job-id*							
job-uri*							
last-document							
printer-uri	R	R	R	R	R	R	
Operation attributes--RECOMMENDED to be supplied by the sender:							
job-name	R	R	R				
requesting-user-name	R	R	R	R	R	R	

234

235

Legend:

236

PJ, VJ: Print-Job, Validate-Job

237

PU: Print-URI

238

CJ: Create-Job

239

GPA: Get-Printer-Attributes

240

GJ: Get-Jobs

241

PP, RP, PP: Pause-Printer, Resume-Printer, Purge-Printer

242

R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For attributes, R indicates that the attribute MUST be supported by the IPP object that supports the associated operation.

243

244

O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer or Job).

245

246

+ indicates that this is not an IPP/1.0 feature, but is only a part of IPP/1.1 and future versions of IPP.

247

248

249

250

Table 2 - Summary of Printer operation attributes that sender MAY supply

Operation Attributes	Printer Operations							Responses
	Requests							
	PJ, (R)	VJ	PU (O)	CJ (O)	GPA (R)	GJ (R)	PP, RP, PP (O+)	All Operati ons
Operation attributes--OPTIONAL to be supplied by the sender:								
status-message								O
detailed-status-message								O
document-access-error								O**
compression	R		R					
document-format	R		R		R			
document-name	O		O					
document-natural-language	O		O					
ipp-attribute-fidelity	R		R	R				
job-impressions	O		O	O				
job-k-octets	O		O	O				
job-media-sheets	O		O	O				
limit						R		
message								
my-jobs						R		
requested-attributes					R	R		
which-jobs						R		

251

Legend:

252

PJ, VJ: Print-Job, Validate-Job

253

PU: Print-URI

254

CJ: Create-Job

255

GPA: Get-Printer-Attributes

256

GJ: Get-Jobs

257

PP, RP, PP: Pause-Printer, Resume-Printer, Purge-Printer

258

R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For attributes, R indicates that the attribute MUST be supported by the IPP object that supports the associated operation.

260

O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer or Job).

262

+ indicates that this is not an IPP/1.0 feature, but is only a part of IPP/1.1 and future versions of IPP.

263

* "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise, "job-uri" is REQUIRED.

264

** "document-access-error" applies to the Print-URI response only.

266

267

267

268

Table 3 - Summary of Job operation attributes that sender MUST supply

Operation Attributes	Job Operations					
	Requests					Responses
	SD (O)	SU (O)	CJ (R)	GJA (R)	HJ, RJ, RJ (O+)	All Operations
Operation parameters--REQUIRED to be supplied by the sender:						
operation-id	R	R	R	R	R	
status-code						R
request-id	R	R	R	R	R	R
version-number	R	R	R	R	R	R
Operation attributes--REQUIRED to be supplied by the sender:						
attributes-charset	R	R	R	R	R	R
attributes-natural-language	R	R	R	R	R	R
document-uri		R				
job-id*	R	R	R	R	R	
job-uri*	R	R	R	R	R	
last-document	R	R				
printer-uri	R	R	R	R	R	
Operation attributes--RECOMMENDED to be supplied by the sender:						
job-name						
requesting-user-name	R	R	R	R	R	

269

Legend:

270

SD: Send-Document

271

SU: Send-URI

272

CJ: Cancel-Job

273

GJA: Get-Job-Attributes

274

HJ, RJ, RJ: Hold-Job, Release-Job, Restart-Job

275

R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For attributes, R indicates that the attribute MUST be supported by the IPP object that supports the associated operation.

278

O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer or Job).

279

280

+ indicates that this is not an IPP/1.0 feature, but is only a part of IPP/1.1 and future versions of IPP.

281

* "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise, "job-uri" is REQUIRED.

282

283

284

285

Table 4 - Summary of Job operation attributes that sender MAY supply

Operation Attributes	Job Operations						
	Requests						Responses
	SD (O)	SU (O)	CJ (R)	GJA (R)	HJ, RJ, RJ (O+)	SD (O)	All Operati ons
Operation attributes--OPTIONAL to be supplied by the sender:							
status-message							O
detailed-status-message							O
document-access-error							O**
compression	R	R					
document-format	R	R					
document-name	O	O					
document-natural-language	O	O					
ipp-attribute-fidelity							
job-impressions							
job-k-octets							
job-media-sheets							
limit							
message			O		O	O	
job-hold-until					R		
my-jobs							
requested-attributes				R			
which-jobs							

Legend:

- 286 SD: Send-Document
287 SU: Send-URI
288 CJ: Cancel-Job
289 GJA: Get-Job-Attributes
290 HJ, RJ, RJ: Hold-Job, Release-Job, Restart-Job
291 R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For
292 attributes, R indicates that the attribute MUST be supported by the IPP object that supports the
293 associated operation.
294 O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer
295 or Job).
296 + indicates that this is not an IPP/1.0 feature, but is only a part of IPP/1.1 and future versions of IPP.
297 * "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise,
298 "job-uri" is REQUIRED.
299 ** "document-access-error" applies to the Send-URI operation only

300

300

301

Table 5 - Printer operation response attributes

Operation Attributes	Printer Operations						
	Response						
	PJ (R) SD (O)	VJ (R)	PU (O) SU (O)	CJ (O)	GPA (R)	GJ (R)	PP, RP, PP (O+)
job-uri	R		R	R			
job-id	R		R	R			
job-state	R		R	R			
job-state-reasons	R+		R+	R+			
number-of- intervening-jobs	O		O	O			
document-access- error+			O				

302

303

Legend:

304

PJ, SJ: Print-Job, Send-Document

305

VJ: Validate-Job

306

PU, SU: Print-URI, Send-URI

307

CJ: Create-Job

308

GPA: Get-Printer-Attributes

309

GJ: Get-Jobs

310

PP, RP, PP: Pause-Printer, Resume-Printer, Purge-Printer

311

R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For attributes, R indicates that the attribute MUST be supported by the IPP object that supports the associated operation.

312

313

O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer or Job).

314

315

316

317

317

318 **3.1.2 Suggested Operation Processing Steps for IPP Objects**

319 This section suggests the steps and error checks that an IPP object MAY perform when processing
320 requests and returning responses. An IPP object MAY perform some or all of the error checks.
321 However, some implementations MAY choose to be more forgiving than the error checks shown here,
322 in order to be able to accept requests from non-conforming clients. Not performing all of these error
323 checks is a so-called "forgiving" implementation. On the other hand, clients that successfully submit
324 requests to IPP objects that do perform all the error checks will be more likely to be able to interoperate
325 with other IPP object implementations. Thus an implementer of an IPP object needs to decide whether
326 to be a "forgiving" or a "strict" implementation. Therefore, the error status codes returned may differ
327 between implementations. Consequentially, client SHOULD NOT expect exactly the error code
328 processing described in this section.

329 When an IPP object receives a request, the IPP object either accepts or rejects the request. In order to
330 determine whether or not to accept or reject the request, the IPP object SHOULD execute the
331 following steps. The order of the steps may be rearranged and/or combined, including making one or
332 multiple passes over the request.

333 A client MUST supply requests that would pass all of the error checks indicated here in order to be a
334 conforming client. Therefore, a client SHOULD supply requests that are conforming, in order to avoid
335 being rejected by some IPP object implementations and/or risking different semantics by different
336 implementations of forgiving implementations. For example, a forgiving implementation that accepts
337 multiple occurrences of the same attribute, rather than rejecting the request might use the first
338 occurrences, while another might use the last occurrence. Thus such a non-conforming client would get
339 different results from the two forgiving implementations.

340 In the following, processing continues step by step until a "RETURNS the xxx status code ..."
341 statement is encountered. Error returns are indicated by the verb: "REJECTS". Since clients have
342 difficulty getting the status code before sending all of the document data in a Print-Job request, clients
343 SHOULD use the Validate-Job operation before sending large documents to be printed, in order to
344 validate whether the IPP Printer will accept the job or not.

345 It is assumed that security authentication and authorization has already taken place at a lower layer.

346

346 3.1.2.1 Suggested Operation Processing Steps for all Operations

347 This section is intended to apply to all operations. The next section contains the additional steps for the
 348 Print-Job, Validate-Job, Print-URI, Create-Job, Send-Document, and Send-URI operations that create
 349 jobs, adds documents, and validates jobs.

350	IIG Sect #	Flow	IPP error status codes
351	-----	----	-----
352			
353		v	err
354	3.1.2.1.1	<Validate version>	--> server-error-version-not-
355			supported
356		ok	
357		v	err
358	3.1.2.1.2	<Validate operation>	--> server-error-operation-not-
359			supported
360		ok	
361		v	err
362	3.1.2.1.4.1-	<Validate presence>	--> client-error-bad-request
363	3.1.2.1.4.2	<of attributes>	
364		ok	
365		v	err
366	3.1.2.1.4.3	<Validate presence>	--> client-error-bad-request
367		<of operation attr>	
368		ok	
369		v	err
370	3.1.2.1.5	<Validate values of>	--> client-error-bad-request
371		<operation attrs>	client-error-request-value-
372			too-long
373		<(length, tag, range,>	
374		<multi-value)>	
375		ok	
376		v	err
377	3.1.2.1.5	<Validate values>	--> client-error-bad-request
378		<with supported values>	client-error-charset-not-
379			supported
380		ok	client-error-attributes-or-
381			values-
382			not-supported
383		v	err
384	3.1.2.1.6	<Validate optionally>	--> client-error-bad-request
385		<operation attr>	client-error-natural-language-
386			not-supported
387			client-error-request-value-
388			too-long
389			client-error-attributes-or-
390			values-not-supported
391			

392 3.1.2.1.1 Validate version number

393 Every request and every response contains the "version-number" attribute. The value of this attribute is
 394 the major and minor version number of the syntax and semantics that the client and IPP object is using,
 395 respectively. The "version-number" attribute remains in a fixed position across all future versions so
 396 that all clients and IPP object that support future versions can determine which version is being used.
 397 The IPP object checks to see if the major version number supplied in the request is supported. If not,
 398 the Printer object REJECTS the request and RETURNS the 'server-error-version-not-supported' status
 399 code in the response. The IPP object returns in the "version-number" response attribute the major and
 400 minor version for the error response. Thus the client can learn at least one major and minor version that
 401 the IPP object supports. The IPP object is encouraged to return the closest version number to the one
 402 supplied by the client.

403 The checking of the minor version number is implementation dependent, however if the client-supplied
 404 minor version is explicitly supported, the IPP object MUST respond using that identical minor version
 405 number. If the major version number matches, but the minor version number does not, the Printer
 406 SHOULD accept and attempt to process the request, or MAY reject the request and return the 'server-
 407 error-version-not-supported' status code. In all cases, the Printer MUST return the nearest version
 408 number that it supports. For example, suppose that an IPP/1.2 Printer supports versions '1.1' and '1.2'.
 409 The following responses are conforming:

410 **Table 6 - Examples of validating IPP version**

Client supplies	Printer Accept Request?	Printer returns
1.0	yes (SHOULD)	1.1
1.0	no (SHOULD NOT)	1.1
1.1	yes (MUST)	1.1
1.2	yes (MUST)	1.2
1.3	yes (SHOULD)	1.2
1.3	no (SHOULD NOT)	1.2

411

412 It is advantageous for Printers to support both IPP/1.1 and IPP/1.0, so that they can interoperate with
 413 either client implementations. Some implementations may allow an Administrator to explicitly disable
 414 support for one or the other by setting the "ipp-versions-supported" Printer description attribute.

415 Likewise, it is advantageous for clients to support both versions to allow interoperability with new and
 416 legacy Printers.

417 3.1.2.1.2 Validate operation identifier

418 The Printer object checks to see if the "operation-id" attribute supplied by the client is supported as
 419 indicated in the Printer object's "operations-supported" attribute. If not, the Printer REJECTS the
 420 request and returns the 'server-error-operation-not-supported' status code in the response.

421 3.1.2.1.3 Validate the request identifier

422 The Printer object SHOULD NOT check to see if the "request-id" attribute supplied by the client is in
423 range: between 1 and $2^{31} - 1$ (inclusive), but copies all 32 bits.

424 Note: The "version-number", "operation-id", and the "request-id" parameters are in fixed octet
425 positions in the IPP/1.1 encoding. The "version-number" parameter will be the same fixed octet
426 position in all versions of the protocol. These fields are validated before proceeding with the rest of the
427 validation.

428 3.1.2.1.4 Validate attribute group and attribute presence and order

429 The order of the following validation steps depends on implementation.

430 3.1.2.1.4.1 Validate the presence and order of attribute groups

431 Client requests and IPP object responses contain attribute groups that Section 3 requires to be present
432 and in a specified order. An IPP object verifies that the attribute groups are present and in the correct
433 order in requests supplied by clients (attribute groups without an * in the following tables).

434 If an IPP object receives a request with (1) required attribute groups missing, or (2) the attributes
435 groups are out of order, or (3) the groups are repeated, the IPP object REJECTS the request and
436 RETURNS the 'client-error-bad-request' status code. For example, it is an error for the Job Template
437 Attributes group to occur before the Operation Attributes group, for the Operation Attributes group to
438 be omitted, or for an attribute group to occur more than once, except in the Get-Jobs response.

439 Since this kind of attribute group error is most likely to be an error detected by a client developer rather
440 than by a customer, the IPP object NEED NOT return an indication of which attribute group was in
441 error in either the Unsupported Attributes group or the Status Message. Also, the IPP object NEED
442 NOT find all attribute group errors before returning this error.

443 3.1.2.1.4.2 Ignore unknown attribute groups in the expected position

444 Future attribute groups may be added to the specification at the end of requests just before the
445 Document Content and at the end of response, except for the Get-Jobs response, where it maybe there
446 or before the first job attributes returned. If an IPP object receives an unknown attribute group in these
447 positions, it ignores the entire group, rather than returning an error, since that group may be a new
448 group in a later minor version of the protocol that can be ignored. (If the new attribute group cannot be
449 ignored without confusing the client, the major version number would have been increased in the
450 protocol document and in the request). If the unknown group occurs in a different position, the IPP
451 object REJECTS the request and RETURNS the 'client-error-bad-request' status code.

452 Clients also ignore unknown attribute groups returned in a response.

453 Note: By validating that requests are in the proper form, IPP objects force clients to use the proper
454 form which, in turn, increases the chances that customers will be able to use such clients from multiple
455 vendors with IPP objects from other vendors.

456 **3.1.2.1.4.3 Validate the presence of a single occurrence of required Operation attributes**

457 Client requests and IPP object responses contain Operation attributes that [RFC2911] Section 3
458 requires to be present. Attributes within a group may be in any order, except for the ordering of target,
459 charset, and natural languages attributes. These attributes **MUST** be first, and **MUST** be supplied in the
460 following order: charset, natural language, and then target. An IPP object verifies that the attributes that
461 Section 4 requires to be supplied by the client have been supplied in the request (attributes without *
462 in the following tables). An asterisk (*) indicates groups and Operation attributes that the client may
463 omit in a request or an IPP object may omit in a response.

464 If an IPP object receives a request with required attributes missing or repeated from a group or in the
465 wrong position, the behavior of the IPP object is **IMPLEMENTATION DEPENDENT**. Some of the
466 possible implementations are:

467 REJECTS the request and RETURNS the 'client-error-bad-request' status code

468 accepts the request and uses the first occurrence of the attribute no matter where it is

469 accepts the request and uses the last occurrence of the attribute no matter where it is

470 accept the request and assume some default value for the missing attribute

471 Therefore, client **MUST** send conforming requests, if they want to receive the same behavior from all
472 IPP object implementations. For example, it is an error for the "attributes-charset" or "attributes-
473 natural-language" attribute to be omitted in any operation request, or for an Operation attribute to be
474 supplied in a Job Template group or a Job Template attribute to be supplied in an Operation Attribute
475 group in a create request. It is also an error to supply the "attributes-charset" attribute twice.

476 Since these kinds of attribute errors are most likely to be detected by a client developer rather than by a
477 customer, the IPP object **NEED NOT** return an indication of which attribute was in error in either the
478 Unsupported Attributes group or the Status Message. Also, the IPP object **NEED NOT** find all
479 attribute errors before returning this error.

480 The following tables list all the attributes for all the operations by attribute group in each request and
481 each response. The order of the groups is the order that the client supplies the groups as specified in
482 [RFC2911] Section 3. The order of the attributes within a group is arbitrary, except as noted for some
483 of the special operation attributes (charset, natural language, and target). The tables below use the
484 following notation:

485 R indicates a **REQUIRED** attribute or operation that an IPP object **MUST** support

486 O indicates an **OPTIONAL** attribute or operation that an IPP object **NEED NOT** support

487 * indicates that a client MAY omit the attribute in a request and that an IPP object MAY omit
488 the attribute in a response. The absence of an * means that a client MUST supply the
489 attribute in a request and an IPP object MUST supply the attribute in a response.
490 + indicates that this is not a IPP/1.0 operation, but is only a part of IPP/1.1 and future versions
491 of IPP.

492

493 Operation Requests

494 The tables below show the attributes in their proper attribute groups for operation requests:

495 Note: All operation requests contain "version-number", "operation-
496 id", and "request-id" parameters.

497

498 Print-Job Request (R):

499 Group 1: Operation Attributes (R)
500 attributes-charset (R)
501 attributes-natural-language (R)
502 printer-uri (R)
503 requesting-user-name (R*)
504 job-name (R*)
505 ipp-attribute-fidelity (R*)
506 document-name (R*)
507 document-format (R*)
508 document-natural-language (O*)
509 compression (R*)
510 job-k-octets (O*)
511 job-impressions (O*)
512 job-media-sheets (O*)
513 Group 2: Job Template Attributes (R*)
514 <Job Template attributes> (O*)
515 (see [RFC2911] Section 4.2)
516 Group 3: Document Content (R)
517 <document content>

518

519 Validate-Job Request (R):

520 Group 1: Operation Attributes (R)
521 attributes-charset (R)
522 attributes-natural-language (R)
523 printer-uri (R)
524 requesting-user-name (R*)
525 job-name (R*)
526 ipp-attribute-fidelity (R*)
527 document-name (R*)
528 document-format (R*)
529 document-natural-language (O*)
530 compression (R*)
531 job-k-octets (O*)
532 job-impressions (O*)

533 job-media-sheets (O*)
534 Group 2: Job Template Attributes (R*)
535 <Job Template attributes> (O*)
536 (see [RFC2911] Section 4.2)
537
538 Print-URI Request (O):
539 Group 1: Operation Attributes (R)
540 attributes-charset (R)
541 attributes-natural-language (R)
542 printer-uri (R)
543 document-uri (R)
544 requesting-user-name (R*)
545 job-name (R*)
546 ipp-attribute-fidelity (R*)
547 document-name (R*)
548 document-format (R*)
549 document-natural-language (O*)
550 compression (R*)
551 job-k-octets (O*)
552 job-impressions (O*)
553 job-media-sheets (O*)
554 Group 2: Job Template Attributes (R*)
555 <Job Template attributes> (O*) (see
556 (see [RFC2911] Section 4.2)
557
558 Create-Job Request (O):
559 Group 1: Operation Attributes (R)
560 attributes-charset (R)
561 attributes-natural-language (R)
562 printer-uri (R)
563 requesting-user-name (R*)
564 job-name (R*)
565 ipp-attribute-fidelity (R*)
566 job-k-octets (O*)
567 job-impressions (O*)
568 job-media-sheets (O*)
569 Group 2: Job Template Attributes (R*)
570 <Job Template attributes> (O*) (see
571 (see [RFC2911] Section 4.2)
572
573 Get-Printer-Attributes Request (R):
574 Group 1: Operation Attributes (R)
575 attributes-charset (R)
576 attributes-natural-language (R)
577 printer-uri (R)
578 requesting-user-name (R*)
579 requested-attributes (R*)
580 document-format (R*)
581
582 Get-Jobs Request (R):

```
583     Group 1: Operation Attributes (R)
584         attributes-charset (R)
585         attributes-natural-language (R)
586         printer-uri (R)
587         requesting-user-name (R*)
588         limit (R*)
589         requested-attributes (R*)
590         which-jobs (R*)
591         my-jobs (R*)
592
593     Send-Document Request (O):
594         Group 1: Operation Attributes (R)
595             attributes-charset (R)
596             attributes-natural-language (R)
597             (printer-uri & job-id) | job-uri (R)
598             last-document (R)
599             requesting-user-name (R*)
600             document-name (R*)
601             document-format (R*)
602             document-natural-language (O*)
603             compression (R*)
604         Group 2: Document Content (R*)
605             <document content>
606
607     Send-URI Request (O):
608         Group 1: Operation Attributes (R)
609             attributes-charset (R)
610             attributes-natural-language (R)
611             (printer-uri & job-id) | job-uri (R)
612             last-document (R)
613             document-uri (R)
614             requesting-user-name (R*)
615             document-name (R*)
616             document-format (R*)
617             document-natural-language (O*)
618             compression (R*)
619
620     Cancel-Job Request (R):
621     Release-Job Request (O+):
622         Group 1: Operation Attributes (R)
623             attributes-charset (R)
624             attributes-natural-language (R)
625             (printer-uri & job-id) | job-uri (R)
626             requesting-user-name (R*)
627             message (O*)
628
629     Get-Job-Attributes Request (R):
630         Group 1: Operation Attributes (R)
631             attributes-charset (R)
632             attributes-natural-language (R)
```

633 (printer-uri & job-id) | job-uri (R)
 634 requesting-user-name (R*)
 635 requested-attributes (R*)
 636
 637 Pause-Printer Request (O+):
 638 Resume-Printer Request (O+):
 639 Purge-Printer Request (O+):
 640 Group 1: Operation Attributes (R)
 641 attributes-charset (R)
 642 attributes-natural-language (R)
 643 printer-uri (R)
 644 requesting-user-name (R*)
 645
 646 Hold-Job Request (O+):
 647 Restart-Job Request (O+):
 648 Group 1: Operation Attributes (R)
 649 attributes-charset (R)
 650 attributes-natural-language (R)
 651 (printer-uri & job-id) | job-uri (R)
 652 requesting-user-name (R*)
 653 job-hold-until (R*)
 654 message (O*)

655

656 **Operation Responses**

657 The tables below show the response attributes in their proper attribute groups for responses.

658 Note: All operation responses contain "version-number", "status-
 659 code", and "request-id" parameters.

660

661 Print-Job Response (R):
 662 Create-Job Response (O):
 663 Send-Document Response (O):
 664 Group 1: Operation Attributes (R)
 665 attributes-charset (R)
 666 attributes-natural-language (R)
 667 status-message (O*)
 668 detailed-status-message (O*)
 669 Group 2: Unsupported Attributes (R*) (see Note 3)
 670 <unsupported attributes> (R*)
 671 Group 3: Job Object Attributes (R*) (see Note 2)
 672 job-uri (R)
 673 job-id (R)
 674 job-state (R)
 675 job-state-reasons (O* | R+)
 676 job-state-message (O*)
 677 number-of-intervening-jobs (O*)
 678
 679 Validate-Job Response (R):

680 Cancel-Job Response (R):
681 Hold-Job Response (O+):
682 Release-Job Response (O+):
683 Restart-Job Response (O+):
684 Group 1: Operation Attributes (R)
685 attributes-charset (R)
686 attributes-natural-language (R)
687 status-message (O*)
688 detailed-status-message (O*)
689 Group 2: Unsupported Attributes (R*) (see Note 3)
690 <unsupported attributes> (R*)
691
692 Print-URI Response (O):
693 Send-URI Response (O):
694 Group 1: Operation Attributes (R)
695 attributes-charset (R)
696 attributes-natural-language (R)
697 status-message (O*)
698 detailed-status-message (O*)
699 document-access-error (O*)
700 Group 2: Unsupported Attributes (R*) (see Note 3)
701 <unsupported attributes> (R*)
702 Group 3: Job Object Attributes(R*) (see Note 2)
703 job-uri (R)
704 job-id (R)
705 job-state (R)
706 job-state-reasons (O* | R+)
707 job-state-message (O*)
708 number-of-intervening-jobs (O*)
709
710 Get-Printer-Attributes Response (R):
711 Group 1: Operation Attributes (R)
712 attributes-charset (R)
713 attributes-natural-language (R)
714 status-message (O*)
715 detailed-status-message (O*)
716 Group 2: Unsupported Attributes (R*) (see Note 4)
717 <unsupported attributes> (R*)
718 Group 3: Printer Object Attributes(R*) (see Note 2)
719 <requested attributes> (R*)
720
721 Get-Jobs Response (R):
722 Group 1: Operation Attributes (R)
723 attributes-charset (R)
724 attributes-natural-language (R)
725 status-message (O*)
726 detailed-status-message (O*)
727 Group 2: Unsupported Attributes (R*) (see Note 4)
728 <unsupported attributes> (R*)
729 Group 3: Job Object Attributes(R*) (see Note 2, 5)

730 <requested attributes> (R*)
 731
 732 Get-Job-Attributes Response (R):
 733 Group 1: Operation Attributes (R)
 734 attributes-charset (R)
 735 attributes-natural-language (R)
 736 status-message (O*)
 737 detailed-status-message (O*)
 738 Group 2: Unsupported Attributes (R*) (see Note 4)
 739 <unsupported attributes> (R*)
 740 Group 3: Job Object Attributes (R*) (see Note 2)
 741 <requested attributes> (R*)
 742
 743 Pause-Printer Response (O+):
 744 Resume-Printer Response (O+):
 745 Purge-Printer Response (O+):
 746 Group 1: Operation Attributes (R)
 747 attributes-charset (R)
 748 attributes-natural-language (R)
 749 status-message (O*)
 750 detailed-status-message (O*)
 751 Group 2: Unsupported Attributes (R*) (see Note 4)
 752 <unsupported attributes> (R*)
 753

754 Note 2 - the Job Object Attributes and Printer Object Attributes are returned only if the IPP object
 755 returns one of the success status codes.

756 Note 3 - the Unsupported Attributes Group is present only if the client included some Operation and/or
 757 Job Template attributes or values that the Printer doesn't support whether a success or an error return.

758 Note 4 - the Unsupported Attributes Group is present only if the client included some Operation
 759 attributes that the Printer doesn't support whether a success or an error return.

760 Note 5: for the Get-Jobs operation the response contains a separate Job Object Attributes group 3 to N
 761 containing requested-attributes for each job object in the response.

762 3.1.2.1.5 **Validate the values of the REQUIRED Operation attributes**

763 An IPP object validates the values supplied by the client of the REQUIRED Operation attribute that the
 764 IPP object MUST support. The next section specifies the validation of the values of the OPTIONAL
 765 Operation attributes that IPP objects MAY support.

766 The IPP object performs the following syntactic validation checks of each Operation attribute value:

- 767 a) that the length of each Operation attribute value is correct for the attribute syntax tag
 768 supplied by the client according to [RFC2911] Section 4.1,

- 769 b) that the attribute syntax tag is correct for that Operation attribute according to
770 [RFC2911] Section 3,
- 771 c) that the value is in the range specified for that Operation attribute according to
772 [RFC2911] Section 3,
- 773 d) that multiple values are supplied by the client only for operation attributes that are multi-
774 valued, i.e., that are 1setOf X according to [RFC2911] Section 3.

775

776 If any of these checks fail, the IPP object REJECTS the request and RETURNS the 'client-error-bad-
777 request' or the 'client-error-request-value-too-long' status code. Since such an error is most likely to be
778 an error detected by a client developer, rather than by an end-user, the IPP object NEED NOT return an
779 indication of which attribute had the error in either the Unsupported Attributes Group or the Status
780 Message. The description for each of these syntactic checks is explicitly expressed in the first IF
781 statement in the following table.

782 In addition, the IPP object checks each Operation attribute value against some Printer object attribute or
783 some hard-coded value if there is no "xxx-supported" Printer object attribute defined. If its value is not
784 among those supported or is not in the range supported, then the IPP object REJECTS the request and
785 RETURNS the error status code indicated in the table by the second IF statement. If the value of the
786 Printer object's "xxx-supported" attribute is 'no-value' (because the system administrator hasn't
787 configured a value), the check always fails.

788

789 attributes-charset (charset)

790 IF NOT a single non-empty 'charset' value, REJECT/RETURN 'client-error-bad-request'.
791 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-
792 long'.
793 IF NOT in the Printer object's "charset-supported" attribute, REJECT/RETURN "client-error-
794 charset-not-supported".

795

796 attributes-natural-language(naturalLanguage)

797 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-
798 request'.
799 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-
800 long'.
801 ACCEPT the request even if not a member of the set in the Printer object's "generated-natural-
802 language-supported" attribute. If the supplied value is not a member of the Printer
803 object's "generated-natural-language-supported" attribute, use the Printer object's
804 "natural-language-configured" value.

805

806 requesting-user-name

807 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.
808 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
809 too-long'.
810 IF the IPP object can obtain a better-authenticated name, use it instead.
811
812 job-name(name)

813 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.
814 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
815 too-long'.
816 IF NOT supplied by the client, the Printer object creates a name from the document-name or
817 document-uri.
818
819 document-name (name)

820 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.
821 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
822 too-long'.
823
824 ipp-attribute-fidelity (boolean)

825 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-
826 error-bad-request'.
827 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-
828 long'.
829 IF NOT supplied by the client, the IPP object assumes the value 'false'.
830
831 document-format (mimeType)

832 IF NOT a single non-empty 'mimeType' value, REJECT/RETURN 'client-error-bad-
833 request'.
834 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
835 too-long'.
836 IF NOT in the Printer object's "document-format-supported" attribute, REJECT/RETURN
837 'client-error-document-format-not-supported'.
838 IF NOT supplied by the client, the IPP object assumes the value of the Printer object's
839 "document-format-default" attribute.
840
841 document-uri (uri)

842 IF NOT a single non-empty 'uri' value, REJECT/RETURN 'client-error-bad-request'.
843 IF the value length is greater than 1023 octets, REJECT/RETURN 'client-error-request-value-
844 too-long'.
845 IF the URI syntax is not valid, REJECT/RETURN 'client-error-bad-request'.

846 If the client-supplied URI scheme is not supported, i.e. the value is not in the Printer object's
847 referenced-uri-scheme-supported" attribute, the Printer object MUST reject the request
848 and return the 'client-error-uri-scheme-not-supported' status code. The Printer object
849 MAY check to see if the document exists and is accessible. If the document is not found
850 or is not accessible, REJECT/RETURN 'client-error-not found'.
851 last-document (boolean)
852 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-
853 error-bad-request'.
854 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-
855 long'.
856
857 job-id (integer(1:MAX))

858 IF NOT an single 'integer' value equal to 4 octets AND in the range 1 to MAX,
859 REJECT/RETURN 'client-error-bad-request'.
860 IF NOT a job-id of an existing Job object, REJECT/RETURN 'client-error-not-found' or 'client-
861 error-gone' status code, if keep track of recently deleted jobs.
862
863 requested-attributes (1setOf keyword)

864 IF NOT one or more 'keyword' values, REJECT/RETURN 'client-error-bad-request'.
865 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
866 too-long'.
867 Ignore unsupported values, which are the keyword names of unsupported attributes. Don't
868 bother to copy such requested (unsupported) attributes to the Unsupported Attribute
869 response group since the response will not return them.
870
871 which-jobs (type2 keyword)

872 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.
873 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-
874 too-long'.
875 IF NEITHER 'completed' NOR 'not-completed', copy the attribute and the unsupported value to
876 the Unsupported Attributes response group and REJECT/RETURN 'client-error-
877 attributes-or-values-not-supported'.
878 Note: a Printer still supports the 'completed' value even if it keeps no
879 completed/canceled/aborted jobs: by returning no jobs when so queried.
880 IF NOT supplied by the client, the IPP object assumes the 'not-completed' value.
881
882 my-jobs (boolean)

883 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-
884 error-bad-request'.
885 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-
886 long'.
887 IF NOT supplied by the client, the IPP object assumes the 'false' value.

888

889 limit (integer(1:MAX))

890 IF NOT a single 'integer' value equal to 4 octets AND in the range 1 to MAX,

891 REJECT/RETURN 'client-error-bad-request'.

892 IF NOT supplied by the client, the IPP object returns all jobs, no matter how many.

893

894

895

896 **3.1.2.1.6 Validate the values of the OPTIONAL Operation attributes**

897 OPTIONAL Operation attributes are those that an IPP object MAY support. An IPP object validates
 898 the values of the OPTIONAL attributes supplied by the client. The IPP object performs the same
 899 syntactic validation checks for each OPTIONAL attribute value as in Section 3.1.2.1.5. As in Section
 900 3.1.2.1.5, if any fail, the IPP object REJECTS the request and RETURNS the 'client-error-bad-request'
 901 or the 'client-error-request-value-too-long' status code.

902 In addition, the IPP object checks each Operation attribute value against some Printer attribute or some
 903 hard-coded value if there is no "xxx-supported" Printer attribute defined. If its value is not among those
 904 supported or is not in the range supported, then the IPP object REJECTS the request and RETURNS
 905 the error status code indicated in the table. If the value of the Printer object's "xxx-supported" attribute
 906 is 'no-value' (because the system administrator hasn't configured a value), the check always fails.

907 If the IPP object doesn't recognize/support an attribute, the IPP object treats the attribute as an
 908 unknown or unsupported attribute (see the last row in the table below).

909

910 document-natural-language (naturalLanguage)

911 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-request'.

912 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-
913 long'.914 IF NOT a value that the Printer object supports in document formats, (no corresponding "xxx-
915 supported" Printer attribute), REJECT/RETURN 'client-error-natural-language-not-
916 supported'.

917

918 compression (type3 keyword)

919 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.

920 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
921 long'.922 IF NOT in the Printer object's "compression-supported" attribute, REJECT/RETURN 'client-error-
923 compression-not-supported'.

924 Note to IPP/1.0 implementers: Support for the "compression" attribute was optional in IPP/1.0 and
925 was changed to REQUIRED in IPP/1.1. However, an IPP/1.0 object SHOULD at least
926 check for the "compression" attribute being present and reject the create request, if they don't
927 support "compression". Not checking is a bug, since the data will be unintelligible.
928

929 job-k-octets (integer(0:MAX))

930 IF NOT a single 'integer' value equal to 4 octets,

931 REJECT/RETURN 'client-error-bad-request'.

932 IF NOT in the range of the Printer object's "job-k-octets-supported" attribute, copy the attribute and
933 the unsupported value to the Unsupported Attributes response group and REJECT/RETURN

934 'client-error-attributes-or-values-not-supported'.
935

936 job-impressions (integer(0:MAX))

937 IF NOT a single 'integer' value equal to 4 octets,

938 REJECT/RETURN 'client-error-bad-request'.

939 IF NOT in the range of the Printer object's "job-impressions-supported" attribute, copy the attribute
940 and the unsupported value to the Unsupported Attributes response group and

941 REJECT/RETURN 'client-error-attributes-or-values-not-supported'.
942

943 job-media-sheets (integer(0:MAX))

944 IF NOT a single 'integer' value equal to 4 octets,

945 REJECT/RETURN 'client-error-bad-request'.

946 IF NOT in the range of the Printer object's "job-media-sheets-supported" attribute, copy the attribute
947 and the unsupported value to the Unsupported Attributes response group and

948 REJECT/RETURN 'client-error-attributes-or-values-not-supported'.
949

950 message (text(127))

951 IF NOT a single 'text' value, REJECT/RETURN 'client-error-bad-request'.

952 IF the value length is greater than 127 octets,

953 REJECT/RETURN 'client-error-request-value-too-long'.
954

955 unknown or unsupported attribute

956 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute
957 syntax, REJECT/RETURN 'client-error-request-value-too-long'.

958 ELSE copy the attribute and value to the Unsupported Attributes response group and change the
959 attribute value to the "out-of-band" 'unsupported' value, but otherwise ignore the attribute.
960

961 Note: Future Operation attributes may be added to the protocol specification that may occur anywhere
962 in the specified group. When the operation is otherwise successful, the IPP object returns the
963 'successful-ok-ignored-or-substituted-attributes' status code. Ignoring unsupported Operation attributes
964 in all operations is analogous to the handling of unsupported Job Template attributes in the create and
965 Validate-Job operations when the client supplies the "ipp-attribute-fidelity" Operation attribute with the
966 'false' value. This last rule is so that we can add OPTIONAL Operation attributes to future versions of
967 IPP so that older clients can inter-work with new IPP objects and newer clients can inter-work with
968 older IPP objects. (If the new attribute cannot be ignored without performing unexpectedly, the major
969 version number would have been increased in the protocol document and in the request). This rule for
970 Operation attributes is independent of the value of the "ipp-attribute-fidelity" attribute. For example, if
971 an IPP object doesn't support the OPTIONAL "job-k-octets" attribute', the IPP object treats "job-k-
972 octets" as an unknown attribute and only checks the length for the 'integer' attribute syntax supplied by
973 the client. If it is not four octets, the IPP object REJECTS the request and RETURNS the 'client-error-
974 bad-request' status code, else the IPP object copies the attribute to the Unsupported Attribute response
975 group, setting the value to the "out-of-band" 'unsupported' value, but otherwise ignores the attribute.

976

976 **3.1.2.2 Suggested Additional Processing Steps for Operations that Create/Validate Jobs and**
 977 **Add Documents**

978 This section in combination with the previous section recommends the processing steps for the Print-
 979 Job, Validate-Job, Print-URI, Create-Job, Send-Document, and Send-URI operations that IPP objects
 980 SHOULD use. These are the operations that create jobs, validate a Print-Job request, and add
 981 documents to a job.

982	IIG Sect #	Flow	IPP error status codes
983	-----	----	-----
985			
986		v	No
987	3.1.2.2.1	<ipp-attribute-fidelity>	-----+ <supplied?>
988		Yes	
989			
990			
991			
992			
992		v	No
993	3.1.2.2.2	<Printer is	--> server-error-not-accepting-jobs
994		<accepting jobs?>	
995		Yes	
996		v	err
997	3.1.2.3	<Validate values of>	--> client-error-bad-request
998		<Job template attributes>	client-error-request-value-too-
999			long
000		<(length, tag, range,>	
001		<multi-value)>	
002		ok	
003		v	err
004	3.1.2.3	<Validate values with>	--> client-error-bad-request
005		<supported values>	client-error-attributes-or-
006			values-not-supported
007		v	err
008	3.1.2.3.1	<Any conflicting>	--> client-error-conflicting-
009			attributes
010		<Job Template attr values>	client-error-attributes-or-
011			values-not-supported
012		v	

013 **3.1.2.2.1 Default "ipp-attribute-fidelity" if not supplied**

014 The Printer object checks to see if the client supplied an "ipp-attribute-fidelity" Operation attribute. If
 015 the attribute is not supplied by the client, the IPP object assumes that the value is 'false'.

016 **3.1.2.2.2 Check that the Printer object is accepting jobs**

017 If the value of the Printer objects "printer-is-accepting-jobs" is 'false', the Printer object REJECTS the
018 request and RETURNS the 'server-error-not-accepting-jobs' status code.

019 **3.1.2.2.3 Validate the values of the Job Template attributes**

020 An IPP object validates the values of all Job Template attribute supplied by the client. The IPP object
021 performs the analogous syntactic validation checks of each Job Template attribute value that it performs
022 for Operation attributes (see Section 3.1.2.1.5.):

- 023 a) that the length of each value is correct for the attribute syntax tag supplied by the client
024 according to [RFC2911] Section 4.1.
- 025 b) that the attribute syntax tag is correct for that attribute according to [RFC2911]
026 Sections 4.2 to 4.4.
- 027 c) that multiple values are supplied only for multi-valued attributes, i.e., that are 1setOf X
028 according to [RFC2911] Sections 4.2 to 4.4.

029 As in Section 3.1.2.1.5, if any of these syntactic checks fail, the IPP object REJECTS the request and
030 RETURNS the 'client-error-bad-request' or 'client-error-request-value-too-long' status code as
031 appropriate, independent of the value of the "ipp-attribute-fidelity". Since such an error is most likely to
032 be an error detected by a client developer, rather than by an end-user, the IPP object NEED NOT return
033 an indication of which attribute had the error in either the Unsupported Attributes Group or the Status
034 Message. The description for each of these syntactic checks is explicitly expressed in the first IF
035 statement in the following table.

036 Each Job Template attribute MUST occur no more than once. If an IPP Printer receives a create
037 request with multiple occurrences of a Job Template attribute, it MAY:

- 038 1. reject the operation and return the 'client-error-bad-request' error status code
- 039 2. accept the operation and use the first occurrence of the attribute
- 040 3. accept the operation and use the last occurrence of the attribute

041 depending on implementation. Therefore, clients MUST NOT supply multiple occurrences of the
042 same Job Template attribute in the Job Attributes group in the request.

043 **3.1.2.3 Algorithm for job validation**

044 The process of validating a Job-Template attribute "xxx" against a Printer attribute "xxx-supported"
045 can use the following validation algorithm (see section 3.2.1.2 in [RFC2911]).

046 To validate the value U of Job-Template attribute "xxx" against the value V of Printer "xxx-
047 supported", perform the following algorithm:

- 048 1. If U is multi-valued, validate each value X of U by performing the algorithm in Table 7 with each
049 value X. Each validation is separate from the standpoint of returning unsupported values.
050 Example: If U is "finishings" that the client supplies with 'staple', 'bind' values, then X takes on
051 the successive values: 'staple', then 'bind'
- 052 2. If V is multi-valued, validate X against each Z of V by performing the algorithm in Table 7 with
053 each value Z. If a value Z validates, the validation for the attribute value X succeeds. If it fails,
054 the algorithm is applied to the next value Z of V. If there are no more values Z of V, validation
055 fails. Example" If V is "sides-supported" with values: 'one-sided', 'two-sided-long', and 'two-
056 sided-short', then Z takes on the successive values: 'one-sided', 'two-sided-long', and 'two-sided-
057 short'. If the client supplies "sides" with 'two-sided-long', the first comparison fails ('one-sided' is
058 not equal to 'two-sided-long'), the second comparison succeeds ('two-sided-long' is equal to 'two-
059 sided-long'), and the third comparison ('two-sided-short' with 'two-sided-long') is not even
060 performed.
- 061 3. If both U and V are single-valued, let X be U and Z be V and use the validation rules in Table 7.

062 **Table 7 - Rules for validating single values X against Z**

Attribute syntax of X	attribute syntax of Z	validated if:
integer	rangeOfInteger	X is within the range of Z
uri	uriScheme	the uri scheme in X is equal to Z
any	boolean	the value of Z is TRUE
any	any	X and Z are of the same type and are equal.

063

064 If the value of the Printer object's "xxx-supported" attribute is 'no-value' (because the system
065 administrator hasn't configured a value), the check always fails. If the check fails, the IPP object copies
066 the attribute to the Unsupported Attributes response group with its unsupported value. If the attribute
067 contains more than one value, each value is checked and each unsupported value is separately copied,
068 while supported values are not copied. If an IPP object doesn't recognize/support a Job Template
069 attribute, i.e., there is no corresponding Printer object "xxx-supported" attribute, the IPP object treats
070 the attribute as an unknown or unsupported attribute (see the last row in the table below).

071 If some Job Template attributes are supported for some document formats and not for others or the
072 values are different for different document formats, the IPP object SHOULD take that into account in
073 this validation using the value of the "document-format" supplied by the client (or defaulted to the value
074 of the Printer's "document-format-default" attribute, if not supplied by the client). For example, if
075 "number-up" is supported for the 'text/plain' document format, but not for the 'application/postscript'
076 document format, the check SHOULD (though it NEED NOT) depend on the value of the "document-
077 format" operation attribute. See "document-format" in [RFC2911] section 3.2.1.1 and 3.2.5.1.

078 Note: whether the request is accepted or rejected is determined by the value of the "ipp-attribute-
079 fidelity" attribute in a subsequent step, so that all Job Template attribute supplied are examined and all
080 unsupported attributes and/or values are copied to the Unsupported Attributes response group.

081 -----

082 job-priority (integer(1:100))

083 IF NOT a single 'integer' value with a length equal to 4 octets, REJECT/RETURN 'client-error-bad-
084 request'.

085 IF NOT supplied by the client, use the value of the Printer object's "job-priority-default" attribute at
086 job submission time.

087 IF NOT in the range 1 to 100, inclusive, copy the attribute and the unsupported value to the
088 Unsupported Attributes response group.

089 Map the value to the nearest supported value in the range 1:100 as specified by the number of
090 discrete values indicated by the value of the Printer's "job-priority-supported" attribute. See
091 the formula in [RFC2911] Section 4.2.1.

092

093 job-hold-until (type3 keyword | name)

094 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.

095 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
096 long'.

097 IF NOT supplied by the client, use the value of the Printer object's "job-hold-until" attribute at job
098 submission time.

099 IF NOT in the Printer object's "job-hold-until-supported" attribute, copy the attribute and the
100 unsupported value to the Unsupported Attributes response group.

101

102 job-sheets (type3 keyword | name)

103 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.

104 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
105 long'.

106 IF NOT in the Printer object's "job-sheets-supported" attribute, copy the attribute and the
107 unsupported value to the Unsupported Attributes response group.

108

109 multiple-document-handling (type2 keyword)

110 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.

111 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
112 long'.

113 IF NOT in the Printer object's "multiple-document-handling-supported" attribute, copy the attribute
114 and the unsupported value to the Unsupported Attributes response group.

115

116 copies (integer(1:MAX))

117 IF NOT a single 'integer' value with a length equal to 4 octets,
118 REJECT/RETURN 'client-error-bad-request'.
119 IF NOT in range of the Printer object's "copies-supported" attribute
120 copy the attribute and the unsupported value to the Unsupported Attributes response group.
121
122 finishings (1setOf type2 enum)

123 IF NOT an 'enum' value(s) each with a length equal to 4 octets, REJECT/RETURN 'client-error-bad-
124 request'.
125 IF NOT in the Printer object's "finishings-supported" attribute, copy the attribute and the
126 unsupported value(s), but not any supported values, to the Unsupported Attributes response
127 group.
128
129 page-ranges (1setOf rangeOfInteger(1:MAX))

130 IF NOT a 'rangeOfInteger' value(s) each with a length equal to 8 octets, REJECT/RETURN 'client-
131 error-bad-request'.
132 IF first value is greater than second value in any range, the ranges are not in ascending order, or
133 ranges overlap, REJECT/RETURN 'client-error-bad-request'.
134 IF the value of the Printer object's "page-ranges-supported" attribute is 'false', copy the attribute to
135 the Unsupported Attributes response group and set the value to the "out-of-band"
136 'unsupported' value.
137
138 sides (type2 keyword)

139 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.
140 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
141 long'.
142 IF NOT in the Printer object's "sides-supported" attribute, copy the attribute and the unsupported
143 value to the Unsupported Attributes response group.
144
145 number-up (integer(1:MAX))

146 IF NOT a single 'integer' value with a length equal to 4 octets,
147 REJECT/RETURN 'client-error-bad-request'.
148 IF NOT a value or in the range of one of the values of the Printer object's "number-up-supported"
149 attribute, copy the attribute and value to the Unsupported Attribute response group.
150
151 orientation-requested (type2 enum)

152 IF NOT a single 'enum' value with a length equal to 4 octets,
153 REJECT/RETURN 'client-error-bad-request'.
154 IF NOT in the Printer object's "orientation-requested-supported" attribute, copy the attribute and the
155 unsupported value to the Unsupported Attributes response group.
156
157 media (type3 keyword | name)

158 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.
 159 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
 160 long'.
 161 IF NOT in the Printer object's "media-supported" attribute, copy the attribute and the unsupported
 162 value to the Unsupported Attributes response group.
 163
 164 printer-resolution (resolution)

165 IF NOT a single 'resolution' value with a length equal to 9 octets,
 166 REJECT/RETURN 'client-error-bad-request'.
 167 IF NOT in the Printer object's "printer-resolution-supported" attribute, copy the attribute and the
 168 unsupported value to the Unsupported Attributes response group.
 169
 170 print-quality (type2 enum)

171 IF NOT a single 'enum' value with a length equal to 4 octets,
 172 REJECT/RETURN 'client-error-bad-request'.
 173 IF NOT in the Printer object's "print-quality-supported" attribute, copy the attribute and the
 174 unsupported value to the Unsupported Attributes response group.
 175
 176 unknown or unsupported attribute (i.e., there is no corresponding Printer object "xxx-supported"
 177 attribute)

178 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute
 179 syntax,
 180 REJECT/RETURN 'client-error-bad-request' if the length of the attribute syntax is fixed or 'client-
 181 error-request-value-too-long' if the length of the attribute syntax is variable.
 182 ELSE copy the attribute and value to the Unsupported Attributes response group and change the
 183 attribute value to the "out-of-band" 'unsupported' value. Any remaining Job Template
 184 Attributes are either unknown or unsupported Job Template attributes and are validated
 185 algorithmically according to their attribute syntax for proper length (see below).
 186 -----

187 If the attribute syntax is supported AND the length check fails, the IPP object REJECTS the request
 188 and RETURNS the 'client-error-bad-request' if the length of the attribute syntax is fixed or the 'client-
 189 error-request-value-too-long' status code if the length of the attribute syntax is variable. Otherwise, the
 190 IPP object copies the unsupported Job Template attribute to the Unsupported Attributes response
 191 group and changes the attribute value to the "out-of-band" 'unsupported' value. The following table
 192 shows the length checks for all attribute syntaxes. In the following table: "<=" means less than or
 193 equal, "=" means equal to:

194 Name	195 Octet length check for read-write attributes	
-----	-----	-----
196 'textWithLanguage	<= 1023 AND	'naturalLanguage' <= 63
197 'textWithoutLanguage'	<= 1023	
198 'nameWithLanguage'	<= 255 AND	'naturalLanguage' <= 63
199 'nameWithoutLanguage'	<= 255	

```

200      'keyword'          <= 255
201      'enum'            = 4
202      'uri'             <= 1023
203      'uriScheme'      <= 63
204      'charset'        <= 63
205      'naturalLanguage' <= 63
206      'mimeType'       <= 255
207      'octetString'    <= 1023
208      'boolean'        = 1
209      'integer'        = 4
210      'rangeOfInteger' = 8
211      'dateTime'      = 11
212      'resolution'    = 9
213      'lsetOf X'
214

```

215 Note: It's possible for a Printer to receive a zero length keyword in a request. Since this is a keyword,
 216 its value needs to be compared with the supported values. Assuming that the printer doesn't have any
 217 values in its corresponding "xxx-supported" attribute that are keywords of zero length, the comparison
 218 will fail. Then the request will be accepted or rejected depending on the value of "ipp-attributes-
 219 fidelity" being 'false' or 'true', respectively. No special handling is required for

220 **3.1.2.3.1 Check for conflicting Job Template attributes values**

221 Once all the Operation and Job Template attributes have been checked individually, the Printer object
 222 SHOULD check for any conflicting values among all the supported values supplied by the client. For
 223 example, a Printer object might be able to staple and to print on transparencies, however due to physical
 224 stapling constraints, the Printer object might not be able to staple transparencies. The IPP object copies
 225 the supported attributes and their conflicting attribute values to the Unsupported Attributes response
 226 group. The Printer object only copies over those attributes that the Printer object either ignores or
 227 substitutes in order to resolve the conflict, and it returns the original values which were supplied by the
 228 client. For example suppose the client supplies "finishings" equals 'staple' and "media" equals
 229 'transparency', but the Printer object does not support stapling transparencies. If the Printer chooses to
 230 ignore the stapling request in order to resolve the conflict, the Printer objects returns "finishings" equal
 231 to 'staple' in the Unsupported Attributes response group. If any attributes are multi-valued, only the
 232 conflicting values of the attributes are copied.

233 Note: The decisions made to resolve the conflict (if there is a choice) is implementation dependent.

234 **3.1.2.3.2 Decide whether to REJECT the request**

235 If there were any unsupported Job Template attributes or unsupported/conflicting Job Template
 236 attribute values and the client supplied the "ipp-attribute-fidelity" attribute with the 'true' value, the
 237 Printer object REJECTS the request and return the status code:

- 238 1. 'client-error-conflicting-attributes' status code, if there were any conflicts between attributes
 239 supplied by the client.

240 2. 'client-error-attributes-or-values-not-supported' status code, otherwise.

241

242 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in
243 this step. If the unsupported Operation attribute was a serious error, the above already rejected the
244 request in a previous step. If control gets to this step with unsupported Operation attributes being
245 returned, they are not serious errors.

246 In general, the final results of Job processing are unknown at Job submission time. The client has to
247 rely on notifications or polling to find out what happens at Job processing time. However, there are
248 cases in which some Printers can determine at Job submission time that Job processing is going to fail.
249 As an optimization, we'd like to have the Printer reject the Job in these cases.

250 There are three types of "processing" errors that might be detectable at Job submission time:

251 1. 'client-error-document-format-not-supported' : For the Print-Job, Send-Document, Print-URI, and
252 Send-URI operations, if all these conditions are true:

- 253 - the Printer supports auto-sensing,
- 254 - the request "document-format" operation attribute is 'application/octet-stream',
- 255 - the Printer receives document data before responding,
- 256 - the Printer auto-senses the document format before responding,
- 257 - the sensed document format is not supported by the Printer

258 then the Printer should respond with 'client-error-document-format-not-supported' status.

259 2. 'client-error-compression-error': For the Print-Job, Send-Document, Print-URI, and Send-URI
260 operations, if all these conditions are true:

- 261 - the client supplies a supported value for the "compression" operation attribute in the request
- 262 - the Printer receives document data before responding,
- 263 - the Printer attempts to decompress the document data before responding,
- 264 - the document data cannot be decompressed using the algorithm specified by the "compression"
265 operation attribute

266 then the Printer should respond with 'client-error-compression-error' status.

267 3. 'client-error-document-access-error': For the Print-URI, and Send-URI operations, if the Printer
268 attempts and fails to pull the referenced document data before responding, it should respond with
269 'client-error-document-access-error' status.

270 Some Printers are not able to detect these errors until Job processing time. In that case, the errors are
271 recorded in the corresponding job-state and job-state reason attributes. (There is no standard way for a
272 client to determine whether a Printer can detect these errors at Job submission time.) For example, if
273 auto-sensing happens AFTER the job is accepted (as opposed to auto-sensing at submit time before
274 returning the response), the implementation aborts the job, puts the job in the 'aborted' state and sets the
275 'unsupported-document-format' value in the job's "job-state-reasons".

276 A client should always provide a valid "document-format" operation attribute whenever practical. In
277 the absence of other information, a client itself may sniff the document data to determine document
278 format.

279 Auto sensing at Job submission time may be more difficult for the Printer when combined with
280 compression. For auto-sensed Jobs, a client may be better off deferring compression to the transfer
281 protocol layer, e.g.; by using the HTTP Content-Encoding header.

282 **3.1.2.3.3 For the Validate-Job operation, RETURN one of the success status codes**

283 If the requested operation is the Validate-Job operation, the Printer object returns:

- 284 1. the "successful-ok" status code, if there are no unsupported or conflicting Job Template
285 attributes or values.
- 286 2. the "successful-ok-conflicting-attributes, if there are any conflicting Job Template attribute or
287 values.
- 288 3. the "successful-ok-ignored-or-substituted-attributes, if there are only unsupported Job Template
289 attributes or values.

290

291 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in
292 this step. If the unsupported Operation attribute was a serious error, the above already rejected the
293 request in a previous step. If control gets to this step with unsupported Operation attributes being
294 returned, they are not serious errors.

295 **3.1.2.3.4 Create the Job object with attributes to support**

296 If "ipp-attribute-fidelity" is set to 'false' (or it was not supplied by the client), the Printer object:

- 297 1. creates a Job object, assigns a unique value to the job's "job-uri" and "job-id" attributes, and
298 initializes all of the job's other supported Job Description attributes.
- 299 2. removes all unsupported attributes from the Job object.
- 300 3. for each unsupported value, removes either the unsupported value or substitutes the
301 unsupported attribute value with some supported value. If an attribute has no values after
302 removing unsupported values from it, the attribute is removed from the Job object (so that the
303 normal default behavior at job processing time will take place for that attribute).
- 304 4. for each conflicting value, removes either the conflicting value or substitutes the conflicting
305 attribute value with some other supported value. If an attribute has no values after removing
306 conflicting values from it, the attribute is removed from the Job object (so that the normal
307 default behavior at job processing time will take place for that attribute).

308

309 If there were no attributes or values flagged as unsupported, or the value of 'ipp-attribute-fidelity' was
310 'false', the Printer object is able to accept the create request and create a new Job object. If the "ipp-
311 attribute-fidelity" attribute is set to 'true', the Job Template attributes that populate the new Job object
312 are necessarily all the Job Template attributes supplied in the create request. If the "ipp-attribute-
313 fidelity" attribute is set to 'false', the Job Template attributes that populate the new Job object are all the
314 client supplied Job Template attributes that are supported or that have value substitution. Thus, some
315 of the requested Job Template attributes will not appear in the Job object because the Printer object did
316 not support those attributes. The attributes that populate the Job object are persistently stored with the
317 Job object for that Job. A Get-Job-Attributes operation on that Job object will return only those
318 attributes that are persistently stored with the Job object.

319 Note: All Job Template attributes that are persistently stored with the Job object are intended to be
320 "override values"; that is, they that take precedence over whatever other embedded instructions might
321 be in the document data itself. However, it is not possible for all Printer objects to realize the semantics
322 of "override". End users may query the Printer's "pdl-override-supported" attribute to determine if the
323 Printer either attempts or does not attempt to override document data instructions with IPP attributes.

324 There are some cases, where a Printer supports a Job Template attribute and has an associated default
325 value set for that attribute. In the case where a client does not supply the corresponding attribute, the
326 Printer does not use its default values to populate Job attributes when creating the new Job object; only
327 Job Template attributes actually in the create request are used to populate the Job object. The Printer's
328 default values are only used later at Job processing time if no other IPP attribute or instruction
329 embedded in the document data is present.

330 Note: If the default values associated with Job Template attributes that the client did not supply were to
331 be used to populate the Job object, then these values would become "override values" rather than
332 defaults. If the Printer supports the 'attempted' value of the "pdl-override-supported" attribute, then
333 these override values could replace values specified within the document data. This is not the intent of
334 the default value mechanism. A default value for an attribute is used only if the create request did not
335 specify that attribute (or it was ignored when allowed by "ipp-attribute-fidelity" being 'false') and no
336 value was provided within the content of the document data.

337 If the client does not supply a value for some Job Template attribute, and the Printer does not support
338 that attribute, as far as IPP is concerned, the result of processing that Job (with respect to the missing
339 attribute) is undefined.

340 **3.1.2.3.5 Return one of the success status codes**

341 Once the Job object has been created, the Printer object accepts the request and returns to the client:

- 342 1. the 'successful-ok' status code, if there are no unsupported or conflicting Job Template attributes
343 or values.
- 344 2. the 'successful-ok-conflicting-attributes' status code, if there are any conflicting Job Template
345 attribute or values.

- 346 3. the 'successful-ok-ignored-or-substituted-attributes' status code, if there are only unsupported
347 Job Template attributes or values.

348
349 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in
350 this step. If the unsupported Operation attribute was a serious error, the above already rejected the
351 request in a previous step. If control gets to this step with unsupported Operation attributes being
352 returned, they are not serious errors.

353 The Printer object also returns Job status attributes that indicate the initial state of the Job ('pending',
354 'pending-held', 'processing', etc.), etc. See Print-Job Response, [RFC2911] section 3.2.1.2.

355 **3.1.2.3.6 Accept appended Document Content**

356 The Printer object accepts the appended Document Content data and either starts it printing, or spools it
357 for later processing.

358 **3.1.2.3.7 Scheduling and Starting to Process the Job**

359 The Printer object uses its own configuration and implementation specific algorithms for scheduling the
360 Job in the correct processing order. Once the Printer object begins processing the Job, the Printer
361 changes the Job's state to 'processing'. If the Printer object supports PDL override (the "pdl-override-
362 supported" attribute set to 'attempted'), the implementation does its best to see that IPP attributes take
363 precedence over embedded instructions in the document data.

364 **3.1.2.3.8 Completing the Job**

365 The Printer object continues to process the Job until it can move the Job into the 'completed' state. If an
366 Cancel-Job operation is received, the implementation eventually moves the Job into the 'canceled' state.
367 If the system encounters errors during processing that do not allow it to progress the Job into a
368 completed state, the implementation halts all processing, cleans up any resources, and moves the Job
369 into the 'aborted' state.

370 **3.1.2.3.9 Destroying the Job after completion**

371 Once the Job moves to the 'completed', 'aborted', or 'canceled' state, it is an implementation decision as
372 to when to destroy the Job object and release all associated resources. Once the Job has been
373 destroyed, the Printer would return either the "client-error-not-found" or "client-error-gone" status
374 codes for operations directed at that Job.

375 Note: the Printer object SHOULD NOT re-use a "job-uri" or "job-id" value for a sufficiently long time
376 after a job has been destroyed, so that stale references kept by clients are less likely to access the wrong
377 (newer) job.

378 **3.1.2.3.10 Interaction with "ipp-attribute-fidelity"**

379 Some Printer object implementations may support "ipp-attribute-fidelity" set to 'true' and "pdl-override-
380 supported" set to 'attempted' and yet still not be able to realize exactly what the client specifies in the
381 create request. This is due to legacy decisions and assumptions that have been made about the role of
382 job instructions embedded within the document data and external job instructions that accompany the
383 document data and how to handle conflicts between such instructions. The inability to be 100% precise
384 about how a given implementation will behave is also compounded by the fact that the two special
385 attributes, "ipp-attribute-fidelity" and "pdl-override-supported", apply to the whole job rather than
386 specific values for each attribute. For example, some implementations may be able to override almost all
387 Job Template attributes except for "number-up". Character Sets, natural languages, and
388 internationalization

389 This section discusses character set support, natural language support and internationalization.

390 **3.1.2.3.11 Character set code conversion support**

391 IPP clients and IPP objects are REQUIRED to support UTF-8. They MAY support additional charsets.
392 It is RECOMMENDED that an IPP object also support US-ASCII, since many clients support US-
393 ASCII, and indicate that UTF-8 and US-ASCII are supported by populating the Printer's "charset-
394 supported" with 'utf-8' and 'us-ascii' values. An IPP object is required to code covert with as little loss
395 as possible between the charsets that it supports, as indicated in the Printer's "charsets-supported"
396 attribute.

397 How should the server handle the situation where the "attributes-charset" of the response itself is "us-
398 ascii", but one or more attributes in that response is in the "utf-8" format?

399 Example: Consider a case where a client sends a Print-Job request with "utf-8" as the value of
400 "attributes-charset" and with the "job-name" attribute supplied. Later another client submits a Get-Job-
401 Attribute or Get-Jobs request. This second request contains the "attributes-charset" with value "us-
402 ascii" and "requested-attributes" attribute with exactly one value "job-name".

403 According to the RFC2911 document (section 3.1.4.2), the value of the "attributes-charset" for the
404 response of the second request must be "us-ascii" since that is the charset specified in the request. The
405 "job-name" value, however, is in "utf-8" format. Should the request be rejected even though both "utf-
406 8" and "us-ascii" charsets are supported by the server? or should the "job-name" value be converted to
407 "us-ascii" and return "successful-ok-conflicting-attributes" (0x0002) as the status code?

408 Answer: An IPP object that supports both utf-8 (REQUIRED) and us-ascii, the second paragraph of
409 section 3.1.4.2 applies so that the IPP object MUST accept the request, perform code set conversion
410 between these two charsets with "the highest fidelity possible" and return 'successful-ok', rather than a
411 warning 'successful-ok-conflicting-attributes, or an error. The printer will do the best it can to convert
412 between each of the character sets that it supports--even if that means providing a string of question
413 marks because none of the characters are representable in US ASCII. If it can't perform such
414 conversion, it MUST NOT advertise us-ascii as a value of its "attributes-charset-supported" and MUST
415 reject any request that requests 'us-ascii'.

416 One IPP object implementation strategy is to convert all request text and name values to a Unicode
417 internal representation. This is 16-bit and virtually universal. Then convert to the specified operation
418 attributes-charset on output.

419 Also it would be smarter for a client to ask for 'utf-8', rather than 'us-ascii' and throw away characters
420 that it doesn't understand, rather than depending on the code conversion of the IPP object.

421 **3.1.2.3.12 What charset to return when an unsupported charset is requested (Issue 1.19)?**

422 Section 3.1.4.1 Request Operation attributes was clarified in November 1998 as follows:

423 All clients and IPP objects MUST support the 'utf-8' charset [RFC2044] and MAY support additional
424 charsets provided that they are registered with IANA [IANA-CS]. If the Printer object does not
425 support the client supplied charset value, the Printer object MUST reject the request, set the "attributes-
426 charset" to 'utf-8' in the response, and return the 'client-error-charset-not-supported' status code and any
427 'text' or 'name' attributes using the 'utf-8' charset.

428 Since the client and IPP object MUST support UTF-8, returning any text or name attributes in UTF-8
429 when the client requests a charset that is not supported should allow the client to display the text or
430 name.

431 Since such an error is a client error, rather than a user error, the client should check the status code first
432 so that it can avoid displaying any other returned 'text' and 'name' attributes that are not in the charset
433 requested.

434 Furthermore, [RFC2911] section 14.1.4.14 client-error-charset-not-supported (0x040D) was clarified in
435 November 1998 as follows:

436 For any operation, if the IPP Printer does not support the charset supplied by the client in the
437 "attributes-charset" operation attribute, the Printer MUST reject the operation and return this status and
438 any 'text' or 'name' attributes using the 'utf-8' charset (see Section 3.1.4.1).

439 **3.1.2.3.13 Natural Language Override (NLO)**

440 The 'text' and 'name' attributes each have two forms. One has an implicit natural language, and the other
441 has an explicit natural language. The 'textWithoutLanguage' and 'textWithLanguage' are the two 'text'
442 forms. The 'nameWithoutLanguage' and 'nameWithLanguage' are the two 'name' forms. If a receiver
443 (IPP object or IPP client) supports an attribute with attribute syntax 'text', it MUST support both forms
444 in a request and a response. A sender (IPP client or IPP object) MAY send either form for any such
445 attribute. When a sender sends a WithoutLanguage form, the implicit natural language is specified in
446 the "attributes-natural-language" operation attribute, which all senders MUST include in every request
447 and response.

448 When a sender sends a WithLanguage form, it MAY be different from the implicit natural language
449 supplied by the sender or it MAY be the same. The receiver MUST treat either form equivalently.

450 There is an implementation decision for senders, whether to always send the WithLanguage forms or
451 use the WithoutLanguage form when the attribute's natural language is the same as the request or
452 response. The former approach makes the sender implementation simpler. The latter approach is more
453 efficient on the wire and allows inter-working with non-conforming receivers that fail to support the
454 WithLanguage forms. As each approach have advantages, the choice is completely up to the
455 implementer of the sender.

456 Furthermore, when a client receives a 'text' or 'name' job attribute that it had previously supplied, that
457 client MUST NOT expect to see the attribute in the same form, i.e., in the same WithoutLanguage or
458 WithLanguage form as the client supplied when it created the job. The IPP object is free to transform
459 the attribute from the WithLanguage form to the WithoutLanguage form and vice versa, as long as the
460 natural language is preserved. However, in order to meet this latter requirement, it is usually simpler for
461 the IPP object implementation to store the natural language explicitly with the attribute value, i.e., to
462 store using an internal representation that resembles the WithLanguage form.

463 The IPP Printer MUST copy the natural language of a job, i.e., the value of the "attributes-natural-
464 language" operation attribute supplied by the client in the create operation, to the Job object as a Job
465 Description attribute, so that a client is able to query it. In returning a Get-Job-Attributes response, the
466 IPP object MAY return one of three natural language values in the response's "attributes-natural-
467 language" operation attribute: (1) that requested by the requester, (2) the natural language of the job, or
468 (3) the configured natural language of the IPP Printer, if the requested language is not supported by the
469 IPP Printer.

470 This "attributes-natural-language" Job Description attribute is useful for an IPP object implementation
471 that prints start sheets in the language of the user who submitted the job. This same Job Description
472 attribute is useful to a multi-lingual operator who has to communicate with different job submitters in
473 different natural languages. This same Job Description attribute is expected to be used in the future to
474 generate notification messages in the natural language of the job submitter.

475 Early drafts of [RFC2911] contained a job-level natural language override (NLO) for the Get-Jobs
476 response. A job-level (NLO) is an (unrequested) Job Attribute which then specified the implicit natural
477 language for any other WithoutLanguage job attributes returned in the response for that job.
478 Interoperability testing of early implementations showed that no one was implementing the job-level
479 NLO in Get-Job responses. So the job-level NLO was eliminated from the Get-Jobs response. This
480 simplification makes all requests and responses consistent in that the implicit natural language for any
481 WithoutLanguage 'text' or 'name' form is always supplied in the request's or response's "attributes-
482 natural-language" operation attribute.

483 **3.1.3 Status codes returned by operation**

484 This section corresponds to [RFC2911] section 3.1.6 "Operation Response Status Codes and Status
485 Messages". This section lists all status codes once in the first operation (Print-Job). Then it lists the
486 status codes that are different or specialized for subsequent operations under each operation.

487 **3.1.3.1 Printer Operations**

488 **3.1.3.1.1 Print-Job**

489 The Printer object **MUST** return one of the following "status-code" values for the indicated reason.
490 Whether all of the document data has been accepted or not before returning the success or error
491 response depends on implementation. See Section 13 in [RFC2911] for a more complete description of
492 each status code.

493 For the following success status codes, the Job object has been created and the "job-id", and "job-uri"
494 assigned and returned in the response:

495 successful-ok: no request attributes were substituted or ignored.

496 successful-ok-ignored-or-substituted-attributes: some supplied (1) attributes were ignored or (2)
497 unsupported attribute syntaxes or values were substituted with supported values or were ignored.
498 Unsupported attributes, attribute syntax's, or values **MUST** be returned in the Unsupported
499 Attributes group of the response.

500 successful-ok-conflicting-attributes: some supplied attribute values conflicted with the values of
501 other supplied attributes and were either substituted or ignored. Attributes or values which
502 conflict with other attributes and have been substituted or ignored **MUST** be returned in the
503 Unsupported Attributes group of the response as supplied by the client.

504
505 [RFC2911] section 3.1.6 Operation Status Codes and Messages states:

506 If the Printer object supports the "status-message" operation attribute, it **SHOULD** use the
507 **REQUIRED** 'utf-8' charset to return a status message for the following error status codes (see
508 section 13 in [RFC2911]): 'client-error-bad-request', 'client-error-charset-not-supported', 'server-
509 error-internal-error', 'server-error-operation-not-supported', and 'server-error-version-not-supported'.
510 In this case, it **MUST** set the value of the "attributes-charset" operation attribute to 'utf-8' in the error
511 response.

512 For the following error status codes, no job is created and no "job-id" or "job-uri" is returned:

513 client-error-bad-request: The request syntax does not conform to the specification.

514 client-error-forbidden: The request is being refused for authorization or authentication reasons.
515 The implementation security policy is to not reveal whether the failure is one of
516 authentication or authorization.

517 client-error-not-authenticated: Either the request requires authentication information to be
518 supplied or the authentication information is not sufficient for authorization.

519 client-error-not-authorized: The requester is not authorized to perform the request on the target
520 object.

521 client-error-not-possible: The request cannot be carried out because of the state of the system.
522 See also 'server-error-not-accepting-jobs' status code, which **MUST** take precedence if the
523 Printer object's "printer-accepting-jobs" attribute is 'false'.

524 client-error-timeout: not applicable.

525 client-error-not-found: the target object does not exist.

526 client-error-gone: the target object no longer exists and no forwarding address is known.

527 client-error-request-entity-too-large: the size of the request and/or print data exceeds the
528 capacity of the IPP Printer to process it.

529 client-error-request-value-too-long: the size of request variable length attribute values, such as
530 'text' and 'name' attribute syntax's, exceed the maximum length specified in [RFC2911] for the
531 attribute and MUST be returned in the Unsupported Attributes Group.

532 client-error-document-format-not-supported: the document format supplied is not supported.
533 The "document-format" attribute with the unsupported value MUST be returned in the
534 Unsupported Attributes Group. This error SHOULD take precedence over any other 'xxx-
535 not-supported' error, except 'client-error-charset-not-supported'.

536 client-error-attributes-or-values-not-supported: one or more supplied attributes, attribute
537 syntax's, or values are not supported and the client supplied the "ipp-attributes-fidelity"
538 operation attribute with a 'true' value. They MUST be returned in the Unsupported
539 Attributes Group as explained below.

540 client-error-uri-scheme-not-supported: not applicable.

541 client-error-charset-not-supported: the charset supplied in the "attributes-charset" operation
542 attribute is not supported. The Printer's "configured-charset" MUST be returned in the
543 response as the value of the "attributes-charset" operation attribute and used for any 'text' and
544 'name' attributes returned in the error response. This error SHOULD take precedence over
545 any other error, unless the request syntax is so bad that the client's supplied "attributes-
546 charset" cannot be determined.

547 client-error-conflicting-attributes: one or more supplied attribute values conflicted with each
548 other and the client supplied the "ipp-attributes-fidelity" operation attribute with a 'true'
549 value. They MUST be returned in the Unsupported Attributes Group as explained below.

550 server-error-internal-error: an unexpected condition prevents the request from being fulfilled.

551 server-error-operation-not-supported: not applicable (since Print-Job is REQUIRED).

552 server-error-service-unavailable: the service is temporarily overloaded.

553 server-error-version-not-supported: the version in the request is not supported. The "closest"
554 version number supported MUST be returned in the response.

555 server-error-device-error: a device error occurred while receiving or spooling the request or
556 document data or the IPP Printer object can only accept one job at a time.

557 server-error-temporary-error: a temporary error such as a buffer full write error, a memory
558 overflow, or a disk full condition occurred while receiving the request and/or the document
559 data.

560 server-error-not-accepting-jobs: the Printer object's "printer-is-not-accepting-jobs" attribute is
561 'false'.

562 server-error-busy: the Printer is too busy processing jobs to accept another job at this time.

563 server-error-job-canceled: the job has been canceled by an operator or the system while the
564 client was transmitting the document data.

565 3.1.3.1.2 Print-URI

566 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
567 Print-URI with the following specializations and differences. See Section 14 for a more complete
568 description of each status code.

569 client-error-uri-scheme-not-supported: the URI scheme supplied in the "document-uri" operation
570 attribute is not supported and is returned in the Unsupported Attributes group.
571 server-error-operation-not-supported: the Print-URI operation is not supported.
572

573 3.1.3.1.3 Validate-Job

574 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
575 Validate-Job. See Section 13 in [RFC2911] for a more complete description of each status code.

576 3.1.3.1.4 Create-Job

577 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
578 Create-Job with the following specializations and differences. See Section 13 in [RFC2911] for a more
579 complete description of each status code.

580 server-error-operation-not-supported: the Create-Job operation is not supported.
581 client-error-multiple-document-jobs-not-supported: while the Create-Job and Send-Document
582 operations are supported, this implementation doesn't support more than one document with
583 data.

584 3.1.3.1.5 Get-Printer-Attributes

585 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the
586 Get-Printer-Attributes operation with the following specialization's and differences. See Section 13 in
587 [RFC2911] for a more complete description of each status code.

588 For the following success status codes, the requested attributes are returned in Group 3 in the response:

589 successful-ok: no operation attributes or values were substituted or ignored (same as Print-Job) and
590 no requested attributes were unsupported.
591 successful-ok-ignored-or-substituted-attributes: The "requested-attributes" operation attribute
592 MAY, but NEED NOT, be returned with the unsupported values.
593 successful-ok-conflicting-attributes: same as Print-Job.
594

595 For the error status codes, Group 3 is returned containing no attributes or is not returned at all:

596 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any
597 requests.
598 client-error-request-entity-too-large: same as Print-job, except that no print data is involved.
599 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation
600 attributes and/or values MUST be ignored and an appropriate success code returned (see above).
601 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not
602 involved.
603 server-error-operation-not-supported: not applicable (since Get-Printer-Attributes is REQUIRED).
604 server-error-device-error: same as Print-Job, except that no document data is involved.

605 server-error-temporary-error: same as Print-Job, except that no document data is involved.
606 server-error-not-accepting-jobs: not applicable.
607 server-error-busy: same as Print-Job, except the IPP object is too busy to accept even query
608 requests.
609 server-error-job-canceled: not applicable.

610 **3.1.3.1.6 Get-Jobs**

611 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the
612 Get-Jobs operation with the following specialization's and differences. See Section 13 in [RFC2911]
613 for a more complete description of each status code.

614 For the following success status codes, the requested attributes are returned in Group 3 in the response:

615 successful-ok: same as Get-Printer-Attributes (see section 3.1.3.1.5).
616 successful-ok-ignored-or-substituted-attributes: same as Get-Printer-Attributes (see section
617 3.1.3.1.5).
618 successful-ok-conflicting-attributes: same as Get-Printer-Attributes (see section 3.1.3.1.5).
619

620 For any error status codes, Group 3 is returned containing no attributes or is not returned at all. The
621 following brief error status code descriptions contain unique information for use with Get-Jobs
622 operation. See section 14 for the other error status codes that apply uniformly to all operations:

623 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any
624 requests.
625 client-error-request-entity-too-large: same as Print-job, except that no print data is involved.
626 client-error-document-format-not-supported: not applicable.
627 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation
628 attributes and/or values MUST be ignored and an appropriate success code returned (see
629 above).
630 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not
631 involved.
632 server-error-operation-not-supported: not applicable (since Get-Jobs is REQUIRED).
633 server-error-device-error: same as Print-Job, except that no document data is involved.
634 server-error-temporary-error: same as Print-Job, except that no document data is involved.
635 server-error-not-accepting-jobs: not applicable.
636 server-error-job-canceled: not applicable.

637 **3.1.3.1.7 Pause-Printer**

638 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
639 Pause-Printer with the following specializations and differences. See Section 13 in [RFC2911] for a
640 more complete description of each status code.

641 For the following success status codes, the Printer object is being stopped from scheduling jobs on all its
642 devices.

643 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
644 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
645 successful-ok-conflicting-attributes: same as Print-Job.

646

647 For any of the error status codes, the Printer object has not been stopped from scheduling jobs on all its
648 devices.

649 client-error-not-possible: not applicable.
650 client-error-not-found: the target Printer object does not exist.
651 client-error-gone: the target Printer object no longer exists and no forwarding address is known.
652 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.
653 client-error-document-format-not-supported: not applicable.
654 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-
655 accepting-jobs" attribute is not involved.
656 server-error-operation-not-supported: the Pause-Printer operation is not supported.
657 server-error-device-error: not applicable.
658 server-error-temporary-error: same as Print-Job, except no document data is involved.
659 server-error-not-accepting-jobs: not applicable.
660 server-error-job-canceled: not applicable.

661 **3.1.3.1.8 Resume-Printer**

662 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the
663 specialization's described for Pause-Printer are applicable to Resume-Printer. See Section 13 in
664 [RFC2911] for a more complete description of each status code.

665 For the following success status codes, the Printer object resumes scheduling jobs on all its devices.

666 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
667 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
668 successful-ok-conflicting-attributes: same as Print-Job.

669

670 For any of the error status codes, the Printer object does not resume scheduling jobs.

671 server-error-operation-not-supported: the Resume-Printer operation is not supported.

672

673 **3.1.3.1.8.1 What about Printers unable to change state due to an error condition?**

674 If, in case, the IPP printer is unable to change its state due to some problem with the actual printer
675 device (say, it is shut down or there is a media-jam as indicated in [RFC2911]), what should be the
676 result of the "Resume-Printer" operation? Should it still change the 'printer-state-reasons' and return
677 success or should it fail ?

678 The Resume-Printer operation must clear the 'paused' or 'moving-to-paused' 'printer-state-message'.
679 The operation must return a 'successful-ok' status code.

680 **3.1.3.1.8.2** **How is "printer-state" handled on Resume-Printer?**

681

682 If the Resume-Printer operation succeeds, what should be the value of "printer-state" and who should
683 take care of the "printer-state" attribute value later on ?

684 The Resume-Printer operation may change the "printer-state-reasons" value.

685 The "printer-state" will change to one of three states:

- 686 1. 'idle' - no additional jobs and no error conditions present
- 687 2. 'processing' - job available and no error conditions present
- 688 3. current state (i.e. no change) an error condition is present (e.g. media jam)

689 In the third case the "printer-state-reason" will be cleared by automata when it detects the error
690 condition no longer exists. The "printer-state" will move to 'idle' or 'processing' when conditions
691 permit. (i.e. no more error conditions)

692 **3.1.3.1.9** **Purge-Printer**

693 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the
694 specialization's described for Pause-Printer are applicable to Purge-Printer. See Section 13 in
695 [RFC2911] for a more complete description of each status code.

696 For the following success status codes, the Printer object purges all it's jobs.

- 697 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
- 698 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
- 699 successful-ok-conflicting-attributes: same as Print-Job.

700

701 For any of the error status codes, the Printer object does not purge any jobs.

702 server-error-operation-not-supported: the Purge-Printer operation is not supported.

703 **3.1.3.2** **Job Operations**

704 **3.1.3.2.1** **Send-Document**

705 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the
706 Get-Printer-Attributes operation with the following specialization's and differences. See Section 13 in
707 [RFC2911] for a more complete description of each status code.

708 For the following success status codes, the document has been added to the specified Job object and the
709 job's "number-of-documents" attribute has been incremented:

710 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
711 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
712 successful-ok-conflicting-attributes: same as Print-Job.

713

714 For the error status codes, no document has been added to the Job object and the job's "number-of-
715 documents" attribute has not been incremented:

716 client-error-not-possible: Same as Print-Job, except that the Printer's "printer-is-accepting-jobs"
717 attribute is not involved, so that the client is able to finish submitting a job that was created
718 with a Create-Job operation after this attribute has been set to 'true'. Another condition is
719 that the state of the job precludes Send-Document, i.e., the job has already been closed out
720 by the client. However, if the IPP Printer closed out the job due to timeout, the 'client-error-
721 timeout' error status SHOULD be returned instead.

722 client-error-timeout: This request was sent after the Printer closed the job, because it has not
723 received a Send-Document or Send-URI operation within the Printer's "multiple-operation-
724 time-out" period .

725 client-error-request-entity-too-large: same as Print-Job.

726 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attributes-fidelity"
727 operation attribute is not involved..

728 server-error-operation-not-supported: the Send-Document request is not supported.

729 server-error-not-accepting-jobs: not applicable.

730 server-error-job-canceled: the job has been canceled by an operator or the system while the
731 client was transmitting the data.

732 **3.1.3.2.2 Send-URI**

733 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the
734 specialization's described for Send-Document are applicable to Send-URI. See Section 13 in
735 [RFC2911] for a more complete description of each status code.

736 client-error-uri-scheme-not-supported: the URI scheme supplied in the "document-uri"
737 operation attribute is not supported and the "document-uri" attribute MUST be returned in
738 the Unsupported Attributes group.

739 server-error-operation-not-supported: the Send-URI operation is not supported.

740

741 **3.1.3.2.3 Cancel-Job**

742 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
743 Cancel-Job with the following specializations and differences. See Section 13 in [RFC2911] for a more
744 complete description of each status code.

745 For the following success status codes, the Job object is being canceled or has been canceled:

746 successful-ok: no request attributes were substituted or ignored (same as Print-Job).

747 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

748 successful-ok-conflicting-attributes: same as Print-Job.

749

750 For any of the error status codes, the Job object has not been canceled or was previously canceled.

751 client-error-not-possible: The request cannot be carried out because of the state of the Job
752 object ('completed', 'canceled', or 'aborted') or the state of the system.

753 client-error-not-found: the target Printer and/or Job object does not exist.

754 client-error-gone: the target Printer and/or Job object no longer exists and no forwarding
755 address is known.

756 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.

757 client-error-document-format-not-supported: not applicable.

758 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation
759 attributes and values MUST be ignored.

760 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-
761 accepting-jobs" attribute is not involved.

762 server-error-operation-not-supported: not applicable (Cancel-Job is REQUIRED).

763 server-error-device-error: same as Print-Job, except no document data is involved.

764 server-error-temporary-error: same as Print-Job, except no document data is involved.

765 server-error-not-accepting-jobs: not applicable..

766 server-error-job-canceled: not applicable.

767 **3.1.3.2.4 Get-Job-Attributes**

768 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
769 Get-Job-Attributes with the following specializations and differences. See Section 13 in [RFC2911] for
770 a more complete description of each status code.

771 For the following success status codes, the requested attributes are returned in Group 3 in the response:

772 successful-ok: same as Get-Printer-Attributes (see section 3.1.3.1.5).

773 successful-ok-ignored-or-substituted-attributes: same as Get-Printer-Attributes (see section
774 3.1.3.1.5).

775 successful-ok-conflicting-attributes: same as Get-Printer-Attributes (see section 3.1.3.1.5).

776

777 For the error status codes, Group 3 is returned containing no attributes or is not returned at all.

778 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any
779 requests.

780 client-error-document-format-not-supported: not applicable.

781 client-error-attributes-or-values-not-supported: not applicable.

782 client-error-uri-scheme-not-supported: not applicable.

783 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation
784 attributes and/or values MUST be ignored and an appropriate success code returned (see
785 above).

786 client-error-conflicting-attributes: not applicable

787 server-error-operation-not-supported: not applicable (since Get-Job-Attributes is REQUIRED).

788 server-error-device-error: same as Print-Job, except no document data is involved.
789 server-error-temporary-error: sane as Print-Job, except no document data is involved..
790 server-error-not-accepting-jobs: not applicable.
791 server-error-job-canceled: not applicable.

792 **3.1.3.2.5 Hold-Job**

793 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to
794 Hold-Job with the following specializations and differences. See Section 13 in [RFC2911] for a more
795 complete description of each status code.

796 For the following success status codes, the Job object is being held or has been held:

797 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
798 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
799 successful-ok-conflicting-attributes: same as Print-Job.

800

801 For any of the error status codes, the Job object has not been held or was previously held.

802 client-error-not-possible: The request cannot be carried out because of the state of the Job
803 object ('completed', 'canceled', or 'aborted') or the state of the system.
804 client-error-not-found: the target Printer and/or Job object does not exist.
805 client-error-gone: the target Printer and/or Job object no longer exists and no forwarding
806 address is known.
807 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.
808 client-error-document-format-not-supported: not applicable.
809 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-
810 accepting-jobs" attribute is not involved.
811 server-error-operation-not-supported: the Hold-Job operation is not supported.
812 server-error-device-error: not applicable.
813 server-error-temporary-error: same as Print-Job, except no document data is involved.
814 server-error-not-accepting-jobs: not applicable.
815 server-error-job-canceled: not applicable.

816 **3.1.3.2.6 Release-Job**

817 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the
818 specialization's described for Hold-Job are applicable to Release-Job. See Section 13 in [RFC2911] for
819 a more complete description of each status code.

820 server-error-operation-not-supported: the Release-Job operation is not supported.

821 **3.1.3.2.7 Restart-Job**

822 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the
823 specialization's described for Hold-Job are applicable to Restart-Job. See Section 13 in [RFC2911] for
824 a more complete description of each status code.

825 server-error-operation-not-supported: the Restart-Job operation is not supported.
826

827 **3.1.3.2.7.1 Can documents be added to a restarted job?**

828 Assume I give a Create-Job request along with a set of 5 documents . All the documents get printed and
829 the job state is moved to completed . I issue a Restart-Job request on the job. Now the issue is that, if I
830 try to add new documents to the restarted job, will the IPP Server permit me to do so or return "client-
831 error-not-possible " and again print those 5 jobs?

832 A job can not move to the 'completed' state until all the documents have been processed. The 'last-
833 document' flag indicates when the last document for a job is being sent from the client. This is the
834 semantic equivalent of closing a job. No documents may be added once a job is closed. Section 3.3.7 of
835 the IPP/1.1 model states "The job is moved to the 'pending' job state and restarts the beginning on the
836 same IPP Printer object with the same attribute values." 'number-of-documents' is a job attribute.

837 **3.1.4 Returning unsupported attributes in Get-Xxxx responses (Issue 1.18)**

838 In the Get-Printer-Attributes, Get-Jobs, or Get-Job-Attributes responses, the client cannot depend on
839 getting unsupported attributes returned in the Unsupported Attributes group that the client requested,
840 but are not supported by the IPP object. However, such unsupported requested attributes will not be
841 returned in the Job Attributes or Printer Attributes group (since they are unsupported). Furthermore,
842 the IPP object is REQUIRED to return the 'successful-ok-ignored-or-substituted-attributes' status code,
843 so that the client knows that not all that was requested has been returned.

844 **3.1.5 Sending empty attribute groups**

845 The [RFC2911] and [RFC2910] specifications RECOMMEND that a sender not send an empty
846 attribute group in a request or a response. However, they REQUIRE a receiver to accept an empty
847 attribute group as equivalent to the omission of that group. So a client SHOULD omit the Job
848 Template Attributes group entirely in a create operation that is not supplying any Job Template
849 attributes. Similarly, an IPP object SHOULD omit an empty Unsupported Attributes group if there are
850 no unsupported attributes to be returned in a response.

851 The [RFC2910] specification REQUIRES a receiver to be able to receive either an empty attribute
852 group or an omitted attribute group and treat them equivalently. The term "receiver" means an IPP
853 object for a request and a client for a response. The term "sender" means a client for a request and an
854 IPP object for a response.

855 There is an exception to the rule for Get-Jobs when there are no attributes to be returned. [RFC2910]
856 contains the following paragraph:

857 The syntax allows an xxx-attributes-tag to be present when the xxx-attribute-sequence that follows is
858 empty. The syntax is defined this way to allow for the response of Get-Jobs where no attributes are
859 returned for some job-objects. Although it is RECOMMENDED that the sender not send an xxx-
860 attributes-tag if there are no attributes (except in the Get-Jobs response just mentioned), the receiver
861 MUST be able to decode such syntax.

862 **3.2 Printer Operations**

863 **3.2.1 Print-Job operation**

864 **3.2.1.1 Flow controlling the data portion of a Print-Job request (Issue 1.22)**

865 A paused printer, or one that is stopped due to paper out or jam or spool space full or buffer space full,
866 may flow control the data of a Print-Job operation (at the TCP/IP layer), so that the client is not able to
867 send all the document data. Consequently, the Printer will not return a response until the condition is
868 changed.

869 The Printer should not return a Print-Job response with an error code in any of these conditions, since
870 either the printer will be resumed and/or the condition will be freed either by human intervention or as
871 jobs print.

872 In writing test scripts to test IPP Printers, the script must also be written not to expect a response, if the
873 printer has been paused, until the printer is resumed, in order to work with all possible implementations.

874 **3.2.1.2 Returning job-state in Print-Job response (Issue 1.30)**

875 An IPP client submits a small job via Print-Job. By the time the IPP printer/print server is putting
876 together a response to the operation, the job has finished printing and been removed as an object from
877 the print system. What should the job-state be in the response?

878 The Model suggests that the Printer return a response before it even accepts the document content.
879 The Job Object Attributes are returned only if the IPP object returns one of the success status codes.
880 Then the job-state would always be "pending" or "pending-held".

881 This issue comes up for the implementation of an IPP Printer object as a server that forwards jobs to
882 devices that do not provide job status back to the server. If the server is reasonably certain that the job
883 completed successfully, then it should return the job-state as 'completed'. Also the server can keep the
884 job in its "job history" long after the job is no longer in the device. Then a user could query the server
885 and see that the job was in the 'completed' state and completed as specified by the jobs "time-at-
886 completed" time, which would be the same as the server submitted the job to the device.

887 An alternative is for the server to respond to the client before or while sending the job to the device,
888 instead of waiting until the server has finished sending the job to the device. In this case, the server can
889 return the job's state as 'pending' with the 'job-outgoing' value in the job's "job-state-reasons" attribute.

890 If the server doesn't know for sure whether the job completed successfully (or at all), it could return the
891 (out-of-band) 'unknown' value.

892 On the other hand, if the server is able to query the device and/or setup some sort of event notification
893 that the device initiates when the job makes state transitions, then the server can return the current job
894 state in the Print-Job response and in subsequent queries because the server knows what the job state is
895 in the device (or can query the device).

896 All of these alternatives depend on implementation of the server and the device.

897 **3.2.2 Get-Printer-Attributes operation**

898 If a Printer supports the "printer-make-and-model" attribute and returns the .INF file model name of the
899 printer in that attribute, the Microsoft client will automatically install the correct driver (if available).

900 Clients which poll periodically for printer status or queued-job-count should use the "requested-
901 attributes" operation attribute to limit the scope of the query in order to save Printer and network
902 resources.

903 **3.2.3 Get-Jobs operation**

904 **3.2.3.1 Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?**

905 In [RFC2911] section 3.2.6.1 'Get-Jobs Request', if the attribute 'my-jobs' is present and set to TRUE,
906 MUST the 'requesting-user-name' attribute be there too, and if it's not present what should the IPP
907 printer do?

908 [RFC2911] Section 8.3 describes the various cases of "requesting-user-name" being present or not for
909 any operation. If the client does not supply a value for "requesting-user-name", the printer MUST
910 assume that the client is supplying some anonymous name, such as "anonymous".

911 **3.2.3.2 Why is there a "limit" attribute in the Get-Jobs operation?**

912 When using the Get-Jobs operation a client implementer might choose to limit the number of jobs that
913 the client shows on the first screenful. For example, if its UI can only display 50 jobs, it can defend itself
914 against a printer that would otherwise return 500 jobs, perhaps taking a long time on a slow dial-up line.
915 The client can then go and ask for a larger number of jobs in the background, while showing the user
916 the first 50 jobs. Since the job history is returned in reverse order, namely the most recently completed
917 jobs are returned first, the user is most likely interested in the first jobs that are returned. Limiting the
918 number of jobs may be especially useful for a client that is requesting 'completed' jobs from a printer that
919 keeps a long job history. Clients that don't mind sometimes getting very large responses, can omit the
920 "limit" attribute in their Get-Jobs requests.

921 **3.2.4 Create-Job operation**

922 A Printer may respond to a Create-Job operation with "job-state" 'pending' or 'pending-held' and " job-
923 state-reason" 'job-data-insufficient' to indicate that operation has been accepted by the Printer, but the
924 Printer is expecting additional document data before it can move the job into the 'processing' state.
925 Alternatively, it may respond with "job-state" 'processing' and "job-state-reason" 'job-incoming' to
926 indicate that the Create-Job operation has been accepted by the Printer, but the Printer is expecting
927 additional Send-Document and/or Send-URI operations and/or is accessing/accepting document data.
928 The second alternative is for non-spooling Printers that don't implement the 'pending' state.

929 Should the server wait for the "last-document" operation attribute set to 'true' before starting to
930 "process" the job?

931 It depends on implementation. Some servers spool the entire job, including all document data, before
932 starting to process, so such an implementation would wait for the "last-document" before starting to
933 process the job. If the time-out occurs without the "last-document", then the server takes one of the
934 indicated actions in section 3.3.1 in the [RFC2911] document. Other servers will start to process
935 document data as soon as they have some. These are the so-called "non-spooling" printers. Currently,
936 there isn't a way for a client to determine whether the Printer will spool all the data or will start to
937 process (and print) as soon as it has some data.

938 **3.3 Job Operations**

939 **3.3.1 Validate-Job**

940 The Validate-Job operation has been designed so that its implementation may be a part of the Print-Job
941 operation. Therefore, requiring Validate-Job is not a burden on implementers. Also it is useful for
942 client's to be able to count on its presence in all conformance implementations, so that the client can
943 determine before sending a long document, whether the job will be accepted by the IPP Printer or not.

944 **3.3.2 Restart-Job**

945 The Restart-Job operation allows the reprocessing of a completed job. Some jobs store the document
946 data on the printer. Jobs created using the Print-Job operation are an example. It is required that the
947 printer retains the job data after the job has moved to a 'completed state' in order for the Restart-Job
948 operation to succeed.

949 Some jobs contain only a reference to the job data. A job created using the Print-URI is an example of
950 such a job. When the Restart-Job operation is issued the job is reprocessed. The job data **MUST** be
951 retrieved again to print the job.

952 It is possible that a job fails while attempting to access the print data. When such a job is the target of a
953 Restart-Job the Printer **SHALL** attempt to retrieve the job data again.

954 **4 Object Attributes**

955 **4.1 Attribute Syntax's**

956 **4.1.1 The 'none' value for empty sets (Issue 1.37)**

957 [RFC2911] states that the 'none' value should be used as the value of a 1setOf when the set is empty. In
958 most cases, sets that are potentially empty contain keywords so the keyword 'none' is used, but for the 3
959 finishings attributes, the values are enums and thus the empty set is represented by the enum 3.
960 Currently there are no other attributes with 1setOf values, which can be empty and can contain values
961 that are not keywords. This exception requires special code and is a potential place for bugs. It would
962 have been better if we had chosen an out-of-band value, either "no-value" or some new value, such as
963 'none'. Since we didn't, implementations have to deal with the different representations of 'none',
964 depending on the attribute syntax.

965 **4.1.2 Multi-valued attributes (Issue 1.31)**

966 What is the attribute syntax for a multi-valued attribute? Since some attributes support values in more
967 than one data type, such as "media", "job-hold-until", and "job-sheets", IPP semantics associate the
968 attribute syntax with each value, not with the attribute as a whole. The protocol associates the attribute
969 syntax tag with each value. Don't be fooled, just because the attribute syntax tag comes before the
970 attribute keyword. All attribute values after the first have a zero length attribute keyword as the
971 indication of a subsequent value of the same attribute.

972 **4.1.3 Case Sensitivity in URIs (issue 1.6)**

973 IPP client and server implementations must be aware of the diverse uppercase/lowercase nature of
974 URIs. RFC 2396 defines URL schemes and Host names as case insensitive but reminds us that the rest
975 of the URL may well demonstrate case sensitivity. When creating URL's for fields where the choice is
976 completely arbitrary, it is probably best to select lower case. However, this cannot be guaranteed and
977 implementations MUST NOT rely on any fields being case-sensitive or case-insensitive in the URL
978 beyond the URL scheme and host name fields.

979 The reason that the IPP specification does not make any restrictions on URIs, is so that implementations
980 of IPP may use off-the-shelf components that conform to the standards that define URIs, such as RFC
981 2396 and the HTTP/1.1 specifications [RFC2616]. See these specifications for rules of matching,
982 comparison, and case-sensitivity.

983 It is also recommended that System Administrators and implementations avoid creating URLs for
984 different printers that differ only in their case. For example, don't have Printer1 and printer1 as two
985 different IPP Printers.

986 Example of equivalent URI's

987 `http://abc.com:80/~smith/home.html`

988 `http://ABC.com/%7Esmith/home.html`

989 `http:/ABC.com:/%7esmith/home.html`

990 Example of equivalent URI's using the IPP scheme

991 `ipp://abc.com:631/~smith/home.html`

992 `ipp://ABC.com/%7Esmith/home.html`

993 `http:/ABC.com:631/%7esmith/home.html`

994 The HTTP/1.1 specification [RFC2616] contains more details on comparing URLs.

995 **4.1.4 Maximum length for xxxWithLanguage and xxxWithoutLanguage**

996 The 'textWithLanguage' and 'nameWithLanguage' are compound syntaxes that have two components.
997 The first component is the 'language' component that can contain up to 63 octets. The second
998 component is the 'text' or 'name' component. The maximum length of these are 1023 octets and 255
999 octets respectively. The definition of attributes with either syntax may further restrict the length. (e.g.
000 printer-name (name(127)))

001 The length of the 'language' component has no effect on the allowable length of 'text' in
002 'textWithLanguage' or the length of 'name' in 'nameWithLanguage'

003 **4.2 Job Template Attributes**

004 **4.2.1 multiple-document-handling(type2 keyword)**

005 **4.2.1.1 Support of multiple document jobs**

006 IPP/1.0 is silent on which of the four effects an implementation would perform if it supports Create-Job,
007 but does not support "multiple-document-handling" or multiple documents per job. IPP/1.1 was
008 changed so that a Printer could support Create-Job without having to support multiple document jobs.
009 The "multiple-document-jobs-supported" (boolean) Printer description attribute was added to IPP/1.1
010 along with the 'server-error-multiple-document-jobs-not-supported' status code for a Printer to indicate
011 whether or not it supports multiple document jobs, when it supports the Create-Job operation. Also
012 IPP/1.1 was clarified that the Printer MUST support the "multiple-document-handling" (type2 keyword)
013 Job Template attribute with at least one value if the Printer supports multiple documents per job.

014 4.3 Job Description Attributes

015 4.3.1 Getting the date and time of day

016 The "date-time-at-creation", "date-time-at-processing", and "date-time-at-completed" attributes are
017 returned as dateTime syntax. These attributes are OPTIONAL for a Printer to support. However,
018 there are various ways for a Printer to get the date and time of day. Some suggestions:

- 019 1. A Printer can get time from an NTP timeserver if there's one reachable on the network . See
020 RFC 1305. Also DHCP option 32 in RFC 2132 returns the IP address of the NTP server.
- 021 2. Get the date and time at startup from a human operator
- 022 3. Have an operator set the date and time using a web administrative interface
- 023 4. Get the date and time from incoming HTTP requests, though the problems of spoofing need
024 to be considered. Perhaps comparing several HTTP requests could reduce the chances of spoofing.
- 025 5. Internal date time clock battery driven.
- 026 6. Query "<http://tycho.usno.navy.mil/cgi-bin/timer.pl>"

027 4.4 Printer Description Attributes

028 4.4.1 queued-job-count (integer(0:MAX))

029 4.4.1.1 Why is "queued-job-count" RECOMMENDED (Issue 1.14)?

030 The reason that "queued-job-count" is RECOMMENDED, is that some clients look at that attribute
031 alone when summarizing the status of a list of printers, instead of doing a Get-Jobs to determine the
032 number of jobs in the queue. Implementations that fail to support the "queued-job-count" will cause
033 that client to display 0 jobs when there are actually queued jobs.

034 We would have made it a REQUIRED Printer attribute, but some implementations had already been
035 completed before the issue was raised, so making it a SHOULD was a compromise.

036 4.4.1.2 Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)?

037 The "queued-job-count" is not a good measure of how busy the printer is when there are held jobs. A
038 future registration could be to add a "held-job-count" (or an "active-job-count") Printer Description
039 attribute if experience shows that such an attribute (combination) is needed to quickly indicate how busy
040 a printer really is.

041 **4.4.2 printer-current-time (dateTime)**

042 A Printer implementation MAY support this attribute by obtaining the date and time by any number of
043 implementation-dependent means at startup or subsequently. Examples include:

- 044 1. an internal date time clock,
- 045 2. from the operator at startup using the console,
- 046 3. from an operator using an administrative web page,
- 047 4. from HTTP headers supplied in client requests,
- 048 5. use HTTP to query "<http://tycho.usno.navy.mil/cgi-bin/timer.pl>"
- 049 6. from the network, using NTP [RFC1305] or DHCP option 32 [RFC2132] that returns the IP
050 address of the NTP server.

051 If an implementation supports this attribute by obtaining the current time from the network (at startup
052 or later), but the time is not available, then the implementation MUST return the value of this attribute
053 using the out-of-band 'no-value' meaning not configured. See the beginning of section 4.1.

054 Since the new "date-and-time-at-xxx" Job Description attributes refer to the "printer-current-time", they
055 will be covered also.

056 **4.4.3 Printer-uri**

057 Must the operational attribute for printer-uri match one of the values in "printer-uri-supported"?

058 A forgiving printer implementation would not reject the operation. But the implementation has its rights
059 to reject a printer or job operation if the operational attribute printer-uri is not a value of the printer-uri-
060 supported. The printer might not be improperly configured. The request obviously reached the printer.
061 The printer could treat the printer-uri as the logical equivalent of a value in the printer-uri-supported. It
062 would be implementation dependent for which value, and associated security policy, would apply. This
063 does also apply to a job object specified with a printer-uri and job-id, or with a job-uri. See section 4.1.3
064 for how to compare URI's.

065 **4.5 Empty Jobs**

066 The IPP object model does not prohibit a job that contains no documents. Such a job may be created in
067 a number of ways including a 'create-job' followed by an 'add-document' that contains no data and has
068 the 'last-document' flag set.

069 An empty job is processed just as any other job. The operation that "closes" an empty job is not
070 rejected because the job is empty. If no other conditions exist, other than the job is empty, the response
071 to the operation will indicate success. After the job is scheduled and processed, the job state SHALL be
072 'completed'.

073 There will be some variation in the value(s) of the "job-state-reasons" attribute. It is required that if no
074 conditions, other than the job being empty, exist the "job-state-reasons" SHALL include the 'completed-
075 successfully'. If other conditions existed, the 'completed-with-warnings' or 'completed-with-errors'
076 values may be used.

077 **5 Directory Considerations**

078 **5.1 General Directory Schema Considerations**

079 The [RFC2911] document lists RECOMMENDED and OPTIONAL Printer object attributes for
080 directory schemas. See [RFC2911] APPENDIX E: Generic Directory Schema.

081 The SLP printer template is defined in the "Definition of the Printer Abstract Service Type v2.0"
082 document [svrloc-printer]. The LDAP printer template is defined in the "Internet Printing Protocol
083 (IPP): LDAP Schema for Printer Services" document [ldap-printer]. Both documents systematically
084 add "printer-" to any attribute that doesn't already start with "printer-" in order to keep the printer
085 directory attributes distinct from other directory attributes. Also, instead of using "printer-uri-
086 supported", "uri-authentication-supported", and "uri-security-supported", they use a "printer-xri-
087 supported" attribute with special syntax to contain all of the same information in a single attribute.

088 **5.2 IPP Printer with a DNS name**

089 If the IPP printer has a DNS name should there be at least two values for the printer-uri-supported
090 attribute. One URL with the fully qualified DNS name the other with the IP address in the URL?

091 The printer may contain one or the other or both. It's up to the administrator to configure this attribute.

092 **6 Security Considerations**

093 The security considerations given in [RFC2911] Section 8 "Security Considerations" all apply to this
094 document. In addition, the following sub-sections describes security consideration that have arisen as a
095 result of implementation testing.

096 **6.1 Querying jobs with IPP that were submitted using other job submission protocols (Issue 1.32)**

097 The following clarification was added to [RFC2911] section 8.5:

098 8.5 Queries on jobs submitted using non-IPP protocols

099 If the device that an IPP Printer is representing is able to accept jobs using other job submission
100 protocols in addition to IPP, it is RECOMMEND that such an implementation at least allow such
101 "foreign" jobs to be queried using Get-Jobs returning "job-id" and "job-uri" as 'unknown'. Such an
102 implementation NEED NOT support all of the same IPP job attributes as for IPP jobs. The IPP
103 object returns the 'unknown' out-of-band value for any requested attribute of a foreign job that is
104 supported for IPP jobs, but not for foreign jobs.

105 It is further RECOMMENDED, that the IPP Printer generate "job-id" and "job-uri" values for such
106 "foreign jobs", if possible, so that they may be targets of other IPP operations, such as Get-Job-
107 Attributes and Cancel-Job. Such an implementation also needs to deal with the problem of
108 authentication of such foreign jobs. One approach would be to treat all such foreign jobs as
109 belonging to users other than the user of the IPP client. Another approach would be for the foreign
110 job to belong to 'anonymous'. Only if the IPP client has been authenticated as an operator or
111 administrator of the IPP Printer object, could the foreign jobs be queried by an IPP request.
112 Alternatively, if the security policy were to allow users to query other users' jobs, then the foreign
113 jobs would also be visible to an end-user IPP client using Get-Jobs and Get-Job-Attributes.

114 Thus IPP MAY be implemented as a "universal" protocol that provides access to jobs submitted with
115 any job submission protocol. As IPP becomes widely implemented, providing a more universal
116 access makes sense.

117 **7 Encoding and Transport**

118 This section discusses various aspects of IPP/1.1 Encoding and Transport [RFC2910].

119 A server is not required to send a response until after it has received the client's entire request. Hence, a
120 client must not expect a response until after it has sent the entire request. However, we recommend
121 that the server return a response as soon as possible if an error is detected while the client is still sending
122 the data, rather than waiting until all of the data is received. Therefore, we also recommend that a client
123 listen for an error response that an IPP server MAY send before it receives all the data. In this case a
124 client, if chunking the data, can send a premature zero-length chunk to end the request before sending
125 all the data (and so the client can keep the connection open for other requests, rather than closing it). If
126 the request is blocked for some reason, a client MAY determine the reason by opening another
127 connection to query the server using Get-Printer-Attributes.

128 IPP, by design, uses TCP's built-in flow control mechanisms [RFC 793] to throttle clients when Printers
129 are busy. Therefore, it is perfectly normal for an IPP client transmitting a Job to be blocked for a really
130 long time. Accordingly, socket timeouts must be avoided. Some socket implementations have a
131 timeout option, which specifies how long a write operation on a socket can be blocked before it times
132 out and the blocking ends. A client should set this option for infinite timeout when transmitting Job
133 submissions.

134 Some IPP client applications might be able to perform other useful work while a Job transmission is
135 blocked. For example, the client may have other jobs that it could transmit to other Printers
136 simultaneously. A client may have a GUI, which must remain responsive to the user while the Job
137 transmission is blocked. These clients should be designed to spawn a thread to handle the Job
138 transmission at its own pace, leaving the main application free to do other work. Alternatively, single-
139 threaded applications could use non-blocking I/O.

140 Some Printer conditions, such as jam or lack of paper, could cause a client to be blocked indefinitely.
141 Clients may open additional connections to the Printer to Get-Printer-Attributes, determine the state of
142 the device, alert a user if the printer is stopped, and let a user decide whether to abort the job
143 transmission or not.

144 In the following sections, there are tables of all HTTP headers, which describe their use in an IPP client
145 or server. The following is an explanation of each column in these tables.

- 146 - the "header" column contains the name of a header
- 147 - the "request/client" column indicates whether a client sends the header.
- 148 - the "request/ server" column indicates whether a server supports the header when received.
- 149 - the "response/ server" column indicates whether a server sends the header.
- 150 - the "response /client" column indicates whether a client supports the header when received.
- 151 - the "values and conditions" column specifies the allowed header values and the conditions for the
152 header to be present in a request/response.

153
154 The table for "request headers" does not have columns for responses, and the table for "response
155 headers" does not have columns for requests.

156 The following is an explanation of the values in the "request/client" and "response/ server" columns.

- 157 - **must:** the client or server **MUST** send the header,
- 158 - **must-if:** the client or server **MUST** send the header when the condition described in the "values
159 and conditions" column is met,
- 160 - **may:** the client or server **MAY** send the header
- 161 - **not:** the client or server **SHOULD NOT** send the header. It is not relevant to an IPP
162 implementation.

163

164 The following is an explanation of the values in the "response/client" and "request/ server" columns.

- 165 - **must:** the client or server **MUST** support the header,
- 166 - **may:** the client or server **MAY** support the header
- 167 - **not:** the client or server **SHOULD NOT** support the header. It is not relevant to an IPP
168 implementation.

169 7.1 General Headers

170 The following is a table for the general headers.

General-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Cache-Control	must	not	must	not	"no-cache" only
Connection	must-if	must	must-if	must	"close" only. Both client and server SHOULD keep a connection for the duration of a sequence of operations. The client and server MUST include this header for the last operation in such a sequence.
Date	may	may	must	may	per RFC 1123 [RFC1123] from RFC 2616 [RFC2616]
Pragma	must	not	must	not	"no-cache" only
Transfer-Encoding	must-if	must	must-if	must	"chunked" only . Header MUST be present if Content-Length is absent.
Upgrade	not	not	not	not	
Via	not	not	not	not	

171 **7.2 Request Headers**

172 The following is a table for the request headers.

Request-Header	Client	Server	Request Values and Conditions
----------------	--------	--------	-------------------------------

Request-Header	Client	Server	Request Values and Conditions
Accept	may	must	"application/ipp" only. This value is the default if the client omits it
Accept-Charset	not	not	Charset information is within the application/ipp entity
Accept-Encoding	may	must	empty and per RFC 2616 [RFC2616] and IANA registry for content-codings
Accept-Language	not	not	language information is within the application/ipp entity
Authorization	must-if	must	per RFC 2616. A client MUST send this header when it receives a 401 "Unauthorized" response and does not receive a "Proxy-Authenticate" header.
From	not	not	per RFC 2616. Because RFC recommends sending this header only with the user's approval, it is not very useful
Host	must	must	per RFC 2616
If-Match	not	not	
If-Modified-Since	not	not	
If-None-Match	not	not	
If-Range	not	not	
If-Unmodified-Since	not	not	
Max-Forwards	not	not	
Proxy- Authorization	must-if	not	per RFC 2616. A client MUST send this header when it receives a 401 "Unauthorized" response and a "Proxy-Authenticate" header.
Range	not	not	
Referrer	not	not	
User-Agent	not	not	

173 7.3 Response Headers

174 The following is a table for the request headers.

Response-Header	Server	Client	Response Values and Conditions
Accept-Ranges	not	not	
Age	not	not	
Location	must-if	may	per RFC 2616. When URI needs redirection.
Proxy-Authenticate	not	must	per RFC 2616
Public	may	may	per RFC 2616
Retry-After	may	may	per RFC 2616
Server	not	not	
Vary	not	not	
Warning	may	may	per RFC 2616
WWW-Authenticate	must-if	must	per RFC 2616. When a server needs to authenticate a client.

175 7.4 Entity Headers

176 The following is a table for the entity headers.

Entity-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Allow	not	not	not	not	
Content-Base	not	not	not	not	
Content-Encoding	may	must	must	must	per RFC 2616 and IANA registry for content codings.
Content-Language	not	not	not	not	Application/ipp handles language
Content-Length	must-if	must	must-if	must	the length of the message-body per RFC 2616. Header MUST be present if Transfer-Encoding is absent..
Content-Location	not	not	not	not	
Content-MD5	may	may	may	may	per RFC 2616
Content-Range	not	not	not	not	
Content-Type	must	must	must	must	"application/ipp" only
ETag	not	not	not	not	
Expires	not	not	not	not	
Last-Modified	not	not	not	not	

177 7.5 Optional support for HTTP/1.0

178 IPP implementations consist of an HTTP layer and an IPP layer. In the following discussion, the term
 179 "client" refers to the HTTP client layer and the term "server" refers to the HTTP server layer. The
 180 Encoding and Transport document [RFC2910] requires that HTTP 1.1 MUST be supported by all
 181 clients and all servers. However, a client and/or a server implementation may choose to also support
 182 HTTP 1.0.

183 This option means that a server may choose to communicate with a (non-conforming) client that only
184 supports HTTP 1.0. In such cases the server should not use any HTTP 1.1 specific parameters or
185 features and should respond using HTTP version number 1.0.

186 This option also means that a client may choose to communicate with a (non-conforming) server that
187 only supports HTTP 1.0. In such cases, if the server responds with an HTTP 'unsupported version
188 number' to an HTTP 1.1 request, the client should retry using HTTP version number 1.0.

189 **7.6 HTTP/1.1 Chunking**

190 **7.6.1 Disabling IPP Server Response Chunking**

191 Clients MUST anticipate that the HTTP/1.1 server may chunk responses and MUST accept them in
192 responses. However, a (non-conforming) HTTP client that is unable to accept chunked responses may
193 attempt to request an HTTP 1.1 server not to use chunking in its response to an operation by using the
194 following HTTP header:

195 TE: identity

196 This mechanism should not be used by a server to disable a client from chunking a request, since
197 chunking of document data is an important feature for clients to send long documents.

198 **7.6.2 Warning About the Support of Chunked Requests**

199 This section describes some problems with the use of chunked requests and HTTP/1.1 servers.

200 The HTTP/1.1 standard [RFC2616] requires that conforming servers support chunked requests for any
201 method. However, in spite of this requirement, some HTTP/1.1 implementations support chunked
202 responses in the GET method, but do not support chunked POST method requests. Some HTTP/1.1
203 implementations that support CGI scripts [CGI] and/or servlets [Servlet] require that the client supply a
204 Content-Length. These implementations might reject a chunked POST method and return a 411 status
205 code (Length Required), might attempt to buffer the request and run out of room returning a 413 status
206 code (Request Entity Too Large), or might successfully accept the chunked request.

207 Because of this lack of conformance of HTTP servers to the HTTP/1.1 standard, the IPP standard
208 [RFC2910] REQUIRES that a conforming IPP Printer object implementation support chunked requests
209 and that conforming clients accept chunked responses. Therefore, IPP object implementers are warned
210 to seek HTTP server implementations that support chunked POST requests in order to conform to the
211 IPP standard and/or use implementation techniques that support chunked POST requests.

212 **8 References**

213 [CGI]

214 CGI/1.1 (<http://www.ietf.org/internet-drafts/draft-coar-cgi-v11-00.txt>).

- 215 [IANA-CS]
216 IANA Registry of Coded Character Sets: <ftp://ftp.iana.org/in-notes/iana/assignments/character-sets>
- 217 [ldap-printer]
218 Fleming, P., Jones, K., Lewis, H., McDonald, I., "Internet Printing Protocol (IPP): LDAP Schema
219 for Printer Services", <draft-ietf-ipp-ldap-printer-schema-04.txt>, work in progress, December 20,
220 2000.
- 221 [RFC793]
222 J. Postel, "Transmission Control Protocol", RFC 793.
- 223 [RFC1123]
224 Braden, S., "Requirements for Internet Hosts - Application and Support", RFC 1123, October, 1989.
- 225 [RFC2026]
226 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 227 [RFC2119]
228 S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119 , March
229 1997.
- 230 [RFC2396]
231 Berners-Lee, T., Fielding, R., Masinter, L., "Uniform Resource Identifiers (URI): Generic
232 Syntax", RFC 2396, August 1998.
- 233 [RFC2565]
234 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
235 Semantics", RFC 2566, April 1999.
- 236 [RFC2566]
237 Herriot, R., Butler, S., Moore, P., Turner, R., "Internet Printing Protocol/1.0: Encoding and
238 Transport", RFC 2565, April 1999.
- 239 [RFC2567]
240 Wright, D., "Design Goals for an Internet Printing Protocol", RFC 2567, April 1999.
- 241 [RFC2568]
242 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",
243 RFC 2568, April 1999.
- 244 [RFC2569]
245 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC
246 2569, April 1999.
- 247 [RFC2616]
248 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
249 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.

- 250 [RFC2910]
251 Herriot, R., Butler, S., Moore, P., Turner, R., "Internet Printing Protocol/1.0: Encoding and
252 Transport", RFC 2910, September, 2000.
- 253 [RFC2911]
254 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
255 Semantics", RFC 2911, September, 2000.
- 256 [Servlet]
257 Servlet Specification Version 2.1 (<http://java.sun.com/products/servlet/2.1/index.html>).
- 258 [svrloc-printer]
259 St. Pierre, P., Isaacson, S., McDonald, I., "Definition of the Printer Abstract Service Type v2.0",
260 <http://www.isi.edu/in-notes/iana/assignments/svrloc-templates/printer.2.0.en> (IANA Registered, May
261 27, 2000).
- 262 [SSL]
263 Netscape, The SSL Protocol, Version 3, (Text version 3.02), November 1996.

264 **9 Authors' Address**

265
266 Thomas N. Hastings
267 Xerox Corporation
268 701 Aviation Blvd.
269 El Segundo, CA 90245
270 hastings@cp10.es.xerox.com
271

272 Carl-Uno Manros
273 Xerox Corporation
274 701 Aviation Blvd.
275 El Segundo, CA 90245
276 cmanros@cp10.es.xerox.com
277

278 Carl Kugler
279 Mail Stop 003G
280 IBM Printing Systems Co
281 6300 Diagonal Hwy
282 Boulder CO 80301
283 Kugler@us.ibm.com
284

285 Henrik Holst
286 i-data Printing Systems
287 Vadstrupvej 35-43
288 2880 Bagsvaerd, Denmark

289 hh@I-data.com

290

291 Peter Zehler

292 Xerox Corporation

293 800 Philips Road

294 Webster, NY 14580

295 peter.zehler@usa.xerox.com

296

297 IPP Web Page: <http://www.pwg.org/ipp/>

298 IPP Mailing List: ipp@pwg.org

299

300 To subscribe to the ipp mailing list, send the following email:

301 1) send it to majordomo@pwg.org

302 2) leave the subject line blank

303 3) put the following two lines in the message body:

304 subscribe ipp

305 end

306

307 Implementers of this specification document are encouraged to join the IPP Mailing List in order to
308 participate in any discussions of clarification issues and review of registration proposals for additional
309 attributes and values. In order to reduce spam the mailing list rejects mail from non-subscribers, so you
310 must subscribe to the mailing list in order to send a question or comment to the mailing list.

311

312 Other Participants:

Chuck Adams - Tektronix	Shivaun Albright - HP
Stefan Andersson - Axis	Jeff Barnett - IBM
Ron Bergman - Hitachi Koki Imaging Systems	Dennis Carney - IBM
Keith Carter - IBM	Angelo Caruso - Xerox
Rajesh Chawla - TR Computing Solutions	Nancy Chen - Okidata
Josh Cohen - Microsoft	Jeff Copeland - QMS
Andy Davidson - Tektronix	Roger deBry - IBM
Maulik Desai - Auco	Mabry Dozier - QMS
Lee Farrell - Canon Information Systems	Satoshi Fujitami - Ricoh
Steve Gebert - IBM	Sue Gleeson - Digital
Charles Gordon - Osicom	Brian Grimshaw - Apple
Jerry Hadsell - IBM	Richard Hart - Digital
Tom Hastings - Xerox	Henrik Holst - I-data
Stephen Holmstead	Zhi-Hong Huang - Zenographics
Scott Isaacson - Novell	Babek Jahromi - Microsoft
Swen Johnson - Xerox	David Kellerman - Northlake Software
Robert Kline - TrueSpectra	Charles Kong - Panasonic
Carl Kugler - IBM	Dave Kuntz - Hewlett-Packard
Takami Kurono - Brother	Rick Landau - Digital
Scott Lawrence - Agranot Systems	Greg LeClair - Epson
Dwight Lewis - Lexmark	Harry Lewis - IBM
Tony Liao - Vivid Image	Roy Lomicka - Digital
Pete Loya - HP	Ray Lutz - Cognisys
Mike MacKay - Novell, Inc.	David Manchala - Xerox
Carl-Uno Manros - Xerox	Jay Martin - Underscore
Stan McConnell - Xerox	Larry Masinter - Xerox
Sandra Matts - Hewlett Packard	Peter Michalek - Shinesoft
Ira McDonald - High North Inc.	Mike Moldovan - G3 Nova
Tetsuya Morita - Ricoh	Yuichi Niwa - Ricoh
Pat Nogay - IBM	Ron Norton - Printronics
Hugo Parra, Novell	Bob Pentecost - Hewlett-Packard
Patrick Powell - Astart Technologies	Jeff Rackowitz - Intermec
Eric Random - Peerless	Rob Rhoads - Intel
Xavier Riley - Xerox	Gary Roberts - Ricoh
David Roach - Unisys	Stuart Rowley - Kyocera
Yuji Sasaki - Japan Computer Industry	Richard Schneider - Epson
Kris Schoff - HP	Katsuaki Sekiguchi - Canon
Bob Setterbo - Adobe	Gail Songer - Peerless
Hideki Tanaka - Canon	Devon Taylor - Novell, Inc.
Mike Timperman - Lexmark	Atsushi Uchino - Epson
Shigeru Ueda - Canon	Bob Von Andel - Allegro Software
William Wagner - NetSilicon/DPI	Jim Walker - DAZEL
Chris Wellens - Interworking Labs	Trevor Wells - Hewlett Packard

Craig Whittle - Sharp Labs	Rob Whittle - Novell, Inc.
Jasper Wong - Xionics	Don Wright - Lexmark
Michael Wu - Heidelberg Digital	Rick Yardumian - Xerox
Michael Yeung - Toshiba	Lloyd Young - Lexmark
Atsushi Yuki - Kyocera	Peter Zehler - Xerox
William Zhang- Canon Information Systems	Frank Zhao - Panasonic
Steve Zilles - Adobe	Rob Zirnstein - Canon Information Systems

313

314

315 10 Description of the Base IPP Documents

316 In addition to this document, the base set of IPP documents includes:

317 Design Goals for an Internet Printing Protocol [RFC2567]

318 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

319 Internet Printing Protocol/1.1: Model and Semantics [RFC2911]

320 Internet Printing Protocol/1.1: Encoding and Transport [RFC2910]

321 Mapping between LPD and IPP Protocols [RFC2569]

322

323 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed
 324 printing functionality, and it enumerates real-life scenarios that help to clarify the features that need to
 325 be included in a printing protocol for the Internet. It identifies requirements for three types of users:
 326 end users, operators, and administrators. It calls out a subset of end user requirements that are satisfied
 327 in IPP/1.0 [RFC2566, RFC2565]. A few OPTIONAL operator operations have been added to IPP/1.1
 328 [RFC2911, RFC2910].

329 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
 330 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
 331 IPP specification documents, and gives background and rationale for the IETF IPP working group's
 332 major decisions.

333 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
 334 abstract objects, their attributes, and their operations. The model introduces a Printer and a Job. The
 335 Job supports multiple documents per Job. The model document also addresses how security,
 336 internationalization, and directory issues are addressed.

337 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the
 338 abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It also
 339 defines the encoding rules for a new Internet MIME media type called "application/ipp". This document
 340 also defines the rules for transporting a message body over HTTP whose Content-Type is
 341 "application/ipp". This document defines the 'ipp' scheme for identifying IPP printers and jobs.

342 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of
 343 gateways between IPP and LPD (Line Printer Daemon) implementations.

344 **11 Full Copyright Statement**

345 Copyright (C) The Internet Society (1999). All Rights Reserved

346 This document and translations of it may be copied and furnished to others, and derivative works that
347 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published
348 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright
349 notice and this paragraph are included on all such copies and derivative works. However, this
350 document itself may not be modified in any way, such as by removing the copyright notice or references
351 to the Internet Society or other Internet organizations, except as needed for the purpose of developing
352 Internet standards in which case the procedures for copyrights defined in the Internet Standards process
353 must be followed, or as required to translate it into languages other than English.

354 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or
355 its successors or assigns.

356 This document and the information contained herein is provided on an "AS IS" basis and THE
357 INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL
358 WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
359 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY
360 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
361 PARTICULAR PURPOSE.

362 **Acknowledgement**

363 Funding for the RFC Editor function is currently provided by the Internet Society.