1 2	PWG WORKING DRAFT ISSUES are highlighted like this. https://example.com/inserted-notifications-very-short-990118.doc
3 4 5	Scott Isaacson, Jay Martin, Roger deBry, Tom Hastings January 18, 1999
6	IPP Event Notifications (Very Short)
7	Version 0.5
8	Abstract
9 10 11 12 13	This document describes an extension to the IPP/1.0 model that allows end users to subscribe to printing related events as part of job submission. This type of subscription is called "Job Submission Subscription". See a companion white paper entitled: "Job Independent Subscriptions for IPP" [ipp-sub] for operations to subscribe to the same printing related events that is independent of job submission.
14	With either subscription method, a subscription includes:
15 16	 the names of groups of events that are of interest to the subscriber the delivery methods and addresses to use for event reports (socket, email, etc.)
17	A subscription does <i>not</i> include
18 19 20 21 22	 complicated lists and sets of names of individual events that are of interest to the subscriber arbitrary lists of additional attributes to be returned in the event report specification of which format to use in the event report (the delivery method implicitly defines the format that is used)
23	A simple method is provided for subscribing to printing related events:
24 25	- Two new subscription attributes are supplied by the client as part of an IPP create request (Print-Job, Print-URI, Create-Job, Validate-Job)
26 27	An event is some occurrence (either expected or unexpected) within the printing system. Events can be classified using two dimensions:
28 29	Either as Job Events or Device Events, andEither as Errors, Warnings, or Reports
30 31	When the event occurs, an event report is generated and delivered using the information specified in the job's subscription which was submitted with the job.

3	32

33	Ta	ble of Contents	
34	1	Summary of the proposal	3
35	2	Terminology	3
36	3	Model for Job and Device Event Notification	6
37	4	New subscription Operation attributes	7
38		4.1 Two subscription operation attributes	7
39 40		4.1.1 notify-recipients (1setOf uri)4.1.2 notify-event-groups (1setOf type2 keyword)	7 9
41	5	Event Report Content	10
42		5.1 Basic Job event report content	10
43		5.2 Basic device event report content	11
44	6	Job Description Attributes	13
45		6.1 job-trigger-event (type2 keyword)	13
46		6.2 job-trigger-date-time (dateTime)	13
47	7	Printer Description Attributes	14
48		7.1 device-trigger-event (type 2 keyword)	14
49		7.2 device-trigger-date-time (dateTime)	15
50		7.3 notify-recipients-schemes-supported (1setOf uriScheme)	16
51		7.4 notify-event-groups-supported (1setOf type2 keyword)	16
52	8	References	16
53	<mark>9</mark>	<u>Issues</u>	17
54	10	Change History	17
55		10.1 Changes to the December 10, 1998 to make the January 19, 1999 version	17
56		10.2 Changes to the July 1, 1998 to make the December 10, 1998 version	18

1 Summary of the proposal

59 This proposal includes the following concepts:

1. Two new multi-valued subscription operation attributes are defined:

61	attribute name	Syntax
62		
63	"notify-recipients"	1setOf uri
64	"notify-event-groups"	1setOf type2 keyword

The presence of the "notify-recipients" indicates that notification is desired. The values of "notify-recipients" are URIs that identify the notification delivery method and delivery address to use for event reports (See Section 4.1.1). The delivery method dictates the event report content type to be used. For example, 'mailto' uses "text/plain" and 'ipp-tcp-notify' uses "application/ipp". The values for "notify-event-groups" are keywords representing job event groups or device event groups (See Section 4.1.2). Each event groups implies a set of attributes to be sent in the event report. Some delivery methods imply a fixed subset of the event groups. For example, the 'mailto' delivery method only uses the 'job-completions-basic' event group.

2. These subscription operation attributes can be supplied by the client in any of the IPP job submission operations: Print-Job, Print-URI, Create-Job, and Validate-Job. Subscriptions that include interest in job event groups apply only to the job being submitted and no other job.

- 3. Each Printer object supports new attributes that describe the notification delivery methods and the event groups that it supports: "notify-recipients-schemes-supported" and "notify-event-groups-supported".
- 4. Each Printer object supports new Job Description attributes: "job-trigger-event" and "job-trigger-date-time" that store the current/last event and its date/time.
- 5. Each Printer object supports new Printer Description attributes: "device-trigger-event" and "device-trigger-date-time" that store the current/last event and its date/time.
- As events occur, for each event the Printer searches the set of subscriptions for any interest in that event. As the Printer finds that some entity is interested in that event (the entity is subscribed to the group of events to which the event belongs), an event report is generated and delivered using the methods and target addresses identified in the subscription.

Capitalized terms, such as MUST, MUST NOT, REQUIRED, SHOULD, SHOULD NOT, MAY, NEED NOT, and OPTIONAL, have special meaning relating to

Terminology

99 conformance. These terms are defined in [ipp-mod section 13.1 on conformance 100 terminology, most of which is taken from RFC 2119 [RFC2119]. 101 **Job Submitting End User** - A human end user who submits a print job to an IPP 102 Printer. 103 **IPP** Client - The software component on the client system which implements the IPP 104 protocol. 105 **Job Recipient -** A human who is the ultimate consumer of the print job. In many 106 cases this will be the same person as the Job Submitting End User, but need not 107 108 **Job Recipient Proxy** - A human acting on behalf of the Job Recipient. In particular, 109 the Job Recipient Proxy physically picks up the printed document from the 110 Device, if the Job Recipient cannot perform that function. 111 **Subscription-** The set of attributes that indicate the "what, where, who, and how" for 112 notification. Events Reports are generated for certain events (what) and delivered 113 using various delivery methods (how) to certain addresses (where and who). 114 **Notification Recipient** - Any entity identified as a recipient within a subscription. 115 Some notification recipients are Job Submitting End Users and others are interested third parties, such as the Job Recipient or Job Recipient Proxy. 116 117 Notification Recipient Agent - A program which receives event reports on behalf of the notification recipient. 118 **Event** - An event is some occurrence (either expected or unexpected) within the 119 120 printing system. Events can be classified using two dimensions: - Either as Job Events or Device Events, and 121 122 - Either as Errors, Warnings, or Reports 123 124 A Job event is some interesting state change in the Job object, and a Device event 125 is some interesting change in the Printer object. 126 127 A report event is purely informational, such as 'job-completed' or 'accepting-jobs'. 128 A warning is not serious and processing continues. An error is serious and either 129 the job is aborted or the device stops. 130 131 An event occurs for a job or device whether any entity is registered to be notified 132 for that event or not. 133 134 **Event Report** - When an event occurs, an event report is generated that fully 135 describes the event (what the event was, where it occurred, when it occurred, 136 etc.).. Event reports are delivered to all the notification recipients that are subscribed to that event, if any. The event report is delivered to the address of the 137 138 notification recipient using the notification delivery method defined in the subscription. However, an Event Report is sent only if there is a corresponding 139 140 subscription 141 Notification Delivery Method (or Delivery Method for short) - Event reports are 142 delivered using a method, such as email, TCP/IP, etc.

Immediate Notification - Event reports that are delivered using a delivery method

which is not store-and-forward (e.g. TCP connection, UDP datagram).

143

144

145	Queued Notification - Event reports that are delivered using a delivery method
146	which has some sort of store-and-forward mechanism (e.g., email).
147	Human Consumable Event Report - Event reports that are intended to be consumed
148	by human end users only.
149	Machine Consumable Event Report - Event reports that are intended for
150	consumption by a program only.
151	Mixed Format Event Report - A mixed event report may contain both human
152	consumable and machine consumable information.
153	

3 Model for Job and Device Event Notification

Figure 1 shows the model.

154

155

156

175176

177

178179

180

181

204

```
157
158
    Legend:
159
160
         A = Client and Notification Recipient
161
         B = Notification Recipient (subscription by some third party)
162
163
         O A +----+ Create Request with #########
        /|\ | client/ |----Subscriptions-----># IPP #
164
165
        / \ | notif. |
                                             # Printer #
166
        end- | recip. | <---Job and Device -----# Object #
        user +----- Event Reports ######### /
167
168
       169
170
171
172
173
174
```

Figure 1 - Model for Job and Device Notification

Note: This model does not mandate that the IPP Printer object implement the full semantics of subscription, report generation, and multiple delivery methods. A simple (embedded) implementation may be configured to use some notification service. Figure 2 shows this partitioning.




Figure 2 - Opaque Use of a Notification Service

4 New subscription Operation attributes

- 206 This section specifies two new subscription operation attributes. A client subscribes to
- event groups by supplying these attributes in any create request (i.e., a Print-Job Request,
- 208 Print-URI Request, Validate-Job Request, or a Create-Job Request). These attributes are
- 209 multi-valued attributes; the client can supply more than one value. If the client does not
- supply these attributes in the operation, there is no subscription made (either implicitly or
- 211 explicitly).

205

- 212 The following rules apply:
- 213 1. Any subscription can contain job event groups, device event groups, or both.
- 2. The Job Submission Subscription is only valid while the job is "active". The job is
- "active" while it is in the 'pending', 'processing', and 'processing-stopped' states. The
- job ceases to be active when it enters the 'pending-held' state or until the time it is
- done processing and enters any of the 'completed', 'canceled', or 'aborted' states. The
- 218 job becomes active again when it is released from the 'pending-held' state or is
- restarted using the Restart-Job operation (see [ipp-ops-set1]). Since no job is created
- for the Validate-Job operation, the only purpose of supplying the subscription
- operation attributes in the Validate-Job operation is to validate that the values are
- supported; the Printer object does not establish a notification subscription as a result
- of the Validate-Job operation.
- 3. Since a Job Submission Subscription is included within a job submission operation,
- any interest in job events is limited to "this job" only (the Job object created because
- of this job creation operation). There is no mechanism to subscribe to events for all
- jobs or specifically some job other than this job in a create operation. But see [ipp-
- sub] for such a mechanism to subscribe persistently for job and printer events
- independently of any particular job submission.

4.1 Two subscription operation attributes

- Two subscription operation attributes are OPTIONALLY supplied by the client in create
- operations: Print-Job, Print-URI, Create-Job, and Validate-Job. Both operation attributes
- are REQUIRED to be supported by Printer objects that support this notification
- 234 specification.

230

235 4.1.1 notify-recipients (1setOf uri)

- The client supplies this operation attribute in a create request in order to subscribe for job
- events while this job is active. In order to claim conformance to this notification
- 238 specification, the Printer object MUST support this attribute. This attribute describes
- both where (the address) and how (the delivery method) event reports are to be delivered
- 240 when any of the events specified in the "notify-events" attribute occur. If the client does
- 241 not supply this attribute in a create request, the Printer object MUST not provide any job-
- based notification for this job.
- Some notification delivery methods imply a fixed event group, and so ignore the supplied
- values of "notify-event-groups". These delivery methods may be used with other

245 delivery methods that do not have such restrictions. Unless specified otherwise, a 246 delivery method may be used with any event group. 247 IPP Printer objects MUST support the 'ipp-tcp-notify' and 'ipp-udp-notify' delivery 248 methods in order to conform to this notification specification. Support of the other 249 methods is OPTIONAL. 250 Standard uriScheme values are: 251 'mailto': a message is sent via email to the specified email address. The "text/plain" 252 event report content format is used for this method (see Section 5). This delivery 253 method ignores the supplied values of the "notify-event-groups" attribute and 254 implies the 'job-completions-basic' event group ('job-completed', 'job-aborted', 255 'job-canceled' events). The notification recipient does not acknowledge receipt of 256 the mail message. 257 'ipp-tcp-notify': an IPP notification report is sent via a TCP/IP socket that is opened by the Printer object on the IP address specified in the URI using the specified 258 259 port using the "host:port" HTTP convention. For example: 260 ipp-tcp-notify:foo.com:6000 The "application/ipp" event report content format is used for this method (see 261 262 Section 54.1.2). 263 The event recipient does not respond or acknowledge the event report. ISSUE 1 - What is the default port for this method? 264 ISSUE 2 - Are the origin and destination ports the same or not? 265 ISSUE 3 - Ok that the notification recipient doesn't respond or acknowledge the 266 267 event report? or should it? 'snmpv1-notify': a notification report is sent as an SNMPv1 trap to the host specified 268 269 as the address in the URI. The notification recipient does not acknowledge 270 receipt of the notification event report (trap). 271 'snmpv2-notify': a notification report is sent as an SNMPv2 inform to the host 272 specified as the address in the URI. The notification recipient does acknowledge 273 receipt of the notification event report (inform). 274 'snmpv3-notify': a notification report is sent as an SNMPv3 inform to the host 275 specified as the address in the URI. The notification recipient does acknowledge 276 receipt of the notification event report (inform). ISSUE 4 - Are these 3 SNMP notification delivery methods ok to keep? 277 278 'ipp-udp-notify': an IPP notification report is sent via a UDP datagram that is opened 279 by the Printer object on the IP address specified in the URI using the specified 280 port using the "host:port" HTTP convention. For example: 281 ipp-udp-notify:bar.com:6000 282 The UDP datagram contains the "application/ipp" event report content format (see Section 54.1.2). The notification recipient does not acknowledge receipt of the 283 284 notification event report. 285 ISSUE 5 - What is the default port for this method? 286 ISSUE 6 - Are the origin and destination ports the same or not? ISSUE 7 - Ok that the notification recipient doesn't respond or acknowledge the 287 288 event report? or should it?

289 290	'ndps-notify': an IPP notification report is sent via NDPS notification mechanism. See ???.
291	ISSUE 8 - Need reference to NDPS documentation. Also need more description
292	here, such as which end opens, does the recipient acknowledge, and any salient
293	information about the transport.
294	'sense-notify': a notification report is sent as a SENSE UDP datagram [sense] that is
295	opened by the Printer object or notification service on the IP address specified in
296	the URI using the specified port using the "host:port" HTTP convention. The
297	notification recipient does acknowledge receipt of the notification event report.
298	4.1.2 notify-event-groups (1setOf type2 keyword)
299	The client OPTIONALLY supplies this operation attribute in a create request. In order to
300	claim conformance to this notification specification, the Printer object MUST support this
301	attribute. This attribute identifies the event groups for which a notification event report is
302	desired. If the client does not supply this attribute in a create request, but does supply the
303	"notify-recipients", the Printer object assumes the 'job-completions-basic' event group
304	value.
305	There are both job events and device events. Each job and device event is assigned a
306	keyword to use in the event report.
307	Each event is assigned to one or more event groups. Each event group is assigned a
308	keyword. The '-basic' suffix indicates that only the basic set of attributes are to be
309	included in the event report.
310	Standard event group keyword values are:
311	Special event groups:
312	'none': no notifications of any events (an IPP object can use this value to indicate
313	that it is configured not to support event notification; a client would not
314	subscribe to this group).
315	
316 317	Job Event Groups (See section 6.1 for a description of each job event):
318	'job-state-changes-basic': includes job-received', job-held', job-released', job-started-processing', job-stopped', job-continued'
319	'job-completions-basic': includes 'job-completed', 'job-aborted', 'job-canceled'
320	'job-warnings-basic': includes 'job-warning' which are any implementation-
321	specific job warning events
322	'job-errors-basic': includes 'job-aborted' and any implementation-specific job
323	errors
324	
325	Note: The 'job-aborted' event appears in both the 'job-completions-basic' and
326	'job-errors-basic' event groups, since it is both a completion and an error.
327	
328	Device Event Groups (See section 7.1 for a description of each job event):
329	1. 'device-reports-basic': includes 'started-processing', 'became-idle',
330	'device-state-reason-removed', 'accepting-jobs', and 'powered-up'
331	1. 'device-warnings-basic': includes 'device-state-reason-warning-
332	added' and - 'not-accepting-jobs'

333 1. 'device-errors-basic': includes 'device-stopped', 'device-state-reason-334 error-added', and 'powering-down' 335 336 ISSUE 9 - This simplified proposal no longer includes returning the Printer MIB alert 337 codes, but relies on "device-trigger-event' and IPP/1.0 [ipp-mod] "printer-state-reasons" 338 keywords, which contain most of the Printer MIB alert codes, except for the generic ones. 339 Ok? 5 Event Report Content 340 341 Event reports are generated using the following content formats: 342 'application/ipp' - machine consumable event report content using the 'application/ipp' MIME media type [ipp-mod] using the Get-Job-Attributes response encoding 343 344 for job events and Get-Printer-Attributes for device events. The attributes 345 listed in section 5.1 are sent in a notification report for job events. The 346 attributes listed in section 5.2 are sent in a notification report for device 347 events. For any string in any event report, the charset and natural language 348 rules that apply to all IPP operations apply to the event report strings as well, 349 since they are represented as operation responses. 350 351 'text/plain' - human consumable event report content type. The text message SHOULD include information about the attributes in section 5.1 for job events or 352 353 in section 5.2 for device events. If the charset to be used in the mail message is 354 other than US-ASCII, the /charset parameter must be included in the value of this 355 content-type header and in the event report content [RFC2046]. 356 The notification delivery method dictates the event report content type to be used. For 357 example, 'mailto' uses "text/plain" and 'ipp-tcp-notify' uses "application/ipp". 358 Basic Job event report content 359 This section lists the attributes that MUST be included in any event report content for 360 each job event group. Additional job event groups can be registered which include 361 additional attributes. However, all job event groups MUST include the following "basic" 362 job object attributes in any job event report. All job event reports MUST use the Get-363 Job-Attributes response syntax. In order to claim conformance to this notification 364 specification, an IPP Printer MUST support all of the following Job Description 365 attributes, except "status-message" and "job-impressions-completed": 366 job-printer-uri (uri) - see [ipp-mod] section 4.3.3 367 job-id (integer(1:MAX)) - see [ipp-mod] section 4.3.2 368 job-trigger-event (type2 keyword) - see section 6.1 369 job-trigger-date-time (dateTime) - see section 6.2 370 job-state (type1 enum) - see [ipp-mod] section 4.3.7 371 job-state-reasons (1setOf type2 keyword) - see [ipp-mod] section 4.3.8 372 status-message (text(255)) - see [ipp-mod] section 3.1.6

job-impressions-completed (integer(0:MAX)) - see [ipp-mod] section 4.3.21

373

374

- 375 ISSUE 10 How can an event recipient tell the difference between a job event and a
- device event, if both have been subscribed to? Is looking whether "job-trigger-event"
- versus "device-trigger-event" is present in the event content ok?
- 378 ISSUE 11 Which of the above attributes are sent as Operation Attributes and which are
- included as Job Attributes in the Get-Job-Attributes response format?
- 380 ISSUE 12 Should we define a new operation, say Send-Event (or Send-Job-Event?),
- which has a format that we specify and so that the event recipient can respond when
- required to using an IPP operation response depending on the subscription?
- 383 ISSUE 13 The data type of "job-trigger-date-time" (dateTime) is needed, so that there is
- 384 no ambiguity when relaying notifications from server to server which may cross time
- zones? Proper date and time is especially important when notification is used with IFAX.
- However, for low end implementations, knowing the date is a burden, even though the
- date is sent by the client in every HTTP request header.
- 388 The "job-state-reasons" is an OPTIONAL attribute in [ipp-mod]. However, in order to
- 389 claim conformance to this notification specification, the Printer object MUST support this
- Job Description attribute in order to provide necessary information about the event.
- 391 If "status-message" is supported as an Operation attribute in operation responses, then it
- 392 MUST be supported in the event report content. If "job-impressions-completed" is
- 393 supported as a Job Description attribute, then it MUST be supported in event report
- 394 content. If "status-message" and/or "job-impressions-completed" are not supported, then
- 395 they are omitted from the event report content.
- 396 If the values of any of the attributes sent in an event report content are not known, the
- 397 value sent in the report content is the out-of-band 'unknown' value, rather than omitting
- 398 the attribute. See [ipp-mod] section 4.1.
- 399 ISSUE 14: Do we agree to this small sub-set of attributes that MUST be sent in any
- 400 event report content?

403

- 401 ISSUE 15: Do we agree to the ones that are REQUIRED for an IPP Printer to support if
- 402 it supports notification at all?

5.2 Basic device event report content

- This section lists the attributes that MUST be included in any event report content for
- 405 each device event group. Additional device event groups can be registered which
- 406 include additional attributes. However, all device event groups MUST include the
- 407 following "basic" attributes in any device event report. All device event reports MUST
- 408 use the Get-Printer-Attributes response syntax. In order to claim conformance to this
- 409 notification specification, an IPP Printer MUST support all of the following Printer
- 410 Description attributes, except "status-message":
- 411 ISSUE 16: Do we agree to this small sub-set of attributes that MUST be sent in any
- 412 event report content?
- printer-uri-supported (uri) see [ipp-mod] section 4.4.1
- job-id (integer(1:MAX)) the job id of the current job processing on the printer.
- device-trigger-event (keyword) the event that caused this notification -

device-trigger-date-time (dateTime) - see section 7.1
printer-state (type1 enum) - see [ipp-mod] section 4.4.10
printer-state-reasons (type2 keyword) - see [ipp-mod] section 4.4.11 which includes
most of the Printer MIB alert codes represented as keywords
printer-is-accepting-jobs (boolean) - see [ipp-mod] section 4.4.20

421 422

- 423 ISSUE 17 How can an event recipient tell the difference between a job event and a device event, if both have been subscribed to? Is looking whether "job-trigger-event"
- 425 versus "device-trigger-event" ok?
- 426 ISSUE 18 Which of the above attributes are sent as Operation Attributes and which are
- included as Job Attributes in the Get-Printer-Attributes response format?

status-message (text(255)) - see [ipp-mod] section 3.1.6

- 428 ISSUE 19 Should we define a new operation, say Send-Event (or Send-Device-Event?)
- which has a format that we specify and so that the event recipient can respond using an
- 430 IPP operation response when required to depending on the subscription?
- 431 ISSUE 20 The data type of "device-trigger-date-time" (dateTime) is needed, so that
- there is no ambiguity when relaying notifications from server to server which may cross
- 433 time zones? Proper date and time is especially important when notification is used with
- 434 IFAX. However, for low end implementations, knowing the date is a burden, even
- though the date is sent by the client in every HTTP request header.
- The "printer-state-reasons" is an OPTIONAL attribute in [ipp-mod]. However, in order
- 437 to claim conformance to this notification specification, the Printer object MUST support
- 438 this Printer Description attribute in order to provide necessary information about the
- 439 event.
- 440 If "status-message" is supported as an Operation attribute in operation responses, then it
- MUST be supported in event report content. If "status-message" is not supported, then it
- is omitted from the event report content.
- If the values of any of the attributes sent in an event report content are not known, the
- value sent in the report content is the out-of-band 'unknown' value, rather than omitting
- the attribute. See [ipp-mod] section 4.1.
- 446 If no job was the current job, then the "job-id" attribute is omitted from the event report
- content as an indication that the event was not related to any job.
- 448 ISSUE 21 Ok to omit the "job-id" attribute, rather than overloading the out-of-band 'no-
- 449 value' which is only for when the system administrator has not configured a value? See
- 450 [ipp-mod] section 4.1.
- 451 ISSUE 22 Do we agree to this small sub-set of attributes that MUST be sent in any
- 452 event report content?
- 453 ISSUE 23 Do we agree to the ones that are REQUIRED for an IPP Printer to support if
- 454 it supports notification at all?

455 **6 Job Description Attributes**

- 456 In order to claim conformance to this notification specification, the following Job
- 457 Description attributes are REQUIRED to be supported:

458 6.1 job-trigger-event (type2 keyword)

- This attribute indicates the most recent job event that has occurred for this job. In order
- 460 to claim conformance to this notification specification, the Printer object MUST support
- 461 this Job Description attribute. The Printer object supplies a copy of this attribute in every
- job event report that it sends to a notification recipient. This attribute is also available to
- any client using a Get-Job-Attributes or Get-Jobs operation for this job. The first job
- event for a job is the 'job-received' event, so this Job Description attribute always has a
- 465 value.

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488 489

490

491

492

493

494

- The standard keyword values are:
 - 'job-received': when the Printer object accepts the create operation (i.e., when the job is created no matter whether in the 'pending' or 'pending-held' states).
 - 'job-held': when the job enters the 'pending-held' state using some protocol operation, such as Hold-Job (see [ipp-ops-set1]), or the system or device holds the job because of some requirement that cannot be met and other jobs could be processed, if there are any.
 - 'job-released': when the job leaves the 'pending-held' state and enters the 'pending' or 'processing' states due to the user, operator, or system releasing the held job using some protocol operation, such as Release-Job (see [ipp-ops-set1]), or some internal or local operation.
 - 'job-started-processing': the Printer starts processing the Job (i.e., when the job leaves the 'pending' or other state and enters the 'processing' state).
 - 'job-stopped': The Printer stopped processing the job and the job entered the 'processing-stopped' state.
 - 'job-continued': The Printer continues processing the job, i.e., the job leaves the 'processing-stopped' state and re-enters the 'processing' state.
 - 'job-warning': when the job encounters a condition which does not abort the job and does not require human intervention, such as the interpreter encountering a request for a missing font, but for which it is able to perform font substitution. A device warning, such as 'toner-low', is a 'device-warning', NOT a 'job-warning'.
 - 'job-completed': when the job completes processing (with or without errors or warnings) and enters the 'completed' state.
 - 'job-aborted': when the job was aborted by the system while in the 'processing' or 'processing-stopped' state, due to some encountered problem that cannot be remedied by human intervention.
 - 'job-canceled': when the job was canceled by the user or operator using the Cancel-Job operation while the job was in any state.

6.2 job-trigger-date-time (dateTime)

- This attribute indicates the point in time at which the most recent job event occurred for
- 496 this job. In order to claim conformance to this notification specification, the Printer

object MUST support this Job Description attribute. The Printer object supplies a copy 497 498 of this attribute in every event report that it sends to a notification recipient. This 499 attribute is also available to any client using a Get-Job-Attributes or Get-Jobs operation 500 for this job. The first job event for a job is the 'job-received' event when the job is 501 created. Therefore, this job attribute always has a value. 502 If IPP Printers relay jobs to other IPP Printers, the time of the event is intended to be at 503 the IPP Printer object at which the event occurred, not subsequent times of relaying jobs 504 in the forward direction or relaying notification event reports in the reverse direction. 505 ISSUE 24 - Ok to have changed the data type to dateTime, so that there is no ambiguity 506 when relaying notifications from server to server which may cross time zones? Proper 507 date and time is especially important when notification is used with IFAX. However, for 508 low end implementations, knowing the date is a burden, even though the date is sent by 509 the client in every HTTP request header. **Printer Description Attributes** 510 511 In order to claim conformance to this notification specification, the following Printer 512 Description attributes are REQUIRED to be supported: 513 7.1 device-trigger-event (type 2 keyword) 514 This attribute indicates the most recent device event that has occurred for this device. In 515 order to claim conformance to this notification specification, the Printer object MUST 516 support this Printer Description attribute. The Printer object supplies a copy of this 517 attribute in every device event report that it sends to a notification recipient. This 518 attribute is also available to any client using a Get-Printer-Attributes request for this 519 Printer object. The first device event for a device is 'powered-up', so this printer attribute 520 always has a value. 521 The standard keyword values are: 522 Device-report events include: 523 'started-processing' - when the Printer object enters the 'processing' state. 524 'became-idle' - when the Printer object enters the 'idle' state 525 'device-state-reason-removed' - when any value is removed from the Printer's 526 "printer-state-reasons" attribute, such as 'toner-low-warning' or 'media-jam' 527 'accepting-jobs' - when the Printer starts accepting jobs, i.e., when the value of the Printer object's "printer-is-accepting-jobs" attribute changes to 'true' 528 529 'powered-up' - when the device is powered up. 530 531 From [ipp-mod] section 4.4.11, device reports are indicated as "printer-state-532 reasons" keywords with a '-report' suffix. An implementation may choose to 533 omit some or all device-reports. Some device-reports specify finer granularity 534 about the printer state; others serve as a precursor to a warning. A 'device-535 report' event MUST not indicate anything that affects the printed output.

Note: Printer MIB equivalent events that fall in this report group include the

alertRemovalOfBinaryChangeEntry(1801) alert that indicates that a binary

536

537

538 539	change event entry row has been removed from the Alert Table and any event with the prtAlertSeverityLevel value set to noInterventionRequired(7).
540	
541 542 543 544 545 546	Device-warning events include: 'device-state-reason-warning-added' - when a warning value is added to the Printer's "printer-state-reasons" attribute, such as 'media-low-warning', i.e., any 'xxx-warning' value' 'not-accepting-jobs' - when the Printer ceases to accept jobs, i.e., when the value of the Printer's "printer-is-accepting-jobs" attribute changes to 'false'
547 548 549	From [ipp-mod] section 4.4.11, device warnings are indicated as "printer-state-reasons" keywords with a '-warning' suffix.
550 551 552	Note: Printer MIB equivalent examples of device warnings include: inputMediaSupplyLow(807) and markerTonerAlmostEmpty(1104) prtAlertCode values.
553 554 555 556 557 558 559 560 561	Device-error events include: 'device-stopped' - when the Printer object enters the 'stopped' state 'device-state-reason-error-added' - when an error value is to the Printer's "printer-state-reasons" attribute, such as 'media-empty-error', 'media-empty', or 'media-jam'. Note: [ipp-mod] section 4.4.11 indicates that the 'error' suffix MAY be omitted for errors. 'powering-down' - when the device is being powered down.
562 563 564	From [ipp-mod] section 4.4.11, device errors are indicated as "printer-state-reasons" keywords with an '-error' suffix or with no suffix at all. For example, 'media-jam-error', 'media-jam' or 'paused'.
565 566	Note: Printer MIB equivalent examples of the device errors include: jammed(8) and markerTonerEmpty(1101) prtAlertCode values.
567	7.2 device-trigger-date-time (dateTime)
568 569 570 571 572 573 574	This attribute indicates the point in time at which the most recent printer event occurred for this printer. In order to claim conformance to this notification specification, the Printer object MUST support this Printer Description attribute. The Printer object supplies a copy of this attribute in every event report that it sends to a notification recipient. This attribute is also available to any client using a Get-Printer-Attributes request for this Printer object. The first printer event for a Printer is when it is powered up. Therefore, this printer attribute always has a value.
575 576 577 578 579	ISSUE 25 - Ok to have changed the data type to dateTime, so that there is no ambiguity when relaying notifications from server to server which may cross time zones? Proper date and time is especially important when notification is used with IFAX. However, for low end implementations, knowing the date is a burden, even though the date is sent by the client in every HTTP request header.

580	7.3	notify-recipients-schemes-supported (1setOf uriScheme)
581 582 583 584	Stand	attribute describes the notification delivery methods supported by this Printer object. lard values are defined in Section 4.1.1). In order to claim conformance to this cation specification, the Printer object MUST support this Printer Description ute.
585	7.4	notify-event-groups-supported (1setOf type2 keyword)
586 587 588	claim	attribute describes the event groups supported by this Printer object. In order to a conformance to this notification specification, the Printer object MUST support this er Description attribute. Standard values are defined in Section 4.1.2)
589	8 I	References
590 591 592	[draft	r-prtmib] Turner, R., "Printer MIB", <draft-ietf-printmib-mib-info-03.txt>, work in progress, March 1998.</draft-ietf-printmib-mib-info-03.txt>
593 594 595 596	[ipp-ı	mod] deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0: Model and Semantics", < draft-ietf-ipp-model-11.txt>, work in progress, November 16, 1998.
597 598 599 600	[ipp-c	Dps-set1] Bergman, R., Hastings, T., Herriot R., Moore, P., "Internet Printing Protocol/1.0: Additional Optional Operations - Set 1", <ipp-ops-set1-981023.txt>, work in progress, October 23, 1998.</ipp-ops-set1-981023.txt>
601 602 603	[ipp-s	Isaacson, S., Martin, J., deBry, R., Hastings, T., "Job Independent Subscriptions for IPP", <ipp-notification-printer-980701>, work in progress, July 1, 1998.</ipp-notification-printer-980701>
604 605 606	[RFC	Smith, R., Wright, F., Hastings, T., Zilles, S., and Gyllenskog, J., "Printer MIB", RFC 1759, March 1995.
607 608 609 610	[RFC	Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types. N. Freed & N. Borenstein. November 1996. (Obsoletes RFC1521, RFC1522, RFC1590), RFC 2046.
611 612 613	[RFC	S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119, March 1997
614 615 616	[sense	Martin, J. et all., "System Event Notification System Environment (SENSE)", ftp://ftp.pwg.org/pub/pwg/sense/, work in progress, Spring 1996.

617	
618	9 Issues
619 620 621	26. Do we want a Mixed Format for event reports? If so we can add 'multi-part/alternative' back in as a supported format.
622 623 624 625	27. Do we want to extended the list of uriScheme values defined for standard delivery methods to include: 'ftp', 'pager', 'http', etc.? If so, they are easy to add. Should we add them now? Or register them later?
626 627 628 629 630 631	28. Should we make "notify-recipients" and "notify-group-events" also be a Job Description attributes, so that a user can query to determine what subscriptions were supplied (and help an implementation remember job submission subscriptions on the job object - useful whether the implementation is using a notification service or not), as we have done for attributes-charset and attributes-natural-language operation attributes?
632	
633 634 635	29. Note: since job-independent subscriptions have the time-to-live parameter, there is no need to have Printer Description attributes that list the current job-independent subscriptions, correct?
636	
637 638	30. Should we combine the "Job Independent Subscription" paper with this paper, or leave them as separate specifications?
639	10 Change History
640	Changes are listed in reverse chronological order:
641 642	10.1 Changes to the December 10, 1998 to make the January 19, 1999 version
643 644	The following changes made to the December 10, 1998 to make the January 19, 1999 version:
645 646	1. Changed the names of the REQUIRED notify-recipient keywords from: 'ipp-tcp-socket' and 'ipp-udp-socket' to 'ipp-tcp-notify' and 'ipp-udp-notify'.

- 2. Added '-notify' to the OPTIONAL 'snmpv1', 'snmpv2', and 'snmpv3' delivery method names.
- 3. Changed the OPTIONAL 'sense-datagram' to 'sense-notify' to be consistent.
- 4. Added 'ndps-notify' as an OPTIONAL keyword.
- 5. Deleted the 'all-basic', 'all-job-events-basic', and 'all-device-events-basic'. Clients should be explicit about which groups they want. If new groups are added, the clients won't know what to do with them, if they had subscribed to 'all-xxx' groups.

- 654 6. Changed the names of "job-last-event" and "job-last-date-time-of-event" to "job-
- trigger-event" and "job-trigger-date-time" events, since the events trigger the
- notification delivery, but the attribute values remain after the event has been
- delivered.
- 7. Added "status-message" as an OPTIONAL event report content attribute.
- 8. Changed "job-impressions-completed" to OPTIONAL.
- 9. Indicated that OPTIONAL attributes are not sent in the event report content if they are not supported.
- 10. Required that "status-message" and/or "job-impressions-completed" be sent in an event report content if they are supported as an Operation attribute and a Job Description attribute, respectively.
- 11. Added REQUIRED "device-trigger-event", REQUIRED "job-id", and OPTIONAL status-message" to the device event report content.
- 12. Specified the "device-trigger-event" Printer Description attribute, naming each event.
- 13. Deleted the 'sheet-completed' and 'collated-copy-completed', since these events are not part of any 'xxx-basic' event group. They can be added back when we have an event group that uses them.

10.2 Changes to the July 1, 1998 to make the December 10, 1998 version

- The following changes made from the July 1, 1998 to make the December 10, 1998
- 673 version:
- 1. Clarified the terminology so that an "event" doesn't necessarily mean that a notification report is delivered.
- Removed many of the job and printer attributes for being sent in a notification event report, so that we can get agreement on a basic set of event report content. Only attributes really needs are included, including what may be needed for FAX.
- Changed the names of the event groups by adding the suffix '-basic' to indicate that
- these event groups return only basic information. Additional event groups can be
- registered in order to get more attributes as needed for accounting and more detailed
- job monitoring purposes.
- 3. Deleted the "job-progress" event group. We can bring it back when we agree to all of the extra attributes. Its not very useful with only the basic attributes.
- 4. The printer events are indicted using the "printer-state-reasons" values, instead of the Printer MIB alert codes. Since most of the Printer MIB alert codes, except for the generic ones, have equivalent IPP keyword reason values, this should be a problem and makes IPP more readably implemented in a server that doesn't have the Printer
- 689 MIB.
- 5. Added the "job-last-event" job description attribute to give the job event some persistence.

- 692 6. Changed the job's "time-at-event (integer)" to "job-last-date-time-of-event
 693 (dateTime)" to give an absolute date and time, in case events are being relayed back
 694 through multiple servers, such as in FAX. Also made it a Job Description attribute to
 695 give it persistence.
- 7. Changed the printer's "time-at-event(integer)" to "printer-last-date-time-ofevent(dateTime)" to give an absolute date and time, in case events are being relayed back through multiple servers, such as in FAX. Also made it a Printer Description attribute to give it persistence.
- 8. Added the IPP/1.0 "printer-is-accepting-jobs" to the event report, since changes in its value are really device state changes.
- 9. Added the complete semantics for each job event under the "last-job-event" JobDescription attribute.