

Implementation Guide

Printer Working Group: Print Job Ticket Support Levels (PWG:PJT – Support Levels)

Status: Initial

Abstract: This White Paper provides an implementation reference for three (3) levels of supports of the Print Working Group (PWG) Print Job Ticket (PJT). The first support level is intended for printing simply Print Jobs; the second support level is intended for modest to high-end office printing; and, finally, the third support level, supporting all the features of the PWG:PJT is intended for high-end office and production printing. Specifying a Support Level by a Print Client provides a Print Service with knowledge of the Print Client capabilities. End-User will benefit from (and/or with the capability to set0) the Support Level by experiencing a consistent Print Client interface at Support Level. And, while a Printer's capabilities may not fully implement a specific Support Level; a Print Service can, through the use of Print Transforms, augment a Printer's capabilities to meet the requirements of a specific support level

--- This document does not use the PWG Approved Document Template ---

1 Copyright © 2013-2013 Printer Working Group All rights reserved.
2

3 This document may be copied and furnished to others, and derivative works that
4 comment on, or otherwise explain it or assist in its implementation may be
5 prepared, copied, published and distributed, in whole or in part, without restriction
6 of any kind, provided that the above copyright notice, this paragraph and the title of
7 the Document as referenced below are included on all such copies and derivative
8 works. However, this document itself may not be modified in any way, such as by
9 removing the copyright notice or references to the IEEE-ISTO and the Printer
10 Working Group, a program of the IEEE-ISTO.

11
12 Title: Printer Working Group: Print Job Ticket Support Levels
13

14 The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL
15 WARRANTIES, WHETHER EXPRESS OR IMPLIED INCLUDING (WITHOUT
16 LIMITATION) ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS
17 FOR A PARTICULAR PURPOSE.

18
19 The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make
20 changes to the document without further notice. The document may be updated,
21 replaced or made obsolete by other documents at any time.

22
23 The IEEE-ISTO takes no position regarding the validity or scope of any intellectual
24 property or other rights that might be claimed to pertain to the implementation or
25 use of the technology described in this document or the extent to which any license
26 under such rights might or might not be available; neither does it represent that it
27 has made any effort to identify any such rights.

28
29 The IEEE-ISTO invites any interested party to bring to its attention any copyrights,
30 patents, or patent applications, or other proprietary rights which may cover
31 technology that may be required to implement the contents of this document. The
32 IEEE-ISTO and its programs shall not be responsible for identifying patents for
33 which a license may be required by a document and/or IEEE-ISTO Industry Group
34 Standard or for conducting inquiries into the legal validity or scope of those patents
35 that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-
36 mail at: ieee-isto@ieee.org.

37
38 The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or
39 through its designees) is, and shall at all times, be the sole entity that may authorize
40 the use of certification marks, trademarks, or other special designations to indicate
41 compliance with these materials.

42

43 Use of this document is wholly voluntary. The existence of this document does not
44 imply that there are no other ways to produce, test, measure, purchase, market, or
45 provide other goods and services related to its scope.

46

47 About the IEEE-ISTO

48

49 The IEEE-ISTO is a not-for-profit corporation offering industry groups an
50 innovative and flexible operational forum and support services. The IEEE-
51 Isto provides a forum not only to develop standards, but also to facilitate
52 activities that support the implementation and acceptance of standards in the
53 marketplace. The organization is affiliated with the IEEE
54 (<http://www.ieee.org/>) and the IEEE Standards Association
55 (<http://standards.ieee.org/>).

56

57 For additional information regarding the IEEE-ISTO and its industry
58 programs visit:

59 <http://www.ieee-isto.org>

60

61 About the IEEE-ISTO PWG

62

63 The Printer Working Group (or PWG) is a Program of the IEEE Industry
64 Standards and Technology Organization (ISTO) with member organizations
65 including printer manufacturers, print server developers, operating system
66 providers, network operating systems providers, network connectivity
67 vendors, and print management application developers. The group is
68 chartered to make printers and the applications and operating systems
69 supporting them work together better. All references to the PWG in this
70 document implicitly mean "The Printer Working Group, a Program of the
71 IEEE ISTO." In order to meet this objective, the PWG will document the results
72 of their work as open standards that define print related protocols, interfaces,
73 procedures and conventions. Printer manufacturers and vendors of printer
74 related software will benefit from the interoperability provided by voluntary
75 conformance to these standards.

76

77 In general, a PWG standard is a specification that is stable, well understood,
78 and is technically competent, has multiple, independent and interoperable
79 implementations with substantial operational experience, and enjoys
80 significant public support.

81

82 For additional information regarding the Printer Working Group visit:

83 <http://www.pwg.org>

84

85

86 Contact information:

87

88 Printer Working Group
89 c/o The IEEE Industry Standards and Technology Organization
90 445 Hoes Lane
91 Piscataway, NJ 08854
92 USA

93

94

95 About the Cloud Work Group and Semantic Model Work Group

96

97 For information regarding Cloud Work Group visit:

98

99 <http://www.pwg.org/cloud/>

100

101 For information regarding Multi-Semantic Model Work Group visit:

102

103 <http://www.pwg.org/mfd/>

104

105 Implementers of this specification are encouraged to join the Cloud Work
106 Group and the Semantic Model Work Group mailing list in order to participate
107 in any discussions of the specification. Suggested additions, changes, or
108 clarification to this specification, should be sent to the Cloud Work Group
109 and/or Semantic Model Work Group Mailing list for consideration.

110

Table of Contents

111		
112	1. Introduction	6
113	2. Terminology.....	6
114	2.1 Conformance Terminology	6
115	2.2 Other Terminology.....	6
116	2.3 Acronyms	6
117	2.4 Organizations	6
118	3. Requirements	7
119	3.1 Rationale for PWG:PJT Support Levels Implementation Guide	7
120	3.2 Use Cases.....	7
121	3.3 Out of Scope	7
122	3.4 Design Requirements.....	7
123	4. Specification.....	7
124	5. Conformance.....	8
125	5.1 Conformance: PWG:PJT Support Level – 1	9
126	5.2 Conformance: PWG:PJT Support Level – 2.....	13
127	5.3 Conformance: PWG:PJT Support Level – 3.....	21
128	5.4 Charset-Supplied Support Level.....	36
129	5.4.1 Conformance: PWG:PJT:Charset-Supplied Support Level – 1	36
130	5.4.2 Conformance: PWG:PJT:Charset-Supplied Support Level – 2	36
131	5.4.3 Conformance: PWG:PJT:Charset-Supplied Support Level – 3	36
132	6. Internationalization.....	42
133	7. Security Considerations	42
134	8. IANA Registration Information.....	42
135	9. References	43
136	9.1 Normative References	43
137	9.2 Informative References.....	43
138	10. Authors' Contact Information	43
139		
140		
141		

List of Figures

142	
143	
144	
145	
146	
147	
148	
149	

List of Tables

150 **1. Introduction**

151 To be supplied

152 **2. Terminology**

153 **2.1 Conformance Terminology**

154 Capitalized terms, such as MUST, MUST NOT, RECOMMENDED, REQUIRED, SHOULD,
155 SHOULD NOT, MAY, and OPTIONAL, have special meaning relating to conformance
156 as defined in Key words for use in RFCs to Indicate Requirement Levels [RFC2119].
157 The term CONDITIONALLY REQUIRED is additionally defined for a conformance
158 requirement that applies to a particular capability or feature.

159 **2.2 Other Terminology**

160 **2.3 Acronyms**

161 **2.4 Organizations**

IANA	Internet Assigned Numbers Authority	www.iana.org
IETF	Internet Engineering Task Force	www.ietf.org
ISO	International Organization for Standardization	www.iso.org
PWG	Printer Working Group	www.pwg.org

162

163 3. Requirements**164 3.1 Rationale for PWG:PJT Support Levels Implementation Guide**

165 The Printer Working Group (PWG) Print Job Ticket (PJT) consist of a rich set of
166 printing objects, attributes, elements and values that support the simplest level of
167 printing to most complex. The PWG:PJT supports printing from/in embedded,
168 mobile, home-office, business office and production environments. However,
169 supporting the capabilities of the PWG:PJT by Applications and/or Print Clients in
170 the various environments is burdensome. While a Print Service only needs to
171 provide capability information that it supports; currently, there is an implicit
172 requirement that a Print Client support potentially all PWG:PJT objects, elements,
173 attributes and values that a Print Service could instantiate as a capability; this is just
174 not practical in all situations and environments.

175 3.2 Use Cases

176 Not acceptable for this implementation guide.

177 3.3 Out of Scope

178 This document identify Support Levels for the PWG: PJT but does identify

- 179
- 180 1. Vendor Extensions for Elements
 - 181 2. Vendor Extensions for element Values

182 3.4 Design Requirements

183 < should put some words in here on why the three level and some brief design
184 rationale for only 3 level and what each level represents. Maybe (!) use-cases are
185 needed to identify the 3 levels???

186 4. Specification

187 All content in discussed in the document and, specifically, the Elements and Values
188 outlined in Section 5. Conformance is identified and defined in the PWG-5108.07-
189 2012 candidate Standard titled "PWG Print Job Ticket and Associated Capabilities
190 Version 1.0 (PJT)" [PWG5108.07].

191 **5. Conformance**

192 At the top level, the PWG:PJT consist of three required major elements; namely;

193

194 [Top] Print Job Ticket

195 .[Element]. Print Document Processing

196 .[Element]. Print Job Description

197 .[Element]. Print Job Processing.

198

199 The details for each Support Level are elaborated in the following subsection.

200 5.1 Conformance: PWG:PJT Support Level - 1

201
202 [Top] Print Job Ticket
203

204 .[Element]. Print Document Processing
205 .[Element]. Number Up
206 .[Element]. Copies
207 .[Element]. Font Name Requested
208 .<Value>. text/plain
209 .<Value>. Vendor Extension
210 .[Element]. Font Size Requested
211 .[Element]. Media Type
212 .[Element]. Media (= Media Size Name)
213 .[Element]. Orientation Requested
214 .<Value>. Landscape
215 .<Value>. Portrait
216 .<Value>. Reverse Landscape
217 .<Value>. Reverse Portrait
218 .<Value>. None
219 .[Element]. Output bin
220 .<Value>. Top
221 .<Value>. Bottom
222 .<Value>. Rear
223 .<Value>. Large Capacity
224 .[Element]. Page Ranges
225 .<Value>. Lower Bound
226 .<Value>. Upper Bound
227 .<Value>. Vendor Extension
228 .[Element]. Print Content Optimize
229 .<Value>. Text
230 .<Value>. Graphics
231 .<Value>. Text and Graphics
232 .<Value>. Photo
233 .<Value>. Vendor Extension
234 .[Element]. Print Color Mode
235 .<Value>. Auto
236 .<Value>. Bi-Level (Only Required for B/W Printers)
237 .<Value>. Color
238 .<Value>. Monochrome
239 .<Value>. Process Bi-Level



240 .<Value>. Process Monochrome
241 .<Value>. Vendor Extension
242 .[Element]. Print Rendering Intent
243 .<Value>. Auto
244 .<Value>. Perceptual
245 .[Element]. Vendor Extension
246 .[Element]. Quality
247 .<Value>. Draft
248 .<Value>. Normal
249 .<Value>. High
250 .<Value>. Vendor Extension
251 .[Element]. Resolution
252 .<Value>. Cross Feed Dir
253 .<Value>. Feed Dir
254 .[Element]. Resolution Unit
255 .<Value>. DPI
256 .<Value>. DPCM
257 .<Value>. Vendor Extension
258 .<Value>. Vendor Extension
259 .[Element]. Sheet Collate
260 .<Value>. Uncollated
261 .<Value>. Collated
262 .<Value>. Vendor Extension
263 .[Element]. Sides
264 .<Value>. One Sided
265 .<Value>. Two Sided Long Edge
266 .<Value>. Two Sided Short Edge
267 .<Value>. Vendor Extension
268 .[Element]. X Image Position
269 .<Value>. None
270 .<Value>. Center
271 .<Value>. Left
272 .<Value>. Right
273 .<Value>. Vendor Extension
274 .[Element]. X Image Shift
275 .[Element]. X Side 1 Image Shift
276 .[Element]. X Side 2 Image Shift
277 .[Element]. Y Image Position
278 .<Value>. None
279 .<Value>. Center
280 .<Value>. Top
281 .<Value>. Bottom

282	.<Value>. Vendor Extension	
283	.[Element]. Y Image Shift	
284	.[Element]. Y Side 1 Image Shift	
285	.[Element]. Y Side 2 Image Shift	
286	.[Element]. Vendor Extension	
287		
288	.[Element]. Print Job Description	
289	.[Element]. Job Accounting ID	
290	.[Element]. Job Accounting User ID	
291	.[Element]. Job Collation Type	
292	.<Value>. Uncollated Sheets	
293	.<Value>. Collated Documents	
294	.<Value>. Uncollated Documents	
295	.<Value>. Vendor Extension	
296	.[Element]. Job More Info	
297	.[Element]. Job Name	
298	.[Element]. Job Originating User Name	
299	.[Element]. Document Format Details Supplied	
300	.[Element]. Document Format	
301	.<Value>. Application PDF	
302	.<Value>. Application VND PWG XHTML Print XML	
303	.<Value>. Image JPEG	
304	.<Value>. Text HTML	
305	.<Value>. Text Plain	
306	.<Value>. Text Plain Charset ISO 8859 1	
307	.<Value>. Text Plain Charset US ASCII	
308	.<Value>. Text Plain Charset UTF 8	
309	.[Element]. Document Format Version	
310	.[Element]. Document Natural Language	
311	.<Value>. VERY, VERY Long list – How to Handle	
312	.[Element]. Document Format Supplied	
313	.<Value>. Application PDF	
314	.<Value>. Application VND PWG XHTML Print XML	
315	.<Value>. Image JPEG	
316	.<Value>. Text HTML	
317	.<Value>. Text Plain	
318	.<Value>. Text Plain Charset US ASCII	
319	.<Value>. Text Plain Charset UTF 8	
320	.[Element]. Document Format Version Supplied	
321	.[Element]. Document Name Supplied	
322	.[Element]. Document URI	
323	.[Element]. Page Order Received	

324 .<Value>. 1 to N Order
325 .<Value>. N to 2 Order
326 .<Value>. Vendor Extension
327 .[Element]. Vendor Extension
328
329 .[Element]. Print Job Processing
330 .[Element]. Job Copies
331 .[Element]. Job Error Action
332 .<Value>. Abort Job
333 .<Value>. Cancel Job
334 .[Element]. Job Collation Type
335 .<Value>. Uncollated Sheets
336 .<Value>. Collated Documents
337 .<Value>. Uncollated Documents
338 .<Value>. Vendor Extension
339 .[Element]. Job Copies
340 .[Element]. Output Device
341 .[Element]. Vendor Extension
342
343

344 5.2 Conformance: PWG:PJT Support Level - 2

345 Note that items in blue are the elements and values that are added from Support
346 Level 1 to define Support Level 2.

347

348

349 [Top] Print Job Ticket

350

351 .[Element]. Print Document Processing
352 .[Element]. Number Up
353 .[Element]. Copies
354 .[Element]. Cover Front
355 .[Element]. Cover Type
356 .<Value>. No Cover
357 .<Value>. Print None
358 .<Value>. Print Front
359 .<Value>. Print Back
360 .<Value>. Print Both
361 .<Value>. Vendor Extension
362 .[Element]. Media Type
363 .<Value>. To - Be - Determined
364 .[Element]. Media
365 .<Value>. To - Be - Determined
366 .[Element]. Media Col
367 .<Value>. To - Be - Determined
368 .[Element]. Vendor Extension
369 .[Element]. Feed Orientation
370 .<Value>. Long Edge First
371 .<Value>. Short Edge First
372 .<Value>. Vendor Extension
373 .[Element]. Finishing
374 .<Value>. None
375 .<Value>. Jog Offset
376 .<Value>. Staple Top Left
377 .<Value>. Vendor Extension
378 .[Element]. Font Name Requested
379 .[Element]. Font Size Requested
380 .[Element]. Media Type
381 .[Element]. Media (= Media Size Name)
382 .[Element]. Media Col
383 .<Value>. To - Be - Determined

384 .[Element]. Orientation Requested
385 .<Value>. Landscape
386 .<Value>. Portrait
387 .<Value>. Reverse Landscape
388 .<Value>. Reverse Portrait
389 .<Value>. None
390 .[Element]. Output bin
391 .<Value>. Top
392 .<Value>. Middle
393 .<Value>. Bottom
394 .<Value>. Side
395 .<Value>. Rear
396 .<Value>. Large Capacity
397 .<Value>. Mailbox 1
398 .<Value>. Mailbox 2
399 .<Value>. Mailbox 3
400 .<Value>. Mailbox 4
401 .<Value>. Mailbox 5
402 .<Value>. My Mailbox
403 .[Element]. Page Delivery
404 .<Value>. Same Order Face Up
405 .<Value>. Same Order Face Down
406 .<Value>. Reverse Order Face Up
407 .<Value>. Reverse Order Face Down
408 .<Value>. System Specified
409 .<Value>. Vendor Extension
410 .[Element]. Page Ranges
411 .<Value>. Lower Bound
412 .<Value>. Upper Bound
413 .<Value>. Vendor Extension
414 .[Element]. Print Content Optimize
415 .<Value>. Text
416 .<Value>. Graphics
417 .<Value>. Text and Graphics
418 .<Value>. Photo
419 .<Value>. Vendor Extension
420 .[Element]. Print Color Mode
421 .<Value>. Auto
422 .<Value>. Bi-Level (Only Required for B/W Printers)
423 .<Value>. Color
424 .<Value>. Monochrome
425 .<Value>. Process Bi-Leel

```
426    .<Value>. Process Monochrome
427    .<Value>. Vendor Extension
428    .[Element]. Print Rendering Intent
429        .<Value>. Auto
430        .<Value>. Absolute
431        .<Value>. Perceptual
432        .<Value>. Relative
433        .<Value>. Relative BPC
434        .<Value>. Saturation
435        .[Element]. Vendor Extension
436    .[Element]. Quality
437        .<Value>. Draft
438        .<Value>. Normal
439        .<Value>. High
440        .<Value>. Vendor Extension
441    .[Element]. Resolution
442        .<Value>. Cross Feed Dir
443        .<Value>. Feed Dir
444    .[Element]. Resolution Unit
445        .<Value>. DPI
446        .<Value>. DPCM
447        .<Value>. Vendor Extension
448        .<Value>. Vendor Extension
449    .[Element]. Separator Sheets
450        .<Value>. None
451        .<Value>. Slip Sheet
452        .<Value>. Start Sheet
453        .<Value>. End Sheet
454        .<Value>. Both Sheets
455        .<Value>. Vendor Extension
456    .[Element]. Sheet Collate
457        .<Value>. Uncollated
458        .<Value>. Collated
459        .<Value>. Vendor Extension
460    .[Element]. Sides
461        .<Value>. One Sided
462        .<Value>. Two Sided Long Edge
463        .<Value>. Two Sided Short Edge
464        .<Value>. Vendor Extension
465    .[Element]. X Image Position
466        .<Value>. None
467        .<Value>. Center
```

468 .<Value>. Left
469 .<Value>. Right
470 .<Value>. Vendor Extension
471 .[Element]. X Image Shift
472 .[Element]. X Side 1 Image Shift
473 .[Element]. X Side 2 Image Shift
474 .[Element]. Y Image Position
475 .<Value>. None
476 .<Value>. Center
477 .<Value>. Top
478 .<Value>. Bottom
479 .<Value>. Vendor Extension
480 .[Element]. Y Image Shift
481 .[Element]. Y Side 1 Image Shift
482 .[Element]. Y Side 2 Image Shift
483 .[Element]. Vendor Extension
484
485 .[Element]. Print Job Description
486 .[Element]. Job Accounting ID
487 .[Element]. Job Accounting User ID
488 .[Element]. Job More Info
489 .[Element]. Job Name
490 .[Element]. Job Originating User Name
491 .[Element]. Job Originating User URI
492 .[Element]. Job Pages
493 .[Element]. K Octets
494 .[Element]. Document Format Details Supplied
495 .[Element]. Document Format
496 .<Value>. Application PDF
497 .<Value>. Application VND PWG XHTML Print XML
498 .<Value>. [Application VND HP PCL](#)
499 .<Value>. Image JPEG
500 .<Value>. [Image TIFF](#)
501 .<Value>. [Image TIFF FX](#)
502 .<Value>. Text HTML
503 .<Value>. Text Plain
504 .<Value>. Text Plain Charset US ASCII
505 .<Value>. Text Plain Charset UTF 8
506 .<Value>. [Vendor Extension](#)
507 .[Element]. Document Format Version
508 .[Element]. [Document Format Device ID](#)
509 .[Element]. Document Natural Language

510 .<Value>. **VERY, VERY Long list – How to Handle**
511 .[Element]. **Document Source Application Name**
512 .[Element]. **Document Source Application Version**
513 .[Element]. **Document Source OS Name**
514 .[Element]. **Long list – How to Handle**
515 .[Element]. **Document Source OS Version**
516 .[Element]. Document Format Supplied
517 .<Value>. Application PDF
518 .<Value>. Application VND PWG XHTML Print XML
519 .<Value>. **Application VND HP PCL**
520 .<Value>. Image JPEG
521 .<Value>. **Image TIFF**
522 .<Value>. **Image TIFF FX**
523 .<Value>. Text HTML
524 .<Value>. Text Plain
525 .<Value>. Text Plain Charset ISO 8859 1
526 .<Value>. Text Plain Charset US ASCII
527 .<Value>. Text Plain Charset UTF 8
528 .<Value>. **Vendor Extension**
529 .[Element]. Document Format Version Supplied
530 .[Element]. Document Name Supplied
531 .[Element]. Document URI
532 .[Element]. **Impressions**
533 .[Element]. Job Collation Type
534 .<Value>. Uncollated
535 .<Value>. Collated
536 .<Value>. Vendor Extension
537 .[Element]. **Media Sheets**
538 .[Element]. Page Order Received
539 .<Value>. 1 to N Order
540 .<Value>. N to 2 Order
541 .<Value>. Vendor Extension
542 .[Element]. Vendor Extension
543
544 .[Element]. Print Job Processing
545 .[Element]. Job Copies
546 .[Element]. **Job Delay Output Until**
547 .[Element]. **No Hold**
548 .[Element]. **Indefinite**
549 .[Element]. **Vendor Extension**
550 .[Element]. Job Error Action
551 .<Value>. Abort Job

552 .<Value>. Cancel Job
553 .[Element]. Job Hold Until
554 .[Element]. No Hold
555 .[Element]. Indefinite
556 .[Element]. Vendor Extension
557 .[Element]. Job Priority
558 .[Element]. Job Recipient Name
559 .[Element]. Job Accounting Sheets
560 .[Element]. Job Accounting Sheets Type
561 .<Value>. None
562 .<Value>. Standard
563 .<Value>. Vendor Extension
564 .[Element]. Job Accounting Output Bin
565 .<Value>. Top
566 .<Value>. Middle
567 .<Value>. Bottom
568 .<Value>. Side
569 .<Value>. Rear
570 .<Value>. Large Capacity
571 .<Value>. Mailbox 1
572 .<Value>. Mailbox 2
573 .<Value>. Mailbox 3
574 .<Value>. Mailbox 4
575 .<Value>. Mailbox 5
576 .<Value>. My Mailbox
577 .[Element]. Media
578 .<Value>. To - Be - Determined
579 .[Element]. Media Type
580 .<Value>. To - Be - Determined
581 .[Element]. Media Col
582 .<Value>. To - Be - Determined
583 .[Element]. Job Collation Type
584 .<Value>. Uncollated Sheets
585 .<Value>. Collated Documents
586 .<Value>. Uncollated Documents
587 .<Value>. Vendor Extension
588 .[Element]. Job Copies
589 .[Element]. Job Cover Front
590 .[Element]. Cover Type
591 .<Value>. No Cover
592 .<Value>. Print None
593 .<Value>. Print Front

```
594      .<Value>. Print Back
595      .<Value>. Print Both
596      .<Value>. Vendor Extension
597      .[Element]. Media Type
598          .<Value>. To - Be - Determined
599      .[Element]. Media
600          .<Value>. To - Be - Determined
601      .[Element]. Media Col
602          .[Element]. To - Be - Determined
603      .[Element]. Job Error Sheet
604          .[Element]. Job Error Sheet Type
605              .<Value>. None
606              .<Value>. Standard
607              .<Value>. Vendor Extension
608          .[Element]. Job Error Sheet When
609              .<Value>. On Error
610              .<Value>. Always
611              .<Value>. Vendor Extension
612          .[Element]. Media Type
613              .<Value>. To - Be - Determined
614          .[Element]. Media
615              .<Value>. To - Be - Determined
616          .[Element]. Media Col
617              .<Value>. To - Be - Determined
618      .[Element]. Job Finishings
619          .<Value>. None
620          .<Value>. Jog Offset
621          .<Value>. Staple Top Left
622      .[Element]. Job Sheets
623          .<Value>. None
624          .<Value>. Standard
625          .<Value>. Vendor Extension
626      .[Element]. Job Sheets Col
627          .[Element]. Job Sheets
628              .<Value>. None
629              .<Value>. Standard
630              .<Value>. Vendor Extension
631          .[Element]. Media Type
632              .<Value>. To - Be - Determined
633          .[Element]. Media
634              .<Value>. To - Be - Determined
635          .[Element]. Media Col
```

636 .<Value>. To – Be – Determined
637 .[Element]. Vendor Extension
638 .[Element]. Multiple Documents Handle
639 .<Value>. Separate Documents Collated Copies
640 .<Value>. Separate Documents Uncollated Copies
641 .<Value>. Single Document
642 .<Value>. Single Document New Sheet
643 .<Value>. Vendor Extension
644 .[Element]. Output Device
645 .[Element]. Vendor Extension
646
647

648 5.3 Conformance: PWG:PJT Support Level - 3

649 Note that items in blue are the elements and values that are added from Support
650 Level 1 and Level 2 to define Support Level 3.

651

652

653 [Top] Print Job Ticket

654 .[Element]. Print Document Processing
655 .[Element]. Number Up
656 .[Element]. Presentation Direction Up
657 .<Value>. To Right To Bottom
658 .<Value>. To Bottom To Right
659 .<Value>. To left To Bottom
660 .<Value>. To Bottom To Left
661 .<Value>. To Right To Top
662 .<Value>. To Top To Right
663 .<Value>. To Left To Top
664 .<Value>. To Top To Left
665 .<Value>. Vendor Extension
666 .[Element]. Copies
667 .[Element]. Cover Back
668 .[Element]. Cover Type
669 .<Value>. No Cover
670 .<Value>. Print None
671 .<Value>. Print Front
672 .<Value>. Print Back
673 .<Value>. Print Both
674 .<Value>. Vendor Extension
675 .[Element]. Media Type
676 .<Value>. To - Be - Determined
677 .[Element]. Media
678 .<Value>. To - Be - Determined
679 .[Element]. Media Col
680 .<Value>. To - Be - Determined
681 .[Element]. Vendor Extension
682 .[Element]. Cover Front
683 .[Element]. Cover Type
684 .<Value>. No Cover
685 .<Value>. Print None
686 .<Value>. Print Front
687 .<Value>. Print Back



688 .<Value>. Print Both
689 .<Value>. Vendor Extension
690 .[Element]. Media Type
691 .<Value>. To - Be - Determined
692 .[Element]. Media
693 .<Value>. To - Be - Determined
694 .[Element]. Media Col
695 .<Value>. To - Be - Determined
696 .[Element]. Feed Orientation
697 .<Value>. Long Edge First
698 .<Value>. Short Edge First
699 .<Value>. Vendor Extension
700 .[Element]. Finishings
701 .<Value>. None
702 .<Value>. **Staple**
703 .<Value>. **Punch**
704 .<Value>. **Cover**
705 .<Value>. **Bind**
706 .<Value>. **Saddle Stitch**
707 .<Value>. **Edge Stitch**
708 .<Value>. **Fold**
709 .<Value>. **Trim**
710 .<Value>. **Bale**
711 .<Value>. **Booklet Maker**
712 .<Value>. **Jog Offset**
713 .<Value>. **Staple Top Left**
714 .<Value>. **Staple Bottom Left**
715 .<Value>. **Staple Top Right**
716 .<Value>. **Staple Bottom Right**
717 .<Value>. **Edge Stitch Left**
718 .<Value>. **Edge Stitch Top**
719 .<Value>. **Edge Stitch Right**
720 .<Value>. **Edge Stitch Bottom**
721 .<Value>. **Staple Dual Left**
722 .<Value>. **Staple Dual Top**
723 .<Value>. **Staple Dual Right**
724 .<Value>. **Staple Dual Bottom**
725 .<Value>. **Bind Left**
726 .<Value>. **Bind Top**
727 .<Value>. **Bind Right**
728 .<Value>. **Bind Bottom**
729 .<Value>. Vendor Extension

730 .[Element]. Finishing Col
731 .<Value>. Finishing Template
732 .[Element]. Stitching
733 .<Value>. Bottom
734 .<Value>. Top
735 .<Value>. Left
736 .<Value>. Right
737 .<Value>. Vendor Extension
738 .[Element]. Font Name Requested
739 .[Element]. Font Size Requested
740 .[Element]. Force Front Side
741 .[Element]. Imposition Template
742 .<Value>. None
743 .<Value>. Signature
744 .<Value>. Z Fold
745 .<Value>. Same Up
746 .<Value>. Vendor Extension
747 .[Element]. Insert Sheet
748 .<Value>. Insert After Page Number
749 .<Value>. Insert Count
750 .[Element]. Media Type
751 .<Value>. To - Be - Determined
752 .[Element]. Media
753 .<Value>. To - Be - Determined
754 .[Element]. Media Col
755 .<Value>. To - Be - Determined
756 .[Element]. Media Type
757 .[Element]. Media (= Media Size Name)
758 .[Element]. Media Col
759 .<Value>. To - Be - Determined
760 .[Element]. Media Input Tray Check
761 .[Element]. Orientation Requested
762 .<Value>. Landscape
763 .<Value>. Portrait
764 .<Value>. Reverse Landscape
765 .<Value>. Reverse Portrait
766 .<Value>. None
767 .<Value>. Vendor Extension
768 .[Element]. Output bin
769 .<Value>. Top
770 .<Value>. Middle
771 .<Value>. Bottom

772 .<Value>. Side
773 .<Value>. Left
774 .<Value>. Right
775 .<Value>. Center
776 .<Value>. Rear
777 .<Value>. Face Up
778 .<Value>. face down
779 .<Value>. Large Capacity
780 .<Value>. Stacker 1
781 .<Value>. Stacker 2
782 .<Value>. Stacker 3
783 .<Value>. Stacker 4
784 .<Value>. Stacker 5
785 .<Value>. Stacker 6
786 .<Value>. Stacker 7
787 .<Value>. Stacker 8
788 .<Value>. Stacker 9
789 .<Value>. Stacker 10
790 .<Value>. Mailbox 1
791 .<Value>. Mailbox 2
792 .<Value>. Mailbox 3
793 .<Value>. Mailbox 4
794 .<Value>. Mailbox 5
795 .<Value>. Mailbox 6
796 .<Value>. Mailbox 7
797 .<Value>. Mailbox 8
798 .<Value>. Mailbox 9
799 .<Value>. Mailbox 10
800 .<Value>. Mailbox 11
801 .<Value>. Mailbox 12
802 .<Value>. Mailbox 13
803 .<Value>. Mailbox 14
804 .<Value>. Mailbox 15
805 .<Value>. Mailbox 16
806 .<Value>. Mailbox 17
807 .<Value>. Mailbox 18
808 .<Value>. Mailbox 19
809 .<Value>. Mailbox 20
810 .<Value>. Mailbox 21
811 .<Value>. Mailbox 22
812 .<Value>. Mailbox 23
813 .<Value>. Mailbox 24

814 .<Value>. Mailbox 25
815 .<Value>. My Mailbox
816 .<Value>. Tray 1
817 .<Value>. Tray 2
818 .<Value>. Tray 3
819 .<Value>. Tray 4
820 .<Value>. Tray 5
821 .<Value>. Tray 6
822 .<Value>. Tray 7
823 .<Value>. Tray 8
824 .<Value>. Tray 9
825 .<Value>. Tray 10
826 .<Value>. Tray 11
827 .<Value>. Tray 12
828 .<Value>. Tray 13
829 .<Value>. Tray 14
830 .<Value>. Tray 15
831 .<Value>. Tray 16
832 .<Value>. Tray 17
833 .<Value>. Tray 18
834 .<Value>. Tray 19
835 .<Value>. Tray 20
836 .[Element]. Page Delivery
837 .<Value>. Same Order Face Up
838 .<Value>. Same Order Face Down
839 .<Value>. Reverse Order Face Up
840 .<Value>. Reverse Order Face Down
841 .<Value>. System Specified
842 .<Value>. Vendor Extension
843 .[Element]. Page Ranges
844 .<Value>. Lower Bound
845 .<Value>. Upper Bound
846 .<Value>. Vendor Extension
847 .[Element]. Pdl Init File
848 .[Element]. Print Content Optimize
849 .<Value>. Text
850 .<Value>. Graphics
851 .<Value>. Text and Graphics
852 .<Value>. Photo
853 .<Value>. Vendor Extension
854 .[Element]. Print Color Mode
855 .<Value>. Auto

856 .<Value>. Bi-Level (Only Required for B/W Printers)
857 .<Value>. Color
858 .<Value>. Monochrome
859 .<Value>. Process Bi-Level
860 .<Value>. Process Monochrome
861 .<Value>. Vendor Extension
862 .[Element]. Print Rendering Intent
863 .<Value>. Auto
864 .<Value>. Absolute
865 .<Value>. Perceptual
866 .<Value>. Relative
867 .<Value>. Relative BPC
868 .<Value>. Saturation
869 .[Element]. Vendor Extension
870 .[Element]. Quality
871 .<Value>. Draft
872 .<Value>. Normal
873 .<Value>. High
874 .<Value>. Vendor Extension
875 .[Element]. Resolution
876 .<Value>. Cross Feed Dir
877 .<Value>. Feed Dir
878 .[Element]. Resolution Unit
879 .<Value>. DPI
880 .<Value>. DPCM
881 .<Value>. Vendor Extension
882 .<Value>. Vendor Extension
883 .[Element]. Separator Sheets
884 .<Value>. None
885 .<Value>. Slip Sheet
886 .<Value>. Start Sheet
887 .<Value>. End Sheet
888 .<Value>. Both Sheets
889 .<Value>. Vendor Extension
890 .[Element]. Sheet Collate
891 .<Value>. Uncollated
892 .<Value>. Collated
893 .<Value>. Vendor Extension
894 .[Element]. Sides
895 .<Value>. One Sided
896 .<Value>. Two Sided Long Edge
897 .<Value>. Two Sided Short Edge

898 .<Value>. Vendor Extension
899 .[Element]. X Image Position
900 .<Value>. None
901 .<Value>. Center
902 .<Value>. Left
903 .<Value>. Right
904 .<Value>. Vendor Extension
905 .[Element]. X Image Shift
906 .[Element]. X Side 1 Image Shift
907 .[Element]. X Side 2 Image Shift
908 .[Element]. Y Image Position
909 .<Value>. None
910 .<Value>. Center
911 .<Value>. Top
912 .<Value>. Bottom
913 .<Value>. Vendor Extension
914 .[Element]. Y Image Shift
915 .[Element]. Y Side 1 Image Shift
916 .[Element]. Y Side 2 Image Shift
917 .[Element]. Vendor Extension
918
919 .[Element]. Print Job Description
920 .[Element]. Job Accounting ID
921 .[Element]. Job Accounting User ID
922 .[Element]. Job Message From Operator
923 .[Element]. Job Message To Operator
924 .[Element]. Job Password
925 .[Element]. Job Password Encryption
926 .<Value>. MD2
927 .<Value>. MD4
928 .<Value>. MD5
929 .<Value>. SHA
930 .<Value>. None
931 .[Element]. Job More Info
932 .[Element]. Job Name
933 .[Element]. Job Originating User Name
934 .[Element]. Job Originating User URI
935 .[Element]. Job Pages
936 .[Element]. K Octets
937 .[Element]. Template Creator User Name
938 .[Element]. Template ID
939 .[Element]. Template Info

940 .[Element]. Template Name
941 .[Element]. Template Type
942 .<Value>. None
943 .<Value>. Vendor Extension
944 .[Element]. Compression Supplied
945 .<Value>. Deflate
946 .<Value>. GZIP
947 .<Value>. Compress
948 .<Value>. None
949 .<Value>. Vendor Extension
950 .[Element]. Document Charset Supplied
951 .<Value>. To – Be – Determined
952 .[Element]. Document Digital Signature Supplied
953 .<Value>. DSS
954 .<Value>. None
955 .<Value>. PGP
956 .<Value>. SMIME
957 .<Value>. XDSIG
958 .<Value>. Vendor Extension
959 .[Element]. Document Format Details Supplied
960 .[Element]. Document Format
961 .<Value>. Application Octet Stream
962 .<Value>. Application PDF
963 .<Value>. Application POSTSCRIPT
964 .<Value>. Application VND PWG XHTML Print XML
965 .<Value>. Application VND HP PCL
966 .<Value>. Image G3 FAX
967 .<Value>. Image JPEG
968 .<Value>. Image TIFF
969 .<Value>. Image TIFF FX
970 .<Value>. Text HTML
971 .<Value>. Text Plain
972 .<Value>. Text Plain Charset ISO 8859 1
973 .<Value>. Text Plain Charset US ASCII
974 .<Value>. Text Plain Charset UTF 8
975 .<Value>. Vendor Extension
976 .[Element]. Document Format Version
977 .[Element]. Document Format Device ID
978 .[Element]. Document Natural Language
979 .[Element]. Document Source Application Name
980 .[Element]. Document Source Application Version
981 .[Element]. Document Source OS Name

982 .[Element]. Document Source OS Version
983 .[Element]. Vendor Extension
984 .[Element]. Document Format Supplied
985 .<Value>. [Application Octet Stream](#)
986 .<Value>. Application PDF
987 .<Value>. [Application POSTSCRIPT](#)
988 .<Value>. Application VND PWG XHTML Print XML
989 .<Value>. Application VND HP PCL
990 .<Value>. [Image G3 FAX](#)
991 .<Value>. Image JPEG
992 .<Value>. Image TIFF
993 .<Value>. Image TIFF FX
994 .<Value>. Text HTML
995 .<Value>. Text Plain
996 .<Value>. Text Plain Charset ISO 8859 1
997 .<Value>. Text Plain Charset US ASCII
998 .<Value>. Text Plain Charset UTF 8
999 .<Value>. Vendor Extension
1000 .[Element]. Document Format Version Supplied
1001 .[Element]. [Document Message Supplied](#)
1002 .[Element]. [Document Meta Data](#)
1003 .[Element]. Document Name Supplied
1004 .[Element]. Document URI
1005 .[Element]. Impressions
1006 .[Element]. Job Collation Type
1007 .<Value>. Uncollated
1008 .<Value>. Collated
1009 .<Value>. Vendor Extension
1010 .[Element]. Media Sheets
1011 .[Element]. Page Order Received
1012 .<Value>. 1 to N Order
1013 .<Value>. N to 2 Order
1014 .<Value>. Vendor Extension
1015 .[Element]. Vendor Extension
1016
1017 .[Element]. Print Job Processing
1018 .[Element]. Job Copies
1019 .[Element]. Job Delay Output Until
1020 .[Element]. No Hold
1021 .[Element]. Indefinite
1022 .[Element]. [Day Time](#)
1023 .[Element]. [Evening](#)

1024 .[Element]. **Night**
1025 .[Element]. **Weekend**
1026 .[Element]. **Second Shift**
1027 .[Element]. **Third Shift**
1028 .[Element]. Vendor Extension
1029 .[Element]. **Job Delay Output Until Time**
1030 .[Element]. Job Error Action
1031 .<Value>. Abort Job
1032 .<Value>. Cancel Job
1033 .<Value>. Continue Job
1034 .<Value>. Suspend Job
1035 .<Value>. Vendor Extension
1036 .[Element]. Job Hold Until
1037 .[Element]. No Hold
1038 .[Element]. Indefinite
1039 .[Element]. **Day Time**
1040 .[Element]. **Evening**
1041 .[Element]. **Night**
1042 .[Element]. **Weekend**
1043 .[Element]. **Second Shift**
1044 .[Element]. **Third Shift**
1045 .[Element]. Vendor Extension
1046 .[Element]. **Job Hold Until Time**
1047 .[Element]. **Job Phone Number**
1048 .[Element]. Job Priority
1049 .[Element]. Job Recipient Name
1050 .[Element]. Job Accounting Sheets
1051 .[Element]. Job Accounting Sheets Type
1052 .<Value>. None
1053 .<Value>. Standard
1054 .<Value>. Vendor Extension
1055 .[Element]. Job Accounting Output Bin
1056 .<Value>. Top
1057 .<Value>. Middle
1058 .<Value>. Bottom
1059 .<Value>. Side
1060 .<Value>. **Left**
1061 .<Value>. **Right**
1062 .<Value>. **Center**
1063 .<Value>. Rear
1064 .<Value>. **Face Up**
1065 .<Value>. **face down**

1066	.<Value>. Large Capacity
1067	.<Value>. Stacker 1
1068	.<Value>. Stacker 2
1069	.<Value>. Stacker 3
1070	.<Value>. Stacker 4
1071	.<Value>. Stacker 5
1072	.<Value>. Stacker 6
1073	.<Value>. Stacker 7
1074	.<Value>. Stacker 8
1075	.<Value>. Stacker 9
1076	.<Value>. Stacker 10
1077	.<Value>. Mailbox 1
1078	.<Value>. Mailbox 2
1079	.<Value>. Mailbox 3
1080	.<Value>. Mailbox 4
1081	.<Value>. Mailbox 5
1082	.<Value>. Mailbox 6
1083	.<Value>. Mailbox 7
1084	.<Value>. Mailbox 8
1085	.<Value>. Mailbox 9
1086	.<Value>. Mailbox 10
1087	.<Value>. Mailbox 11
1088	.<Value>. Mailbox 12
1089	.<Value>. Mailbox 13
1090	.<Value>. Mailbox 14
1091	.<Value>. Mailbox 15
1092	.<Value>. Mailbox 16
1093	.<Value>. Mailbox 17
1094	.<Value>. Mailbox 18
1095	.<Value>. Mailbox 19
1096	.<Value>. Mailbox 20
1097	.<Value>. Mailbox 21
1098	.<Value>. Mailbox 22
1099	.<Value>. Mailbox 23
1100	.<Value>. Mailbox 24
1101	.<Value>. Mailbox 25
1102	.<Value>. My Mailbox
1103	.<Value>. Tray 1
1104	.<Value>. Tray 2
1105	.<Value>. Tray 3
1106	.<Value>. Tray 4
1107	.<Value>. Tray 5

1108 .<Value>. Tray 6
1109 .<Value>. Tray 7
1110 .<Value>. Tray 8
1111 .<Value>. Tray 9
1112 .<Value>. Tray 10
1113 .<Value>. Tray 11
1114 .<Value>. Tray 12
1115 .<Value>. Tray 13
1116 .<Value>. Tray 14
1117 .<Value>. Tray 15
1118 .<Value>. Tray 16
1119 .<Value>. Tray 17
1120 .<Value>. Tray 18
1121 .<Value>. Tray 19
1122 .<Value>. Tray 20
1123 .[Element]. Media
1124 .<Value>. To – Be – Determined
1125 .[Element]. Media Type
1126 .<Value>. To – Be – Determined
1127 .[Element]. Media Col
1128 .<Value>. To – Be – Determined
1129 .[Element]. Job Collation Type
1130 .<Value>. Uncollated Sheets
1131 .<Value>. Collated Documents
1132 .<Value>. Uncollated Documents
1133 .<Value>. Vendor Extension
1134 .[Element]. Job Copies
1135 .[Element]. Job Cover Back
1136 .[Element]. Cover Type
1137 .<Value>. No Cover
1138 .<Value>. Print None
1139 .<Value>. Print Front
1140 .<Value>. Print Back
1141 .<Value>. Print Both
1142 .<Value>. Vendor Extension
1143 .[Element]. Media Type
1144 .<Value>. To – Be – Determined
1145 .[Element]. Media
1146 .<Value>. To – Be – Determined
1147 .[Element]. Media Col
1148 .<Value>. To – Be – Determined
1149 .[Element]. Vendor Extension

1150 .[Element]. Job Cover Front
1151 .[Element]. Cover Type
1152 .<Value>. No Cover
1153 .<Value>. Print None
1154 .<Value>. Print Front
1155 .<Value>. Print Back
1156 .<Value>. Print Both
1157 .<Value>. **Vendor Extension**
1158 .[Element]. Media Type
1159 .<Value>. To - Be - Determined
1160 .[Element]. Media
1161 .<Value>. To - Be - Determined
1162 .[Element]. Media Col
1163 .[Element]. To - Be - Determined
1164 .[Element]. Job Error Sheet
1165 .[Element]. Job Error Sheet Type
1166 .<Value>. None
1167 .<Value>. Standard
1168 .<Value>. Vendor Extension
1169 .[Element]. Job Error Sheet When
1170 .<Value>. On Error
1171 .<Value>. Always
1172 .<Value>. Vendor Extension
1173 .[Element]. Media Type
1174 .<Value>. To - Be - Determined
1175 .[Element]. Media
1176 .<Value>. To - Be - Determined
1177 .[Element]. Media Col
1178 .<Value>. To - Be - Determined
1179 .[Element]. Job Finishings
1180 .<Value>. None
1181 .<Value>. **Staple**
1182 .<Value>. **Punch**
1183 .<Value>. **Cover**
1184 .<Value>. **Bind**
1185 .<Value>. **Saddle Stitch**
1186 .<Value>. **Edge Stitch**
1187 .<Value>. **Fold**
1188 .<Value>. **Trim**
1189 .<Value>. **Bale**
1190 .<Value>. **Booklet Maker**
1191 .<Value>. **Jog Offset**

1192 .<Value>. Staple Top Left
1193 .<Value>. Staple Bottom Left
1194 .<Value>. Staple Top Right
1195 .<Value>. Staple Bottom Right
1196 .<Value>. Edge Stitch Left
1197 .<Value>. Edge Stitch Top
1198 .<Value>. Edge Stitch Right
1199 .<Value>. Edge Stitch Bottom
1200 .<Value>. Staple Dual Left
1201 .<Value>. Staple Dual Top
1202 .<Value>. Staple Dual Right
1203 .<Value>. Staple Dual Bottom
1204 .<Value>. Bind Left
1205 .<Value>. Bind Top
1206 .<Value>. Bind Right
1207 .<Value>. Bind Bottom
1208 .<Value>. Vendor Extension
1209 .[Element]. Finishing Col
1210 .<Value>. Finishing Template
1211 .[Element]. Stitching
1212 .<Value>. Bottom
1213 .<Value>. Top
1214 .<Value>. Left
1215 .<Value>. Right
1216 .<Value>. Vendor Extension
1217 .<Value>. Vendor Extension
1218 .[Element]. Job Save Disposition
1219 .[Element]. Save Disposition
1220 .<Value>. None
1221 .<Value>. Save Only
1222 .<Value>. Print Save
1223 .<Value>. Vendor Extension
1224 .[Element]. Save Info
1225 .<Value>. Save Document Format
1226 .<Value>. Save Location
1227 .<Value>. Save Name
1228 .<Value>. Vendor Extension
1229 .[Element]. Vendor Extension
1230 .[Element]. Job Sheet message
1231 .[Element]. Job Sheets
1232 .<Value>. None
1233 .<Value>. Standard

```
1234    .<Value>. Vendor Extension
1235    .[Element]. Job Sheets Col
1236        .[Element]. Job Sheets
1237            .<Value>. None
1238            .<Value>. Standard
1239            .<Value>. Vendor Extension
1240        .[Element]. Media Type
1241            .<Value>. To - Be - Determined
1242        .[Element]. Media
1243            .<Value>. To - Be - Determined
1244        .[Element]. Media Col
1245            .<Value>. To - Be - Determined
1246        .[Element]. Vendor Extension
1247    .[Element]. Multiple Documents Handle
1248        .<Value>. Separate Documents Collated Copies
1249        .<Value>. Separate Documents Uncollated Copies
1250        .<Value>. Single Document
1251        .<Value>. Single Document New Sheet
1252            .<Value>. Vendor Extension
1253    .[Element]. Output Device
1254    .[Element]. Overrides
1255        .<Value>. To - Be - Determined
1256    .[Element]. Pages Per Subset
1257    .[Element]. Proof Print
1258        .[Element]. Proof Print Copies
1259        .[Element]. Media Type
1260            .<Value>. To - Be - Determined
1261    .[Element]. Media
1262        .<Value>. To - Be - Determined
1263    .[Element]. Media Col
1264        .<Value>. To - Be - Determined
1265    .[Element]. Overrides
1266        .<Value>. Document Copies
1267        .<Value>. Document Numbers
1268        .<Value>. To - Be - Determined
1269    .[Element]. Vendor Extension
```

1270 5.4 Charset-Supplied Support Level**1271 5.4.1 Conformance: PWG:PJT:Charset-Supplied Support Level – 1**

1272

1273 .<Value>. EBCDIC US
1274 .<Value>. ISO 8859 1
1275 .<Value>. US ASCII
1276 .<Value>. UTF 8

1277 5.4.2 Conformance: PWG:PJT:Charset-Supplied Support Level – 2

1278

1279 .<Value>. EBCDIC US
1280 .<Value>. ISO 8859 1
1281 .<Value>. US ASCII
1282 .<Value>. UTF 8

1283 5.4.3 Conformance: PWG:PJT:Charset-Supplied Support Level – 3

1284

1285 .<Value>. ADOBE STANDARD ENCODING
1286 .<Value>. ADOBE SYMBOL ENCODING
1287 .<Value>. ANSI X3 110 1983
1288 .<Value>. ASMO 449
1289 .<Value>. BIG5
1290 .<Value>. BIG5 HKSCS
1291 .<Value>. BOCU 1
1292 .<Value>. BS 4730
1293 .<Value>. BS VIEWDATA
1294 .<Value>. CESU 8
1295 .<Value>. CSA Z243 4 1985 1
1296 .<Value>. CSA Z243 4 1985 2
1297 .<Value>. CSA Z243 4 1985 GR
1298 .<Value>. CSN 369103
1299 .<Value>. DEC MCS
1300 .<Value>. DIN 66003
1301 .<Value>. DK US
1302 .<Value>. DS 2089
1303 .<Value>. EBCDIC AT DE
1304 .<Value>. EBCDIC AT DE A
1305 .<Value>. EBCDIC CA FR
1306 .<Value>. EBCDIC DK NO
1307 .<Value>. EBCDIC DK NO A

1308 .<Value> [EBCDIC ES](#)
1309 .<Value> [EBCDIC ES A](#)
1310 .<Value> [EBCDIC ES S](#)
1311 .<Value> [EBCDIC FI SE](#)
1312 .<Value> [EBCDIC FI SE A](#)
1313 .<Value> [EBCDIC FR](#)
1314 .<Value> [EBCDIC IT](#)
1315 .<Value> [EBCDIC PT](#)
1316 .<Value> [EBCDIC UK](#)
1317 .<Value> [EBCDIC US](#)
1318 .<Value> [ECMA CYRILLIC](#)
1319 .<Value> [ES](#)
1320 .<Value> [ES2](#)
1321 .<Value> [EUC JP](#)
1322 .<Value> [EUC KR](#)
1323 .<Value> [EXTENDED UNIX CODE FIXED WIDTH FOR JAPANESE](#)
1324 .<Value> [GB18030](#)
1325 .<Value> [GB 1988 80](#)
1326 .<Value> [GB2312](#)
1327 .<Value> [GB 2312 80](#)
1328 .<Value> [GBK](#)
1329 .<Value> [GOST 19768 74](#)
1330 .<Value> [GREEK7](#)
1331 .<Value> [GREEK7 OLD](#)
1332 .<Value> [GREEK CCITT](#)
1333 .<Value> [HP DESKTOP](#)
1334 .<Value> [HP LEGAL](#)
1335 .<Value> [HP MATH8](#)
1336 .<Value> [HP PI FONT](#)
1337 .<Value> [HP ROMAN8](#)
1338 .<Value> [HZ GB 2312](#)
1339 .<Value> [IBM00858](#)
1340 .<Value> [IBM00924](#)
1341 .<Value> [IBM01140](#)
1342 .<Value> [IBM01141](#)
1343 .<Value> [IBM01142](#)
1344 .<Value> [IBM01143](#)
1345 .<Value> [IBM01144](#)
1346 .<Value> [IBM01145](#)
1347 .<Value> [IBM01146](#)
1348 .<Value> [IBM01147](#)
1349 .<Value> [IBM01148](#)

1350 .<Value>. IBM01149
1351 .<Value>. IBM037
1352 .<Value>. IBM038
1353 .<Value>. IBM1026
1354 .<Value>. IBM1047
1355 .<Value>. IBM273
1356 .<Value>. IBM274
1357 .<Value>. IBM275
1358 .<Value>. IBM277
1359 .<Value>. IBM278
1360 .<Value>. IBM280
1361 .<Value>. IBM281
1362 .<Value>. IBM284
1363 .<Value>. IBM285
1364 .<Value>. IBM290
1365 .<Value>. IBM297
1366 .<Value>. IBM420
1367 .<Value>. IBM423
1368 .<Value>. IBM424
1369 .<Value>. IBM437
1370 .<Value>. IBM500
1371 .<Value>. IBM775
1372 .<Value>. IBM850
1373 .<Value>. IBM851
1374 .<Value>. IBM852
1375 .<Value>. IBM855
1376 .<Value>. IBM857
1377 .<Value>. IBM860
1378 .<Value>. IBM861
1379 .<Value>. IBM862
1380 .<Value>. IBM863
1381 .<Value>. IBM864
1382 .<Value>. IBM865
1383 .<Value>. IBM866
1384 .<Value>. IBM868
1385 .<Value>. IBM869
1386 .<Value>. IBM870
1387 .<Value>. IBM871
1388 .<Value>. IBM880
1389 .<Value>. IBM891
1390 .<Value>. IBM903
1391 .<Value>. IBM904

1392 .<Value> [IBM905](#)
1393 .<Value> [IBM918](#)
1394 .<Value> [IBM SYMBOLS](#)
1395 .<Value> [IBM THAI](#)
1396 .<Value> [IEC P27 1](#)
1397 .<Value> [INIS](#)
1398 .<Value> [INIS 8](#)
1399 .<Value> [INIS CYRILLIC](#)
1400 .<Value> [INVARIANT](#)
1401 .<Value> [ISO 10367 BOX](#)
1402 .<Value> [ISO 10646 UCS 2](#)
1403 .<Value> [ISO 10646 UCS 4](#)
1404 .<Value> [ISO 10646 UCS BASIC](#)
1405 .<Value> [ISO 10646 UNICODE LATIN1](#)
1406 .<Value> [ISO 10646 UTF 1](#)
1407 .<Value> [ISO 2022 CN](#)
1408 .<Value> [ISO 2022 CN EXT](#)
1409 .<Value> [ISO 2022 JP](#)
1410 .<Value> [ISO 2022 JP 2](#)
1411 .<Value> [ISO 2022 KR](#)
1412 .<Value> [ISO 2033 1983](#)
1413 .<Value> [ISO 5427](#)
1414 .<Value> [ISO 5427 1981](#)
1415 .<Value> [ISO 5428 1980](#)
1416 .<Value> [ISO 646 BASIC 1983](#)
1417 .<Value> [ISO 646 IRV 1983](#)
1418 .<Value> [ISO 6937 2 25](#)
1419 .<Value> [ISO 6937 2 ADD](#)
1420 .<Value> [ISO 8859 1](#)
1421 .<Value> [ISO 8859 10](#)
1422 .<Value> [ISO 8859 13](#)
1423 .<Value> [ISO 8859 14](#)
1424 .<Value> [ISO 8859 15](#)
1425 .<Value> [ISO 8859 16](#)
1426 .<Value> [ISO 8859 1 WINDOWS 3 0 LATIN 1](#)
1427 .<Value> [ISO 8859 1 WINDOWS 3 1 LATIN 1](#)
1428 .<Value> [ISO 8859 2](#)
1429 .<Value> [ISO 8859 2 WINDOWS LATIN 2](#)
1430 .<Value> [ISO 8859 3](#)
1431 .<Value> [ISO 8859 4](#)
1432 .<Value> [ISO 8859 5](#)
1433 .<Value> [ISO 8859 6](#)

1434 .<Value> ISO 8859 6 E
1435 .<Value> ISO 8859 6 I
1436 .<Value> ISO 8859 7
1437 .<Value> ISO 8859 8
1438 .<Value> ISO 8859 8 E
1439 .<Value> ISO 8859 8 I
1440 .<Value> ISO 8859 9
1441 .<Value> ISO 8859 9 WINDOWS LATIN 5
1442 .<Value> ISO 8859 SUPP
1443 .<Value> ISO IR 90
1444 .<Value> ISO UNICODE IBM 1261
1445 .<Value> ISO UNICODE IBM 1264
1446 .<Value> ISO UNICODE IBM 1265
1447 .<Value> ISO UNICODE IBM 1268
1448 .<Value> ISO UNICODE IBM 1276
1449 .<Value> IT
1450 .<Value> JIS C6220 1969 JP
1451 .<Value> JIS C6220 1969 RO
1452 .<Value> JIS C6226 1978
1453 .<Value> JIS C6226 1983
1454 .<Value> JIS C6229 1984 A
1455 .<Value> JIS C6229 1984 B
1456 .<Value> JIS C6229 1984 B ADD
1457 .<Value> JIS C6229 1984 HAND
1458 .<Value> JIS C6229 1984 HAND ADD
1459 .<Value> JIS C6229 1984 KANA
1460 .<Value> JIS ENCODING
1461 .<Value> JIS X0201
1462 .<Value> JIS X0212 1990
1463 .<Value> JUS I B1 002
1464 .<Value> JUS I B1 003 MAC
1465 .<Value> JUS I B1 003 SERB
1466 .<Value> KOI8 R
1467 .<Value> KOI8 U
1468 .<Value> KS C 5601 1987
1469 .<Value> KSC5636
1470 .<Value> LATIN GREEK
1471 .<Value> LATIN GREEK 1
1472 .<Value> LATIN LAP
1473 .<Value> MACINTOSH
1474 .<Value> MICROSOFT PUBLISHING
1475 .<Value> MNEM

1476 .<Value>. MNEMONIC
1477 .<Value>. MSZ 7795 3
1478 .<Value>. NATS DANO
1479 .<Value>. NATS DANO ADD
1480 .<Value>. NATS SEFI
1481 .<Value>. NATS SEFI ADD
1482 .<Value>. NC NC00 10 81
1483 .<Value>. NF Z 62 010
1484 .<Value>. NF Z 62 010 1973
1485 .<Value>. NS 4551 1
1486 .<Value>. NS 4551 2
1487 .<Value>. PC8 DANISH NORWEGIAN
1488 .<Value>. PC8 TURKISH
1489 .<Value>. PT
1490 .<Value>. PT2
1491 .<Value>. PTCP154
1492 .<Value>. SCSU
1493 .<Value>. SEN 850200 B
1494 .<Value>. SEN 850200 C
1495 .<Value>. SHIFT JIS
1496 .<Value>. T 101 G2
1497 .<Value>. T 61 7BIT
1498 .<Value>. T 61 8BIT
1499 .<Value>. TIS 620
1500 .<Value>. UNICODE 1 1
1501 .<Value>. UNICODE 1 1 UTF 7
1502 .<Value>. UNKNOWN 8BIT
1503 .<Value>. US ASCII
1504 .<Value>. US DK
1505 .<Value>. UTF 16
1506 .<Value>. UTF 16BE
1507 .<Value>. UTF 16LE
1508 .<Value>. UTF 32
1509 .<Value>. UTF 32BE
1510 .<Value>. UTF 32LE
1511 .<Value>. UTF 7
1512 .<Value>. UTF 8
1513 .<Value>. VENTURA INTERNATIONAL
1514 .<Value>. VENTURA MATH
1515 .<Value>. VENTURA US
1516 .<Value>. VIDEOTEX SUPPL
1517 .<Value>. VIQR

1518 .<Value>. [VISCII](#)
1519 .<Value>. [WINDOWS 1250](#)
1520 .<Value>. [WINDOWS 1251](#)
1521 .<Value>. [WINDOWS 1252](#)
1522 .<Value>. [WINDOWS 1253](#)
1523 .<Value>. [WINDOWS 1254](#)
1524 .<Value>. [WINDOWS 1255](#)
1525 .<Value>. [WINDOWS 1256](#)
1526 .<Value>. [WINDOWS 1257](#)
1527 .<Value>. [WINDOWS 1258](#)
1528 .<Value>. [WINDOWS 31J](#)

1529 **6. Internationalization**

1530 For interoperability and basic support for multiple languages, conforming
1531 implementations MUST support the Universal Character Set (UCS) Transformation
1532 Format -- 8 bit (UTF-8) [RFC3629] encoding of Unicode [UNICODE] [ISO10646] and
1533 the Unicode Format for Network Interchange [RFC5198].
1534

1535 **7. Security Considerations**

1536 Not acceptable for this implementation guide.
1537

1538 **8. IANA Registration Information**

1539 Not acceptable for this implementation guide.

1540 9. References**1541 9.1 Normative References**

[PWG5108.07] P. Zehler, "PWG Print Job Ticket and Associated Capabilities Version 1.0 (PJT)", PWG5108.07-2012, August 1, 2012,
<ftp://ftp.pwg.org/pub/pwg/candidates/cs-sm20-pjt10-20120801-5108.07.pdf>

1542

1543 9.2 Informative References

1544

1545 10. Authors' Contact Information

1546 Glen Petrie
1547 Epson Imaging Technology Center
1548 Email: glen.petrie@eitc.epson.com
1549 Voice: 408.576.4131
1550 FAX: 408.436.9508
1551 US Mail:

1552 Glen Petrie
1553 Epson Imaging Technology Center
1554 214 Devcon Drive
1555 San Jose, CA, 95112

1556
1557 Additional Contributors:
1558 Xxx

1559
1560
1561
1562
1563
1564
1565
1566
1567
1568

----- End - of - Document -----