

1 INTERNET-DRAFT  
2 draft-ietf-ipp-implementers-guide-v11-01.txt

T. Hastings  
Xerox Corporation  
C. Manros  
Xerox Corporation  
C. Kugler  
IBM Printing Systems Co  
H. Holst  
i-data Printing Systems  
P. Zehler  
Xerox Corporation  
May 30, 2000

15 Internet Printing Protocol/1.1: Implementer's Guide

16 Copyright (C) The Internet Society (2000). All Rights Reserved.

17 Status of this Memo

18 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of  
19 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its  
20 areas, and its working groups. Note that other groups may also distribute working documents as Internet-  
21 Drafts.

22 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or  
23 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or  
24 to cite them other than as "work in progress".

25 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

26 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

27

28 Abstract

29 This document is one of a set of documents, which together describe all aspects of a new Internet Printing  
30 Protocol (IPP). IPP is an application level protocol that can be used for distributed printing using Internet  
31 tools and technologies. This document contains information that supplements the IPP Model and  
32 Semantics [IPP-MOD] and the IPP Transport and Encoding [IPP-PRO] documents. It is intended to help  
33 implementers understand IPP/1.1, as well as IPP/1.0, and some of the considerations that may assist them in  
34 the design of their client and/or IPP object implementations. For example, a typical order of processing  
35 requests is given, including error checking. Motivation for some of the specification decisions is also  
36 included.

37 The full set of IPP documents includes:

38     Design Goals for an Internet Printing Protocol [RFC2567]

39     Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

40     Internet Printing Protocol/1.1: Model and Semantics [IPP-MOD]

41     Internet Printing Protocol/1.1: Encoding and Transport [IPP-PRO]

42     Mapping between LPD and IPP Protocols [RFC2569]

43 The document, "Design Goals for an Internet Printing Protocol", takes a broad look at distributed printing  
44 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included  
45 in a printing protocol for the Internet. It identifies requirements for three types of users: end users,  
46 operators, and administrators. The design goal document calls out a subset of end user requirements that  
47 are satisfied in IPP/1.1. Operator and administrator requirements are out of scope for version 1.1.

48 The document, "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",  
49 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of  
50 IPP specifications, and gives background and rationale for the IETF working group's major decisions.

51 The document, "Internet Printing Protocol/1.1: Model and Semantics", describes a simplified model with  
52 abstract objects, their attributes, and their operations. The model introduces a Printer and a Job. The Job  
53 supports multiple documents per Job. The model document also addresses how security,  
54 internationalization, and directory issues are addressed.

55 The document, "Internet Printing Protocol/1.1: Encoding and Transport", is a formal mapping of the  
56 abstract operations and attributes defined in the model document onto HTTP/1.1. It also defines the  
57 encoding rules for a new Internet media type called "application/ipp".

58 The document, "Mapping between LPD and IPP Protocols", gives some advice to implementers of  
59 gateways between IPP and LPD (Line Printer Daemon) implementations.

60

## 61 TABLE OF CONTENTS

62	<b>1 INTRODUCTION</b> .....	<b>6</b>
63	1.1 CONFORMANCE LANGUAGE.....	6
64	1.2 OTHER TERMINOLOGY.....	6
65	1.3 ISSUES RAISED FROM INTEROPERABILITY BAKE OFFS.....	6
66	<b>2 IPP OBJECTS</b> .....	<b>7</b>
67	<b>3 IPP OPERATIONS</b> .....	<b>8</b>
68	3.1 COMMON SEMANTICS.....	8
69	3.1.1 <i>Summary of Operation Attributes</i> .....	8
70	3.1.2 <i>Suggested Operation Processing Steps for IPP Objects</i> .....	13
71	3.1.2.1 Suggested Operation Processing Steps for all Operations.....	14
72	3.1.2.1.1 Validate version number.....	14
73	3.1.2.1.2 Validate operation identifier.....	15
74	3.1.2.1.3 Validate the request identifier.....	16
75	3.1.2.1.4 Validate attribute group and attribute presence and order.....	16
76	3.1.2.1.4.1 Validate the presence and order of attribute groups.....	16
77	3.1.2.1.4.2 Ignore unknown attribute groups in the expected position.....	16
78	3.1.2.1.4.3 Validate the presence of a single occurrence of required Operation attributes.....	17
79	3.1.2.1.5 Validate the values of the REQUIRED Operation attributes.....	23
80	3.1.2.1.6 Validate the values of the OPTIONAL Operation attributes.....	27
81	3.1.2.2 Suggested Additional Processing Steps for Operations that Create/Validate Jobs and Add Documents.....	30
82	3.1.2.2.1 Default "ipp-attribute-fidelity" if not supplied.....	30
83	3.1.2.2.2 Check that the Printer object is accepting jobs.....	30
84	3.1.2.2.3 Validate the values of the Job Template attributes.....	31
85	3.1.2.3 Algorithm for job validation.....	31
86	3.1.2.3.1 Check for conflicting Job Template attributes values.....	36
87	3.1.2.3.2 Decide whether to REJECT the request.....	36
88	3.1.2.3.3 For the Validate-Job operation, RETURN one of the success status codes.....	38
89	3.1.2.3.4 Create the Job object with attributes to support.....	38
90	3.1.2.3.5 Return one of the success status codes.....	39
91	3.1.2.3.6 Accept appended Document Content.....	40
92	3.1.2.3.7 Scheduling and Starting to Process the Job.....	40
93	3.1.2.3.8 Completing the Job.....	40
94	3.1.2.3.9 Destroying the Job after completion.....	40
95	3.1.2.3.10 Interaction with "ipp-attribute-fidelity".....	40
96	3.1.2.3.11 Character set code conversion support.....	41
97	3.1.2.3.12 What charset to return when an unsupported charset is requested (Issue 1.19)?.....	41
98	3.1.2.3.13 Natural Language Override (NLO).....	42
99	3.1.3 <i>Status codes returned by operation</i> .....	43
100	3.1.3.1 Printer Operations.....	43
101	3.1.3.1.1 Print-Job.....	43
102	3.1.3.1.2 Print-URI.....	45
103	3.1.3.1.3 Validate-Job.....	45
104	3.1.3.1.4 Create-Job.....	45
105	3.1.3.1.5 Get-Printer-Attributes.....	46
106	3.1.3.1.6 Get-Jobs.....	46
107	3.1.3.1.7 Pause-Printer.....	47
108	3.1.3.1.8 Resume-Printer.....	47
109	3.1.3.1.8.1 What about Printers unable to change state due to an error condition?.....	48
110	3.1.3.1.8.2 How is 'printer-state' handled on Resume-Printer?.....	48
111	3.1.3.1.9 Purge-Printer.....	48
112	3.1.3.2 Job Operations.....	49
113	3.1.3.2.1 Send-Document.....	49
114	3.1.3.2.2 Send-URI.....	50
115	3.1.3.2.3 Cancel-Job.....	50

116	3.1.3.2.4	Get-Job-Attributes .....	50
117	3.1.3.2.5	Hold-Job .....	51
118	3.1.3.2.6	Release-Job.....	52
119	3.1.3.2.7	Restart-Job.....	52
120	3.1.3.2.7.1	Can documents be added to a restarted job? .....	52
121	3.1.4	Returning unsupported attributes in Get-Xxxx responses (Issue 1.18).....	52
122	3.1.5	Sending empty attribute groups .....	53
123	3.2	PRINTER OPERATIONS .....	53
124	3.2.1	Print-Job operation.....	53
125	3.2.1.1	Flow controlling the data portion of a Print-Job request (Issue 1.22).....	53
126	3.2.1.2	Returning job-state in Print-Job response (Issue 1.30) .....	53
127	3.2.2	Get-Printer-Attributes operation .....	54
128	3.2.3	Get-Jobs operation .....	54
129	3.2.3.1	Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?.....	54
130	3.2.3.2	Why is there a "limit" attribute in the Get-Jobs operation?.....	55
131	3.2.4	Create-Job operation.....	55
132	3.3	JOB OPERATIONS .....	55
133	3.3.1	Validate-Job.....	55
134	3.3.2	Restart-Job.....	56
135	<b>4</b>	<b>OBJECT ATTRIBUTES .....</b>	<b>56</b>
136	4.1	ATTRIBUTE SYNTAX'S .....	56
137	4.1.1	The 'none' value for empty sets (Issue 1.37) .....	56
138	4.1.2	Multi-valued attributes (Issue 1.31).....	56
139	4.1.3	Case Sensitivity in URIs (issue 1.6) .....	56
140	4.1.4	Maximum length for xxxWithLanguage and xxxWithoutLanguage .....	57
141	4.2	JOB TEMPLATE ATTRIBUTES .....	57
142	4.2.1	multiple-document-handling(type2 keyword).....	58
143	4.2.1.1	Support of multiple document jobs.....	58
144	4.3	JOB DESCRIPTION ATTRIBUTES .....	58
145	4.4	PRINTER DESCRIPTION ATTRIBUTES.....	58
146	4.4.1	queued-job-count .....	58
147	4.4.1.1	Why is "queued-job-count" RECOMMENDED (Issue 1.14)?.....	58
148	4.4.1.2	Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)? .....	59
149	4.4.2	printer-current-time (dateTime).....	59
150	4.4.3	'Printer-uri'.....	59
151	4.5	EMPTY JOBS .....	60
152	<b>5</b>	<b>DIRECTORY CONSIDERATIONS .....</b>	<b>60</b>
153	5.1	GENERAL DIRECTORY SCHEMA CONSIDERATIONS .....	60
154	5.2	IPP PRINTER WITH A DNS NAME .....	60
155	<b>6</b>	<b>SECURITY CONSIDERATIONS .....</b>	<b>60</b>
156	6.1	QUERYING JOBS WITH IPP THAT WERE SUBMITTED USING OTHER JOB SUBMISSION PROTOCOLS (ISSUE 1.32) .....	60
157	<b>7</b>	<b>ENCODING AND TRANSPORT .....</b>	<b>61</b>
158	7.1	GENERAL HEADERS .....	62
159	7.2	REQUEST HEADERS .....	63
160	7.3	RESPONSE HEADERS .....	64
161	7.4	ENTITY HEADERS .....	65
162	7.5	OPTIONAL SUPPORT FOR HTTP/1.0.....	65
163	1.6	HTTP/1.1 CHUNKING .....	66
164	1.6.1	Disabling IPP Server Response Chunking.....	66
165	1.6.2	Warning About the Support of Chunked Requests.....	66
166	<b>8</b>	<b>REFERENCES.....</b>	<b>66</b>

167 8.1 AUTHORS' ADDRESS.....68

168 **9 NOTICES.....69**

169 **10 CHANGE HISTORY (TO BE REMOVED AT TIME OF RFC PUBLISHING).....69**

170 10.1 CHANGES FROM 000509 TO 000530 .....69

171 10.2 CHANGES FROM 990927 TO 000509 .....70

172 10.3 CHANGES FROM 990914 TO 990927 .....70

173 10.4 CHANGES FROM 990726 TO 990914: .....70

174 10.5 CHANGES TO PRODUCE THE FEBRUARY 12, 1999 VERSION FROM THE JANUARY 8, 1999 VERSION: .....71

175 10.6 CHANGES TO PRODUCE THE JANUARY 8, 1999 VERSION FROM THE DECEMBER 6, 1998 VERSION:.....71

176 10.7 CHANGES TO PRODUCE THE DECEMBER 6, 1998 VERSION FROM THE NOVEMBER 16, 1998 VERSION: .....71

177  
178  
179

**TABLES**

180 Table 1 - Summary of Printer operation attributes that sender **MUST** supply..... 8

181 Table 2 - Summary of Printer operation attributes that sender **MAY** supply ..... 9

182 Table 3 - Summary of Job operation attributes that sender **MUST** supply..... 10

183 Table 4 - Summary of Job operation attributes that sender **MAY** supply..... 11

184 Table 5 - Printer operation response attributes ..... 12

185 Table 6 - Examples of validating IPP version..... 15

186 Table 7 - Rules for validating single values X against Z ..... 32

187

188  
189  
190

## 191 **1 Introduction**

192 The IPP Implementer's Guide (IIG) (this document) contains information that supplements the IPP Model  
193 and Semantics [IPP-MOD] and the IPP Transport and Encoding [IPP-PRO] documents. As such this  
194 information is not part of the formal specifications. Instead information is presented to help implementers  
195 understand the specification, including some of the motivation for decisions taken by the committee in  
196 developing the specification. Some of the implementation considerations are intended to help  
197 implementers design their client and/or IPP object implementations. If there are any contradictions between  
198 this document and [IPP-MOD] or [IPP-PRO], those documents take precedence over this document.

199 Platform-specific implementation considerations will be included in this guide as they become known.

200 In order to help the reader of the IIG and the IPP Model and Semantics document, the sections in this  
201 document parallel the corresponding sections in the Model document and are numbered the same for ease  
202 of cross reference. The sections that correspond to the IPP Transport and Encoding are correspondingly  
203 offset.

### 204 1.1 Conformance language

205 Usually, this document does not contain the terminology **MUST**, **MUST NOT**, **MAY**, **NEED NOT**,  
206 **SHOULD**, **SHOULD NOT**, **REQUIRED**, and **OPTIONAL**. However, when those terms do appear in this  
207 document, their intent is to repeat what the [IPP-MOD] and [IPP-PRO] documents require and allow, rather  
208 than specifying additional conformance requirements. These terms are defined in section 13 on  
209 conformance terminology in [IPP-MOD], most of which is taken from RFC 2119 [RFC2119].

210 Implementers should read section 13 (APPENDIX A) in [IPP-MOD] in order to understand these  
211 capitalized words. The words **MUST**, **MUST NOT**, and **REQUIRED** indicate what implementations are  
212 required to support in a client or IPP object in order to be conformant to [IPP-MOD] and [IPP-PRO].  
213 **MAY**, **NEED NOT**, and **OPTIONAL** indicate was is merely allowed as an implementer option. The verbs  
214 **SHOULD** and **SHOULD NOT** indicate suggested behavior, but which is not required or disallowed,  
215 respectively, in order to conform to the specification.

### 216 1.2 Other terminology

217 The term "sender" refers to the client that sends a request or an IPP object that returns a response. The term  
218 "receiver" refers to the IPP object that receives a request and to a client that receives a response.

### 219 1.3 Issues Raised from Interoperability Bake Offs

220 The IPP WG has conducted two open interoperability "Bake Offs". The first bake off was held in  
221 September 1998 and Bake Off2 was held in March 1999. See the summary reports in:

222 [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_TES/](ftp://ftp.pwg.org/pub/pwg/ipp/new_TES/)

223 The issues raised from the first bake off are numbered 1.n in this document and are described in:

224 <ftp://ftp.pwg.org/pub/pwg/ipp/approved-clarifications/ipp-agreed-fixes-981030.pdf>

225 These issue resolutions have been incorporated into the November 16, "IPP/1.0 Model and Semantics" [ipp-  
226 mod] and the "IPP/1.0 Encoding and Transport" [IPP-PRO] documents. However, some of the discussion  
227 is left here in the Implementer's Guide to help understanding.

228 The issues raised from Bake Off2 are numbered 2.n in this document and are described in:

229 <ftp://ftp.pwg.org/pub/pwg/ipp/issues/issues-raised-at-bake-off2.pdf>

## 230 **2 IPP Objects**

231 The term "client" in IPP is intended to mean any client that issues IPP operation requests and accepts IPP  
232 operation responses, whether it be a desktop or a server. In other words, the term "client" does not just  
233 mean end-user clients, such as those associated with desktops.

234 The term "IPP Printer" in IPP is intended to mean an object that accepts IPP operation requests and returns  
235 IPP operation responses, whether implemented in a server or a device. An IPP Printer object MAY, if  
236 implemented in a server, turn around and forward received jobs (and other requests) to other devices and  
237 print servers/services, either using IPP or some other protocol.

238 **3 IPP Operations**

239 This section corresponds to Section 3 "IPP Operations" in the IPP/1.1 Model and Semantics document  
240 [IPP-MOD].

## 241 3.1 Common Semantics

242 This section discusses semantics common to all operations.

## 243 3.1.1 Summary of Operation Attributes

244 Legend for the following table:

245 R indicates a REQUIRED operation that MUST be supported by the IPP object (Printer or Job). For  
246 attributes, R indicates that the attribute MUST be supported by the IPP object supports the associated  
247 operation.

248 O indicates an OPTIONAL operation or attribute that MAY be supported by the IPP object (Printer or Job).

249 + indicates that this is not an IPP/1.0 feature, but is only a part of IPP/1.1 and future versions of IPP.

250 **Table 1 - Summary of Printer operation attributes that sender MUST supply**

Operation Attributes	Printer Operations						Responses
	Requests						
	Print-Job, Validate- Job (R)	Print- URI (O)	Create- Job (O)	Get- Printer- Attribute s (R)	Get- Jobs (R)	Pause- Printer, Resume- Printer, Purge- Printer (O+)	All Operat ions
Operation parameters--REQUIRED to be supplied by the sender:							
operation-id	R	R	R	R	R	R	
status-code							R
request-id	R	R	R	R	R	R	R
version-number	R	R	R	R	R	R	R
Operation attributes--REQUIRED to be supplied by the sender:							
attributes-charset	R	R	R	R	R	R	R
attributes-natural- language	R	R	R	R	R	R	R
document-uri		R					
job-id*							
job-uri*							
last-document							
printer-uri	R	R	R	R	R	R	
Operation attributes--RECOMMENDED to be supplied by the sender:							
job-name	R	R	R				
requesting-user-name	R	R	R	R	R	R	



251

252

**Table 2 - Summary of Printer operation attributes that sender MAY supply**

Operation Attributes	Printer Operations						Responses
	Requests						
	Print-Job, Validate-Job (R)	Print-URI (O)	Create-Job (O)	Get-Printer-Attributes (R)	Get-Jobs (R)	Pause-Printer, Resume-Printer, Purge-Printer (O+)	All Operations
Operation attributes--OPTIONAL to be supplied by the sender:							
status-message							O
detailed-status-message							O
document-access-error							O**
compression	O	O					
document-format	R	R		R			
document-name	O	O					
document-natural-language	O	O					
ipp-attribute-fidelity	R	R	R				
job-impressions	O	O	O				
job-k-octets	O	O	O				
job-media-sheets	O	O	O				
limit					R		
message							
my-jobs					R		
requested-attributes				R	R		
which-jobs					R		

\* "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise, "job-uri" is REQUIRED.

\*\* "document-access-error" applies to the Print-URI response only.

253

254

255

**Table 3 - Summary of Job operation attributes that sender MUST supply**

Operation Attributes	Job Operations					
	Requests					Responses
	Send-Document (O)	Send-URI (O)	Cancel-Job (R)	Get-Job-Attributes (R)	Hold-Job, Release-Job, Restart-Job (O+)	All Operations
Operation parameters--REQUIRED to be supplied by the sender:						
operation-id	R	R	R	R	R	
status-code						R
request-id	R	R	R	R	R	R
version-number	R	R	R	R	R	R
Operation attributes--REQUIRED to be supplied by the sender:						
attributes-charset	R	R	R	R	R	R
attributes-natural-language	R	R	R	R	R	R
document-uri		R				
job-id*	R	R	R	R	R	
job-uri*	R	R	R	R	R	
last-document	R	R				
printer-uri	R	R	R	R	R	
Operation attributes--RECOMMENDED to be supplied by the sender:						
job-name						
requesting-user-name	R	R	R	R	R	

256

257

258

**Table 4 - Summary of Job operation attributes that sender MAY supply**

Operation Attributes	Job Operations						
	Requests						Responses
	Send-Document (O)	Send-URI (O)	Cancel-Job (R)	Get-Job-Attributes (R)	Hold-Job, Restart-Job (O+)	Release-Job (O+)	All Operations
Operation attributes--OPTIONAL to be supplied by the sender:							
status-message							O
detailed-status-message							O
document-access-error							O**
compression	O	O					
document-format	R	R					
document-name	O	O					
document-natural-language	O	O					
ipp-attribute-fidelity							
job-impressions							
job-k-octets							
job-media-sheets							
limit							
message			O		O	O	
job-hold-until					R		
my-jobs							
requested-attributes				R			
which-jobs							

\* "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise, "job-uri" is REQUIRED.

\*\* "document-access-error" applies to the Send-URI operation only.

259

260

261

**Table 5 - Printer operation response attributes**

Operation Attributes	Printer Operations						
	Print-Job (R), Send-Document (O)	Validate -Job (R)	Print -URI (O), Send-URI (O)	Create-Job (O)	Get-Printer - Attributes (R)	Get-Jobs (R)	Pause-Printer, Resume-Printer, Purge-Printer (O+)
job-uri	R		R	R			
job-id	R		R	R			
job-state	R		R	R			
job-state-reasons	R+		R+	R+			
number-of-intervening-jobs	O		O	O			
document-access-error+			O				

262

263

## 264 3.1.2 Suggested Operation Processing Steps for IPP Objects

265 This section suggests the steps and error checks that an IPP object MAY perform when processing requests  
266 and returning responses. An IPP object MAY perform some or all of the error checks. However, some  
267 implementations MAY choose to be more forgiving than the error checks shown here, in order to be able to  
268 accept requests from non-conforming clients. Not performing all of these error checks is a so-called  
269 "forgiving" implementation. On the other hand, clients that successfully submit requests to IPP objects that  
270 do perform all the error checks will be more likely to be able to interoperate with other IPP object  
271 implementations. Thus an implementer of an IPP object needs to decide whether to be a "forgiving" or a  
272 "strict" implementation. Therefore, the error status codes returned may differ between implementations.  
273 Consequentially, client SHOULD NOT expect exactly the error code processing described in this section.

274 When an IPP object receives a request, the IPP object either accepts or rejects the request. In order to  
275 determine whether or not to accept or reject the request, the IPP object SHOULD execute the following  
276 steps. The order of the steps may be rearranged and/or combined, including making one or multiple passes  
277 over the request.

278 A client MUST supply requests that would pass all of the error checks indicated here in order to be a  
279 conforming client. Therefore, a client SHOULD supply requests that are conforming, in order to avoid  
280 being rejected by some IPP object implementations and/or risking different semantics by different  
281 implementations of forgiving implementations. For example, a forgiving implementation that accepts  
282 multiple occurrences of the same attribute, rather than rejecting the request might use the first occurrences,  
283 while another might use the last occurrence. Thus such a non-conforming client would get different results  
284 from the two forgiving implementations.

285 In the following, processing continues step by step until a "RETURNS the xxx status code ..." statement is  
286 encountered. Error returns are indicated by the verb: "REJECTS". Since clients have difficulty getting the  
287 status code before sending all of the document data in a Print-Job request, clients SHOULD use the  
288 Validate-Job operation before sending large documents to be printed, in order to validate whether the IPP  
289 Printer will accept the job or not.

290 It is assumed that security authentication and authorization has already taken place at a lower layer.

## 291 3.1.2.1 Suggested Operation Processing Steps for all Operations

292 This section is intended to apply to all operations. The next section contains the additional steps for the  
 293 Print-Job, Validate-Job, Print-URI, Create-Job, Send-Document, and Send-URI operations that create jobs,  
 294 adds documents, and validates jobs.

295	IIG Sect #	Flow	IPP error status codes
296	-----	----	-----
297			
298		v	err
299	3.1.2.1.1	<Validate version>	--> server-error-version-not-supported
300		ok	
301		v	err
302	3.1.2.1.2	<Validate operation>	--> server-error-operation-not-supported
303		ok	
304		v	err
305	3.1.2.1.4.1-	<Validate presence>	--> client-error-bad-request
306	3.1.2.1.4.2	<of attributes>	
307		ok	
308		v	err
309	3.1.2.1.4.3	<Validate presence>	--> client-error-bad-request
310		<of operation attr>	
311		ok	
312		v	err
313	3.1.2.1.5	<Valied values of>	--> client-error-bad-request
314		<operation attrs>	client-error-request-value-too-long
315		<(length, tag, range,>	
316		<multi-value)>	
317		ok	
318		v	err
319	3.1.2.1.5	<Validate values>	--> client-error-bad-request
320		<with supported values>	client-error-charset-not-supported
321		ok	client-error-attributes-or-values-
322			not-supported
323		v	err
324	3.1.2.1.6	<Validate optionally>	--> client-error-bad-request
325		<operation attr>	client-error-natural-language-not-
326		ok	supported
327			client-error-request-value-too-long
328			client-error-attributes-or-values-
329		v	not-supported
330			

## 331 3.1.2.1.1 Validate version number

332 Every request and every response contains the "version-number" attribute. The value of this attribute is the  
 333 major and minor version number of the syntax and semantics that the client and IPP object is using,  
 334 respectively. The "version-number" attribute remains in a fixed position across all future versions so that  
 335 all clients and IPP object that support future versions can determine which version is being used. The IPP

336 object checks to see if the major version number supplied in the request is supported. If not, the Printer  
 337 object REJECTS the request and RETURNS the 'server-error-version-not-supported' status code in the  
 338 response. The IPP object returns in the "version-number" response attribute the major and minor version  
 339 for the error response. Thus the client can learn at least one major and minor version that the IPP object  
 340 supports. The IPP object is encouraged to return the closest version number to the one supplied by the  
 341 client.

342 The checking of the minor version number is implementation dependent, however if the client supplied  
 343 minor version is explicitly supported, the IPP object MUST respond using that identical minor version  
 344 number. If the major version number matches, but the minor version number does not, the Printer  
 345 SHOULD accept and attempt to process the request, or MAY reject the request and return the 'server-error-  
 346 version-not-supported' status code. In all cases, the Printer MUST return the nearest version number that it  
 347 supports. For example, suppose that an IPP/1.2 Printer supports versions '1.1' and '1.2'. The following  
 348 responses are conforming:

349 **Table 6 - Examples of validating IPP version**

Client supplies	Printer Accept Request?	Printer returns
1.0	yes (SHOULD)	1.1
	no (SHOULD NOT)	1.1
1.1	yes (MUST)	1.1
1.2	yes (MUST)	1.2
1.3	yes (SHOULD)	1.2
	no (SHOULD NOT)	1.2

350

351 It is advantageous for Printers to support both IPP/1.1 and IPP/1.0, so that they can interoperate with either  
 352 client implementations. Some implementations may allow an Administrator to explicitly disable support  
 353 for one or the other by setting the "ipp-versions-supported" Printer description attribute.

354 Likewise, it is advantageous for clients to support both versions to allow interoperability with new and  
 355 legacy Printers.

#### 356 3.1.2.1.2 Validate operation identifier

357 The Printer object checks to see if the "operation-id" attribute supplied by the client is supported as  
 358 indicated in the Printer object's "operations-supported" attribute. If not, the Printer REJECTS the request  
 359 and returns the 'server-error-operation-not-supported' status code in the response.

360 3.1.2.1.3 Validate the request identifier

361 The Printer object SHOULD NOT check to see if the "request-id" attribute supplied by the client is in  
362 range: between 1 and  $2^{31} - 1$  (inclusive), but copies all 32 bits.

363 Note: The "version-number", "operation-id", and the "request-id" parameters are in fixed octet positions in  
364 the IPP/1.1 encoding. The "version-number" parameter will be the same fixed octet position in all versions  
365 of the protocol. These fields are validated before proceeding with the rest of the validation.

366 3.1.2.1.4 Validate attribute group and attribute presence and order

367 The order of the following validation steps depends on implementation.

368 3.1.2.1.4.1 Validate the presence and order of attribute groups

369 Client requests and IPP object responses contain attribute groups that Section 3 requires to be present and in  
370 a specified order. An IPP object verifies that the attribute groups are present and in the correct order in  
371 requests supplied by clients (attribute groups without an \* in the following tables).

372 If an IPP object receives a request with (1) required attribute groups missing, or (2) the attributes groups are  
373 out of order, or (3) the groups are repeated, the IPP object REJECTS the request and RETURNS the 'client-  
374 error-bad-request' status code. For example, it is an error for the Job Template Attributes group to occur  
375 before the Operation Attributes group, for the Operation Attributes group to be omitted, or for an attribute  
376 group to occur more than once, except in the Get-Jobs response.

377 Since this kind of attribute group error is most likely to be an error detected by a client developer rather  
378 than by a customer, the IPP object NEED NOT return an indication of which attribute group was in error in  
379 either the Unsupported Attributes group or the Status Message. Also, the IPP object NEED NOT find all  
380 attribute group errors before returning this error.

381 3.1.2.1.4.2 Ignore unknown attribute groups in the expected position

382 Future attribute groups may be added to the specification at the end of requests just before the Document  
383 Content and at the end of response, except for the Get-Jobs response, where it maybe there or before the  
384 first job attributes returned. If an IPP object receives an unknown attribute group in these positions, it  
385 ignores the entire group, rather than returning an error, since that group may be a new group in a later minor  
386 version of the protocol that can be ignored. (If the new attribute group cannot be ignored without confusing  
387 the client, the major version number would have been increased in the protocol document and in the  
388 request). If the unknown group occurs in a different position, the IPP object REJECTS the request and  
389 RETURNS the 'client-error-bad-request' status code.

390 Clients also ignore unknown attribute groups returned in a response.

391 Note: By validating that requests are in the proper form, IPP objects force clients to use the proper form  
392 which, in turn, increases the chances that customers will be able to use such clients from multiple vendors  
393 with IPP objects from other vendors.



394 3.1.2.1.4.3 Validate the presence of a single occurrence of required Operation attributes  
395 Client requests and IPP object responses contain Operation attributes that [IPP-MOD] Section 3 requires to  
396 be present. Attributes within a group may be in any order, except for the ordering of target, charset, and  
397 natural languages attributes. These attributes MUST be first, and MUST be supplied in the following order:  
398 charset, natural language, and then target. An IPP object verifies that the attributes that Section 4 requires to  
399 be supplied by the client have been supplied in the request (attributes without an \* in the following tables).  
400 An asterisk (\*) indicates groups and Operation attributes that the client may omit in a request or an IPP  
401 object may omit in a response.

402 If an IPP object receives a request with required attributes missing or repeated from a group or in the wrong  
403 position, the behavior of the IPP object is IMPLEMENTATION DEPENDENT. Some of the possible  
404 implementations are:

- 405 1. REJECTS the request and RETURNS the 'client-error-bad-request' status code
- 406 2. accepts the request and uses the first occurrence of the attribute no matter where it is
- 407 3. accepts the request and uses the last occurrence of the attribute no matter where it is
- 408 4. accept the request and assume some default value for the missing attribute

409 Therefore, client MUST send conforming requests, if they want to receive the same behavior from all IPP  
410 object implementations. For example, it is an error for the "attributes-charset" or "attributes-natural-  
411 language" attribute to be omitted in any operation request, or for an Operation attribute to be supplied in a  
412 Job Template group or a Job Template attribute to be supplied in an Operation Attribute group in a create  
413 request. It is also an error to supply the "attributes-charset" attribute twice.

414 Since these kinds of attribute errors are most likely to be detected by a client developer rather than by a  
415 customer, the IPP object NEED NOT return an indication of which attribute was in error in either the  
416 Unsupported Attributes group or the Status Message. Also, the IPP object NEED NOT find all attribute  
417 errors before returning this error.

418 The following tables list all the attributes for all the operations by attribute group in each request and each  
419 response. The order of the groups is the order that the client supplies the groups as specified in [IPP-MOD]  
420 Section 3. The order of the attributes within a group is arbitrary, except as noted for some of the special  
421 operation attributes (charset, natural language, and target). The tables below use the following notation:

- 422 R indicates a REQUIRED attribute or operation that an IPP object MUST support
- 423 O indicates an OPTIONAL attribute or operation that an IPP object NEED NOT support
- 424 \* indicates that a client MAY omit the attribute in a request and that an IPP object MAY omit the  
425 attribute in a response. The absence of an \* means that a client MUST supply the  
426 attribute in a request and an IPP object MUST supply the attribute in a response.
- 427 + indicates that this is not a IPP/1.0 operation, but is only a part of IPP/1.1 and future versions of IPP.

428  
429

#### Operation Requests

430 The tables below show the attributes in their proper attribute groups for operation requests:

431 Note: All operation requests contain "version-number", "operation-id",  
432 and "request-id" parameters.

433

434 Print-Job Request (R):

435     Group 1: Operation Attributes (R)  
436         attributes-charset (R)  
437         attributes-natural-language (R)  
438         printer-uri (R)  
439         requesting-user-name (R\*)  
440         job-name (R\*)  
441         ipp-attribute-fidelity (R\*)  
442         document-name (R\*)  
443         document-format (R\*)  
444         document-natural-language (O\*)  
445         compression (O\*)  
446         job-k-octets (O\*)  
447         job-impressions (O\*)  
448         job-media-sheets (O\*)  
449     Group 2: Job Template Attributes (R\*)  
450         <Job Template attributes> (O\*)  
451             (see [IPP-MOD] Section 4.2)  
452     Group 3: Document Content (R)  
453         <document content>

454

455 Validate-Job Request (R):

456     Group 1: Operation Attributes (R)  
457         attributes-charset (R)  
458         attributes-natural-language (R)  
459         printer-uri (R)  
460         requesting-user-name (R\*)  
461         job-name (R\*)  
462         ipp-attribute-fidelity (R\*)  
463         document-name (R\*)  
464         document-format (R\*)  
465         document-natural-language (O\*)  
466         compression (O\*)  
467         job-k-octets (O\*)  
468         job-impressions (O\*)  
469         job-media-sheets (O\*)  
470     Group 2: Job Template Attributes (R\*)  
471         <Job Template attributes> (O\*)  
472             (see [IPP-MOD] Section 4.2)

473

474 Print-URI Request (O):

475     Group 1: Operation Attributes (R)  
476         attributes-charset (R)

477 attributes-natural-language (R)  
478 printer-uri (R)  
479 document-uri (R)  
480 requesting-user-name (R\*)  
481 job-name (R\*)  
482 ipp-attribute-fidelity (R\*)  
483 document-name (R\*)  
484 document-format (R\*)  
485 document-natural-language (O\*)  
486 compression (O\*)  
487 job-k-octets (O\*)  
488 job-impressions (O\*)  
489 job-media-sheets (O\*)  
490 Group 2: Job Template Attributes (R\*)  
491 <Job Template attributes> (O\*) (see  
492 (see [IPP-MOD] Section 4.2)  
493  
494 Create-Job Request (O):  
495 Group 1: Operation Attributes (R)  
496 attributes-charset (R)  
497 attributes-natural-language (R)  
498 printer-uri (R)  
499 requesting-user-name (R\*)  
500 job-name (R\*)  
501 ipp-attribute-fidelity (R\*)  
502 job-k-octets (O\*)  
503 job-impressions (O\*)  
504 job-media-sheets (O\*)  
505 Group 2: Job Template Attributes (R\*)  
506 <Job Template attributes> (O\*) (see  
507 (see [IPP-MOD] Section 4.2)  
508  
509 Get-Printer-Attributes Request (R):  
510 Group 1: Operation Attributes (R)  
511 attributes-charset (R)  
512 attributes-natural-language (R)  
513 printer-uri (R)  
514 requesting-user-name (R\*)  
515 requested-attributes (R\*)  
516 document-format (R\*)  
517  
518 Get-Jobs Request (R):  
519 Group 1: Operation Attributes (R)  
520 attributes-charset (R)  
521 attributes-natural-language (R)  
522 printer-uri (R)  
523 requesting-user-name (R\*)  
524 limit (R\*)  
525 requested-attributes (R\*)

526           which-jobs (R\*)  
527           my-jobs (R\*)  
528  
529 Send-Document Request (O):  
530       Group 1: Operation Attributes (R)  
531           attributes-charset (R)  
532           attributes-natural-language (R)  
533           (printer-uri & job-id) | job-uri (R)  
534           last-document (R)  
535           requesting-user-name (R\*)  
536           document-name (R\*)  
537           document-format (R\*)  
538           document-natural-language (O\*)  
539           compression (O\*)  
540       Group 2: Document Content (R\*)  
541           <document content>  
542  
543 Send-URI Request (O):  
544       Group 1: Operation Attributes (R)  
545           attributes-charset (R)  
546           attributes-natural-language (R)  
547           (printer-uri & job-id) | job-uri (R)  
548           last-document (R)  
549           document-uri (R)  
550           requesting-user-name (R\*)  
551           document-name (R\*)  
552           document-format (R\*)  
553           document-natural-language (O\*)  
554           compression (O\*)  
555  
556 Cancel-Job Request (R):  
557 Release-Job Request (O+):  
558       Group 1: Operation Attributes (R)  
559           attributes-charset (R)  
560           attributes-natural-language (R)  
561           (printer-uri & job-id) | job-uri (R)  
562           requesting-user-name (R\*)  
563           message (O\*)  
564  
565 Get-Job-Attributes Request (R):  
566       Group 1: Operation Attributes (R)  
567           attributes-charset (R)  
568           attributes-natural-language (R)  
569           (printer-uri & job-id) | job-uri (R)  
570           requesting-user-name (R\*)  
571           requested-attributes (R\*)  
572  
573 Pause-Printer Request (O+):  
574 Resume-Printer Request (O+):



621           attributes-charset (R)  
622           attributes-natural-language (R)  
623           status-message (O\*)  
624           detailed-status-message (O\*)  
625       Group 2: Unsupported Attributes (R\*) (see Note 3)  
626           <unsupported attributes> (R\*)  
627  
628   Print-URI Response (O):  
629   Send-URI Response (O):  
630       Group 1: Operation Attributes (R)  
631           attributes-charset (R)  
632           attributes-natural-language (R)  
633           status-message (O\*)  
634           detailed-status-message (O\*)  
635           document-access-error (O\*)  
636       Group 2: Unsupported Attributes (R\*) (see Note 3)  
637           <unsupported attributes> (R\*)  
638       Group 3: Job Object Attributes(R\*) (see Note 2)  
639           job-uri (R)  
640           job-id (R)  
641           job-state (R)  
642           job-state-reasons (O\* | R+)  
643           job-state-message (O\*)  
644           number-of-intervening-jobs (O\*)  
645  
646   Get-Printer-Attributes Response (R):  
647       Group 1: Operation Attributes (R)  
648           attributes-charset (R)  
649           attributes-natural-language (R)  
650           status-message (O\*)  
651           detailed-status-message (O\*)  
652       Group 2: Unsupported Attributes (R\*) (see Note 4)  
653           <unsupported attributes> (R\*)  
654       Group 3: Printer Object Attributes(R\*) (see Note 2)  
655           <requested attributes> (R\*)  
656  
657   Get-Jobs Response (R):  
658       Group 1: Operation Attributes (R)  
659           attributes-charset (R)  
660           attributes-natural-language (R)  
661           status-message (O\*)  
662           detailed-status-message (O\*)  
663       Group 2: Unsupported Attributes (R\*) (see Note 4)  
664           <unsupported attributes> (R\*)  
665       Group 3: Job Object Attributes(R\*) (see Note 2, 5)  
666           <requested attributes> (R\*)  
667  
668   Get-Job-Attributes Response (R):  
669       Group 1: Operation Attributes (R)

670           attributes-charset (R)  
671           attributes-natural-language (R)  
672           status-message (O\*)  
673           detailed-status-message (O\*)  
674       Group 2: Unsupported Attributes (R\*) (see Note 4)  
675           <unsupported attributes> (R\*)  
676       Group 3: Job Object Attributes (R\*) (see Note 2)  
677           <requested attributes> (R\*)  
678  
679   Pause-Printer Response (O+):  
680   Resume-Printer Response (O+):  
681   Purge-Printer Response (O+):  
682       Group 1: Operation Attributes (R)  
683           attributes-charset (R)  
684           attributes-natural-language (R)  
685           status-message (O\*)  
686           detailed-status-message (O\*)  
687       Group 2: Unsupported Attributes (R\*) (see Note 4)  
688           <unsupported attributes> (R\*)  
689

690   Note 2 - the Job Object Attributes and Printer Object Attributes are returned only if the IPP object returns  
691   one of the success status codes.

692   Note 3 - the Unsupported Attributes Group is present only if the client included some Operation and/or Job  
693   Template attributes or values that the Printer doesn't support whether a success or an error return.

694   Note 4 - the Unsupported Attributes Group is present only if the client included some Operation attributes  
695   that the Printer doesn't support whether a success or an error return.

696   Note 5: for the Get-Jobs operation the response contains a separate Job Object Attributes group 3 to N  
697   containing requested-attributes for each job object in the response.

#### 698   3.1.2.1.5   Validate the values of the REQUIRED Operation attributes

699   An IPP object validates the values supplied by the client of the REQUIRED Operation attribute that the IPP  
700   object MUST support. The next section specifies the validation of the values of the OPTIONAL Operation  
701   attributes that IPP objects MAY support.

702   The IPP object performs the following syntactic validation checks of each Operation attribute value:

- 703   a)           that the length of each Operation attribute value is correct for the attribute syntax tag supplied by  
704           the client according to [IPP-MOD] Section 4.1,
- 705   b)           that the attribute syntax tag is correct for that Operation attribute according to [IPP-MOD]  
706           Section 3,

707 c) that the value is in the range specified for that Operation attribute according to [IPP-MOD]  
708 Section 3,

709 d) that multiple values are supplied by the client only for operation attributes that are multi-valued,  
710 i.e., that are 1setOf X according to [IPP-MOD] Section 3.

711

712 If any of these checks fail, the IPP object REJECTS the request and RETURNS the 'client-error-bad-  
713 request' or the 'client-error-request-value-too-long' status code. Since such an error is most likely to be an  
714 error detected by a client developer, rather than by an end-user, the IPP object NEED NOT return an  
715 indication of which attribute had the error in either the Unsupported Attributes Group or the Status  
716 Message. The description for each of these syntactic checks is explicitly expressed in the first IF statement  
717 in the following table.

718 In addition, the IPP object checks each Operation attribute value against some Printer object attribute or  
719 some hard-coded value if there is no "xxx-supported" Printer object attribute defined. If its value is not  
720 among those supported or is not in the range supported, then the IPP object REJECTS the request and  
721 RETURNS the error status code indicated in the table by the second IF statement. If the value of the Printer  
722 object's "xxx-supported" attribute is 'no-value' (because the system administrator hasn't configured a value),  
723 the check always fails.

724 -----

725 attributes-charset (charset)

726 IF NOT a single non-empty 'charset' value, REJECT/RETURN 'client-error-bad-request'.

727 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-  
728 long'.

729 IF NOT in the Printer object's "charset-supported" attribute, REJECT/RETURN "client-error-  
730 charset-not-supported".

731

732 attributes-natural-language(naturalLanguage)

733 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-request'.

734 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-  
735 long'.

736 ACCEPT the request even if not a member of the set in the Printer object's "generated-natural-  
737 language-supported" attribute. If the supplied value is not a member of the Printer object's  
738 "generated-natural-language-supported" attribute, use the Printer object's "natural-language-  
739 configured" value.

740

741 requesting-user-name

742 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.

743 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
744 long'.



745 IF the IPP object can obtain a better-authenticated name, use it instead.  
746

747 job-name(name)

748 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.  
749 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
750 long'.  
751 IF NOT supplied by the client, the Printer object creates a name from the document-name or  
752 document-uri.  
753

754 document-name (name)

755 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.  
756 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
757 long'.  
758

759 ipp-attribute-fidelity (boolean)

760 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-  
761 bad-request'.  
762 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'  
763 IF NOT supplied by the client, the IPP object assumes the value 'false'.  
764

765 document-format (mimeType)

766 IF NOT a single non-empty 'mimeType' value, REJECT/RETURN 'client-error-bad-request'.  
767 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
768 long'.  
769 IF NOT in the Printer object's "document-format-supported" attribute, REJECT/RETURN 'client-  
770 error-document-format-not-supported'  
771 IF NOT supplied by the client, the IPP object assumes the value of the Printer object's "document-  
772 format-default" attribute.  
773

774 document-uri (uri)

775 IF NOT a single non-empty 'uri' value, REJECT/RETURN 'client-error-bad-request'.  
776 IF the value length is greater than 1023 octets, REJECT/RETURN 'client-error-request-value-too-  
777 long'.  
778 IF the URI syntax is not valid, REJECT/RETURN 'client-error-bad-request'.  
779 If the client-supplied URI scheme is not supported, i.e. the value is not in the Printer object's  
780 referenced-uri-scheme-supported" attribute, the Printer object MUST reject the request and  
781 return the 'client-error-uri-scheme-not-supported' status code. The Printer object MAY check  
782 to see if the document exists and is accessible. If the document is not found or is not  
783 accessible, REJECT/RETURN 'client-error-not found'.  
784 last-document (boolean)

785 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-  
786 bad-request'.  
787 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'  
788

789 job-id (integer(1:MAX))

790 IF NOT an single 'integer' value equal to 4 octets AND in the range 1 to MAX, REJECT/RETURN  
791 'client-error-bad-request'.  
792 IF NOT a job-id of an existing Job object, REJECT/RETURN 'client-error-not-found' or 'client-  
793 error-gone' status code, if keep track of recently deleted jobs.  
794

795 requested-attributes (1setOf keyword)

796 IF NOT one or more 'keyword' values, REJECT/RETURN 'client-error-bad-request'.  
797 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
798 long'.  
799 Ignore unsupported values, which are the keyword names of unsupported attributes. Don't bother to  
800 copy such requested (unsupported) attributes to the Unsupported Attribute response group  
801 since the response will not return them.  
802

803 which-jobs (type2 keyword)

804 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.  
805 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
806 long'.  
807 IF NEITHER 'completed' NOR 'not-completed', copy the attribute and the unsupported value to the  
808 Unsupported Attributes response group and REJECT/RETURN 'client-error-attributes-or-  
809 values-not-supported'.  
810 Note: a Printer still supports the 'completed' value even if it keeps no completed/canceled/aborted  
811 jobs: by returning no jobs when so queried.  
812 IF NOT supplied by the client, the IPP object assumes the 'not-completed' value.  
813

814 my-jobs (boolean)

815 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-  
816 bad-request'.  
817 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'  
818 IF NOT supplied by the client, the IPP object assumes the 'false' value.  
819

820 limit (integer(1:MAX))

821 IF NOT a single 'integer' value equal to 4 octets AND in the range 1 to MAX, REJECT/RETURN  
822 'client-error-bad-request'.  
823 IF NOT supplied by the client, the IPP object returns all jobs, no matter how many.  
824

825 -----  
826  
827 3.1.2.1.6 Validate the values of the OPTIONAL Operation attributes

828 OPTIONAL Operation attributes are those that an IPP object MAY or MAY NOT support. An IPP object  
829 validates the values of the OPTIONAL attributes supplied by the client. The IPP object performs the same  
830 syntactic validation checks for each OPTIONAL attribute value as in Section 3.1.2.1.5. As in Section  
831 3.1.2.1.5, if any fail, the IPP object REJECTS the request and RETURNS the 'client-error-bad-request' or  
832 the 'client-error-request-value-too-long' status code.

833 In addition, the IPP object checks each Operation attribute value against some Printer attribute or some  
834 hard-coded value if there is no "xxx-supported" Printer attribute defined. If its value is not among those  
835 supported or is not in the range supported, then the IPP object REJECTS the request and RETURNS the  
836 error status code indicated in the table. If the value of the Printer object's "xxx-supported" attribute is 'no-  
837 value' (because the system administrator hasn't configured a value), the check always fails.

838 If the IPP object doesn't recognize/support an attribute, the IPP object treats the attribute as an unknown or  
839 unsupported attribute (see the last row in the table below).

840 -----  
841 document-natural-language (naturalLanguage)

842 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-request'.  
843 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-  
844 long'.  
845 IF NOT a value that the Printer object supports in document formats, (no corresponding "xxx-  
846 supported" Printer attribute), REJECT/RETURN 'client-error-natural-language-not-  
847 supported'.  
848

849 compression (type3 keyword)

850 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.  
851 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
852 long'.  
853 IF NOT in the Printer object's "compression-supported" attribute, copy the attribute and the  
854 unsupported value to the Unsupported Attributes response group and REJECT/RETURN  
855 'client-error-attributes-or-values-not-supported'.  
856 Note to IPP/1.0 implementers: Support for the "compression" attribute was optional in IPP/1.0 and  
857 was changed to REQUIRED in IPP/1.1. However, an IPP/1.0 object SHOULD at least  
858 check for the "compression" attribute being present and reject the create request, if they don't  
859 support "compression". Not checking is a bug, since the data will be unintelligible.  
860

861 job-k-octets (integer(0:MAX))

862 IF NOT a single 'integer' value equal to 4 octets,

863 REJECT/RETURN 'client-error-bad-request'.  
864 IF NOT in the range of the Printer object's "job-k-octets-supported" attribute, copy the attribute and  
865 the unsupported value to the Unsupported Attributes response group and REJECT/RETURN  
866 'client-error-attributes-or-values-not-supported'.  
867

868 job-impressions (integer(0:MAX))

869 IF NOT a single 'integer' value equal to 4 octets,  
870 REJECT/RETURN 'client-error-bad-request'.  
871 IF NOT in the range of the Printer object's "job-impressions-supported" attribute, copy the attribute  
872 and the unsupported value to the Unsupported Attributes response group and  
873 REJECT/RETURN 'client-error-attributes-or-values-not-supported'.  
874

875 job-media-sheets (integer(0:MAX))

876 IF NOT a single 'integer' value equal to 4 octets,  
877 REJECT/RETURN 'client-error-bad-request'.  
878 IF NOT in the range of the Printer object's "job-media-sheets-supported" attribute, copy the attribute  
879 and the unsupported value to the Unsupported Attributes response group and  
880 REJECT/RETURN 'client-error-attributes-or-values-not-supported'.  
881

882 message (text(127))

883 IF NOT a single 'text' value, REJECT/RETURN 'client-error-bad-request'.  
884 IF the value length is greater than 127 octets,  
885 REJECT/RETURN 'client-error-request-value-too-long'.  
886

887 unknown or unsupported attribute


888 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute  
889 syntax, REJECT/RETURN 'client-error-request-value-too-long'.  
890 ELSE copy the attribute and value to the Unsupported Attributes response group and change the  
891 attribute value to the "out-of-band" 'unsupported' value, but otherwise ignore the attribute.  
892

893 Note: Future Operation attributes may be added to the protocol specification that may occur anywhere in  
894 the specified group. When the operation is otherwise successful, the IPP object returns the 'successful-ok-  
895 ignored-or-substituted-attributes' status code. Ignoring unsupported Operation attributes in all operations is  
896 analogous to the handling of unsupported Job Template attributes in the create and Validate-Job operations  
897 when the client supplies the "ipp-attribute-fidelity" Operation attribute with the 'false' value. This last rule is  
898 so that we can add OPTIONAL Operation attributes to future versions of IPP so that older clients can inter-  
899 work with new IPP objects and newer clients can inter-work with older IPP objects. (If the new attribute  
900 cannot be ignored without performing unexpectedly, the major version number would have been increased  
901 in the protocol document and in the request). This rule for Operation attributes is independent of the value  
902 of the "ipp-attribute-fidelity" attribute. For example, if an IPP object doesn't support the OPTIONAL "job-  
903 k-octets" attribute', the IPP object treats "job-k-octets" as an unknown attribute and only checks the length

904 for the 'integer' attribute syntax supplied by the client. If it is not four octets, the IPP object REJECTS the  
905 request and RETURNS the 'client-error-bad-request' status code, else the IPP object copies the attribute to  
906 the Unsupported Attribute response group, setting the value to the "out-of-band" 'unsupported' value, but  
907 otherwise ignores the attribute.

908 3.1.2.2 Suggested Additional Processing Steps for Operations that Create/Validate Jobs and Add  
 909 Documents

910 This section in combination with the previous section recommends the  
 911 processing steps for the Print-Job, Validate-Job, Print-URI, Create-Job,  
 912 Send-Document, and Send-URI operations that IPP objects SHOULD use.  
 913 These are the operations that create jobs, validate a Print-Job request,  
 914 and add documents to a job.



944 3.1.2.2.1 Default "ipp-attribute-fidelity" if not supplied

945 The Printer object checks to see if the client supplied an "ipp-attribute-fidelity" Operation attribute. If the  
 946 attribute is not supplied by the client, the IPP object assumes that the value is 'false'.

947 3.1.2.2.2 Check that the Printer object is accepting jobs

948 If the value of the Printer objects "printer-is-accepting-jobs" is 'false', the Printer object REJECTS the  
 949 request and RETURNS the 'server-error-not-accepting-jobs' status code.

## 950 3.1.2.2.3 Validate the values of the Job Template attributes

951 An IPP object validates the values of all Job Template attribute supplied by the client. The IPP object  
952 performs the analogous syntactic validation checks of each Job Template attribute value that it performs for  
953 Operation attributes (see Section 3.1.2.1.5.):

- 954 a) that the length of each value is correct for the attribute syntax tag supplied by the client  
955 according to [IPP-MOD] Section 4.1.
- 956 b) that the attribute syntax tag is correct for that attribute according to [IPP-MOD] Sections 4.2  
957 to 4.4.
- 958 c) that multiple values are supplied only for multi-valued attributes, i.e., that are 1setOf X  
959 according to [IPP-MOD] Sections 4.2 to 4.4.

960 As in Section 3.1.2.1.5, if any of these syntactic checks fail, the IPP object REJECTS the request and  
961 RETURNS the 'client-error-bad-request' or 'client-error-request-value-too-long' status code as appropriate,  
962 independent of the value of the "ipp-attribute-fidelity". Since such an error is most likely to be an error  
963 detected by a client developer, rather than by an end-user, the IPP object NEED NOT return an indication  
964 of which attribute had the error in either the Unsupported Attributes Group or the Status Message. The  
965 description for each of these syntactic checks is explicitly expressed in the first IF statement in the  
966 following table.

967 Each Job Template attribute MUST occur no more than once. If an IPP Printer receives a create request  
968 with multiple occurrences of a Job Template attribute, it MAY:

- 969 1. reject the operation and return the 'client-error-bad-request' error status code
- 970 2. accept the operation and use the first occurrence of the attribute
- 971 3. accept the operation and use the last occurrence of the attribute

972 depending on implementation. Therefore, clients MUST NOT supply multiple occurrences of the same Job  
973 Template attribute in the Job Attributes group in the request.

## 974 3.1.2.3 Algorithm for job validation

975 The process of validating a Job-Template attribute "xxx" against a Printer attribute "xxx-supported" can use  
976 the following validation algorithm (see section 3.2.1.2 in [ipp-mod]).

977 To validate the value U of Job-Template attribute "xxx" against the value V of Printer "xxx-supported",  
978 perform the following algorithm:

- 979 1. If U is multi-valued, validate each value X of U by performing the algorithm in Table 7 with each value  
980 X. Each validation is separate from the standpoint of returning unsupported values. Example: If U is

981 "finishings" that the client supplies with 'staple', 'bind' values, then X takes on the successive values:  
 982 'staple', then 'bind'

983 2. If V is multi-valued, validate X against each Z of V by performing the algorithm in Table 7 with each  
 984 value Z. If a value Z validates, the validation for the attribute value X succeeds. If it fails, the algorithm  
 985 is applied to the next value Z of V. If there are no more values Z of V, validation fails. Example" If V is  
 986 "sides-supported" with values: 'one-sided', 'two-sided-long', and 'two-sided-short', then Z takes on the  
 987 successive values: 'one-sided', 'two-sided-long', and 'two-sided-short'. If the client supplies "sides" with  
 988 'two-sided-long', the first comparison fails ('one-sided' is not equal to 'two-sided-long'), the second  
 989 comparison succeeds ('two-sided-long' is equal to 'two-sided-long'), and the third comparison ('two-  
 990 sided-short' with 'two-sided-long') is not even performed.

991 3. If both U and V are single-valued, let X be U and Z be V and use the validation rules in Table 7.

992 **Table 7 - Rules for validating single values X against Z**

Attribute syntax of X	attribute syntax of Z	validated if:
integer	rangeOfInteger	X is within the range of Z
uri	uriScheme	the uri scheme in X is equal to Z
any	boolean	the value of Z is TRUE
any	any	X and Z are of the same type and are equal.

993

994 If the value of the Printer object's "xxx-supported" attribute is 'no-value' (because the system administrator  
 995 hasn't configured a value), the check always fails. If the check fails, the IPP object copies the attribute to  
 996 the Unsupported Attributes response group with its unsupported value. If the attribute contains more than  
 997 one value, each value is checked and each unsupported value is separately copied, while supported values  
 998 are not copied. If an IPP object doesn't recognize/support a Job Template attribute, i.e., there is no  
 999 corresponding Printer object "xxx-supported" attribute, the IPP object treats the attribute as an unknown or  
 1000 unsupported attribute (see the last row in the table below).

1001 If some Job Template attributes are supported for some document formats and not for others or the values  
 1002 are different for different document formats, the IPP object SHOULD take that into account in this  
 1003 validation using the value of the "document-format" supplied by the client (or defaulted to the value of the  
 1004 Printer's "document-format-default" attribute, if not supplied by the client). For example, if "number-up" is  
 1005 supported for the 'text/plain' document format, but not for the 'application/postscript' document format, the  
 1006 check SHOULD (though it NEED NOT) depend on the value of the "document-format" operation attribute.  
 1007 See "document-format" in [IPP-MOD] section 3.2.1.1 and 3.2.5.1.

1008 Note: whether the request is accepted or rejected is determined by the value of the "ipp-attribute-fidelity"  
 1009 attribute in a subsequent step, so that all Job Template attribute supplied are examined and all unsupported  
 1010 attributes and/or values are copied to the Unsupported Attributes response group.

1011 -----



- 1012 job-priority (integer(1:100))
- 1013 IF NOT a single 'integer' value with a length equal to 4 octets, REJECT/RETURN 'client-error-bad-
- 1014 request'.
- 1015 IF NOT supplied by the client, use the value of the Printer object's "job-priority-default" attribute at
- 1016 job submission time.
- 1017 IF NOT in the range 1 to 100, inclusive, copy the attribute and the unsupported value to the
- 1018 Unsupported Attributes response group.
- 1019 Map the value to the nearest supported value in the range 1:100 as specified by the number of
- 1020 discrete values indicated by the value of the Printer's "job-priority-supported" attribute. See
- 1021 the formula in [IPP-MOD] Section 4.2.1.
- 1022
- 1023 job-hold-until (type3 keyword | name)
- 1024 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.
- 1025 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
- 1026 long'.
- 1027 IF NOT supplied by the client, use the value of the Printer object's "job-hold-until" attribute at job
- 1028 submission time.
- 1029 IF NOT in the Printer object's "job-hold-until-supported" attribute, copy the attribute and the
- 1030 unsupported value to the Unsupported Attributes response group.
- 1031
- 1032 job-sheets (type3 keyword | name)
- 1033 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.
- 1034 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
- 1035 long'.
- 1036 IF NOT in the Printer object's "job-sheets-supported" attribute, copy the attribute and the
- 1037 unsupported value to the Unsupported Attributes response group.
- 1038
- 1039 multiple-document-handling (type2 keyword)
- 1040 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.
- 1041 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-
- 1042 long'.
- 1043 IF NOT in the Printer object's "multiple-document-handling-supported" attribute, copy the attribute
- 1044 and the unsupported value to the Unsupported Attributes response group.
- 1045
- 1046 copies (integer(1:MAX))
- 1047 IF NOT a single 'integer' value with a length equal to 4 octets,
- 1048 REJECT/RETURN 'client-error-bad-request'.
- 1049 IF NOT in range of the Printer object's "copies-supported" attribute
- 1050 copy the attribute and the unsupported value to the Unsupported Attributes response group.
- 1051
- 1052 finishings (1setOf type2 enum)

1053 IF NOT an 'enum' value(s) each with a length equal to 4 octets, REJECT/RETURN 'client-error-  
1054 bad-request'.  
1055 IF NOT in the Printer object's "finishings-supported" attribute, copy the attribute and the  
1056 unsupported value(s), but not any supported values, to the Unsupported Attributes response  
1057 group.  
1058

1059 page-ranges (1setOf rangeOfInteger(1:MAX))  
1060 IF NOT a 'rangeOfInteger' value(s) each with a length equal to 8 octets, REJECT/RETURN 'client-  
1061 error-bad-request'.  
1062 IF first value is greater than second value in any range, the ranges are not in ascending order, or  
1063 ranges overlap, REJECT/RETURN 'client-error-bad-request'.  
1064 IF the value of the Printer object's "page-ranges-supported" attribute is 'false', copy the attribute to  
1065 the Unsupported Attributes response group and set the value to the "out-of-band"  
1066 'unsupported' value.  
1067

1068 sides (type2 keyword)  
1069 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.  
1070 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
1071 long'.  
1072 IF NOT in the Printer object's "sides-supported" attribute, copy the attribute and the unsupported  
1073 value to the Unsupported Attributes response group.  
1074

1075 number-up (integer(1:MAX))  
1076 IF NOT a single 'integer' value with a length equal to 4 octets,  
1077 REJECT/RETURN 'client-error-bad-request'.  
1078 IF NOT a value or in the range of one of the values of the Printer object's "number-up-supported"  
1079 attribute, copy the attribute and value to the Unsupported Attribute response group.  
1080

1081 orientation-requested (type2 enum)  
1082 IF NOT a single 'enum' value with a length equal to 4 octets,  
1083 REJECT/RETURN 'client-error-bad-request'.  
1084 IF NOT in the Printer object's "orientation-requested-supported" attribute, copy the attribute and the  
1085 unsupported value to the Unsupported Attributes response group.  
1086

1087 media (type3 keyword | name)  
1088 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.  
1089 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-  
1090 long'.  
1091 IF NOT in the Printer object's "media-supported" attribute, copy the attribute and the unsupported  
1092 value to the Unsupported Attributes response group.  
1093

1094 printer-resolution (resolution)

1095 IF NOT a single 'resolution' value with a length equal to 9 octets,  
 1096 REJECT/RETURN 'client-error-bad-request'.

1097 IF NOT in the Printer object's "printer-resolution-supported" attribute, copy the attribute and the  
 1098 unsupported value to the Unsupported Attributes response group.  
 1099

1100 print-quality (type2 enum)

1101 IF NOT a single 'enum' value with a length equal to 4 octets,  
 1102 REJECT/RETURN 'client-error-bad-request'.

1103 IF NOT in the Printer object's "print-quality-supported" attribute, copy the attribute and the  
 1104 unsupported value to the Unsupported Attributes response group.  
 1105

1106 unknown or unsupported attribute (i.e., there is no corresponding Printer object "xxx-supported" attribute)

1107 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute  
 1108 syntax,  
 1109 REJECT/RETURN 'client-error-bad-request' if the length of the attribute syntax is fixed or 'client-  
 1110 error-request-value-too-long' if the length of the attribute syntax is variable.  
 1111 ELSE copy the attribute and value to the Unsupported Attributes response group and change the  
 1112 attribute value to the "out-of-band" 'unsupported' value. Any remaining Job Template  
 1113 Attributes are either unknown or unsupported Job Template attributes and are validated  
 1114 algorithmically according to their attribute syntax for proper length (see below).

1115 -----

1116 If the attribute syntax is supported AND the length check fails, the IPP object REJECTS the request and  
 1117 RETURNS the 'client-error-bad-request' if the length of the attribute syntax is fixed or the 'client-error-  
 1118 request-value-too-long' status code if the length of the attribute syntax is variable. Otherwise, the IPP object  
 1119 copies the unsupported Job Template attribute to the Unsupported Attributes response group and changes  
 1120 the attribute value to the "out-of-band" 'unsupported' value. The following table shows the length checks  
 1121 for all attribute syntaxes. In the following table: "<=" means less than or equal, "=" means equal to:

1122 Name	1123 Octet length check for read-write attributes
-----	-----
1124 'textWithLanguage	<= 1023 AND 'naturalLanguage' <= 63
1125 'textWithoutLanguage'	<= 1023
1126 'nameWithLanguage'	<= 255 AND 'naturalLanguage' <= 63
1127 'nameWithoutLanguage'	<= 255
1128 'keyword'	<= 255
1129 'enum'	= 4
1130 'uri'	<= 1023
1131 'uriScheme'	<= 63
1132 'charset'	<= 63
1133 'naturalLanguage'	<= 63
1134 'mimeType'	<= 255
1135 'octetString'	<= 1023

1136 'boolean' = 1  
1137 'integer' = 4  
1138 'rangeOfInteger' = 8  
1139 'dateTime' = 11  
1140 'resolution' = 9  
1141 'lsetOf X'  
1142

1143 Note: It's possible for a Printer to receive a zero length keyword in a request. Since this is a keyword, its  
1144 value needs to be compared with the supported values. Assuming that the printer doesn't have any values in  
1145 its corresponding "xxx-supported" attribute that are keywords of zero length, the comparison will fail.  
1146 Then the request will be accepted or rejected depending on the value of "ipp-attributes-fidelity" being 'false'  
1147 or 'true', respectively. No special handling is required for

#### 1148 3.1.2.3.1 Check for conflicting Job Template attributes values

1149 Once all the Operation and Job Template attributes have been checked individually, the Printer object  
1150 SHOULD check for any conflicting values among all the supported values supplied by the client. For  
1151 example, a Printer object might be able to staple and to print on transparencies, however due to physical  
1152 stapling constraints, the Printer object might not be able to staple transparencies. The IPP object copies the  
1153 supported attributes and their conflicting attribute values to the Unsupported Attributes response group.  
1154 The Printer object only copies over those attributes that the Printer object either ignores or substitutes in  
1155 order to resolve the conflict, and it returns the original values which were supplied by the client. For  
1156 example suppose the client supplies "finishings" equals 'staple' and "media" equals 'transparency', but the  
1157 Printer object does not support stapling transparencies. If the Printer chooses to ignore the stapling request  
1158 in order to resolve the conflict, the Printer objects returns "finishings" equal to 'staple' in the Unsupported  
1159 Attributes response group. If any attributes are multi-valued, only the conflicting values of the attributes  
1160 are copied.

1161 Note: The decisions made to resolve the conflict (if there is a choice) is implementation dependent.

#### 1162 3.1.2.3.2 Decide whether to REJECT the request

1163 If there were any unsupported Job Template attributes or unsupported/conflicting Job Template attribute  
1164 values and the client supplied the "ipp-attribute-fidelity" attribute with the 'true' value, the Printer object  
1165 REJECTS the request and return the status code:

- 1166 1. 'client-error-conflicting-attributes' status code, if there were any conflicts between attributes  
1167 supplied by the client.
- 1168 2. 'client-error-attributes-or-values-not-supported' status code, otherwise.  
1169

1170 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1171 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a  
1172 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1173 serious errors.

1174 In general, the final results of Job processing are unknown at Job submission time. The client has to rely on  
1175 notifications or polling to find out what happens at Job processing time. However, there are cases in which  
1176 some Printers can determine at Job submission time that Job processing is going to fail. As an  
1177 optimization, we'd like to have the Printer reject the Job in these cases.

1178 There are three types of "processing" errors that might be detectable at Job submission time:

1179 1. 'client-error-document-format-not-supported' : For the Print-Job, Send-Document, Print-URI, and Send-  
1180 URI operations, if all these conditions are true:

- 1181 - the Printer supports auto-sensing,
- 1182 - the request "document-format" operation attribute is 'application/octet-stream',
- 1183 - the Printer receives document data before responding,
- 1184 - the Printer auto-senses the document format before responding,
- 1185 - the sensed document format is not supported by the Printer

1186 then the Printer should respond with 'client-error-document-format-not-supported' status.

1187 2. 'client-error-compression-error': For the Print-Job, Send-Document, Print-URI, and Send-URI  
1188 operations, if all these conditions are true:

- 1189 - the client supplies a supported value for the "compression" operation attribute in the request
- 1190 - the Printer receives document data before responding,
- 1191 - the Printer attempts to decompress the document data before responding,
- 1192 - the document data cannot be decompressed using the algorithm specified by the "compression"  
1193 operation attribute

1194 then the Printer should respond with 'client-error-compression-error' status.

1195 3. 'client-error-document-access-error': For the Print-URI, and Send-URI operations, if the Printer attempts  
1196 and fails to pull the referenced document data before responding, it should respond with 'client-error-  
1197 document-access-error' status.

1198 Some Printers are not able to detect these errors until Job processing time. In that case, the errors are  
1199 recorded in the corresponding job-state and job-state reason attributes. (There is no standard way for a  
1200 client to determine whether a Printer can detect these errors at Job submission time.) For example, if auto-  
1201 sensing happens AFTER the job is accepted (as opposed to auto-sensing at submit time before returning the  
1202 response), the implementation aborts the job, puts the job in the 'aborted' state and sets the 'unsupported-  
1203 document-format' value in the job's "job-state-reasons".

1204 A client should always provide a valid "document-format" operation attribute whenever practical. In the  
1205 absence of other information, a client itself may sniff the document data to determine document format.

1206 Auto sensing at Job submission time may be more difficult for the Printer when combined with  
1207 compression. For auto-sensed Jobs, a client may be better off deferring compression to the transfer  
1208 protocol layer, e.g.; by using the HTTP Content-Encoding header.

1209 3.1.2.3.3 For the Validate-Job operation, RETURN one of the success status codes

1210 If the requested operation is the Validate-Job operation, the Printer object returns:

- 1211 1. the "successful-ok" status code, if there are no unsupported or conflicting Job Template attributes  
1212 or values.
- 1213 2. the "successful-ok-conflicting-attributes, if there are any conflicting Job Template attribute or  
1214 values.
- 1215 3. the "successful-ok-ignored-or-substituted-attributes, if there are only unsupported Job Template  
1216 attributes or values.

1217  
1218 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1219 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a  
1220 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1221 serious errors.

1222 3.1.2.3.4 Create the Job object with attributes to support

1223 If "ipp-attribute-fidelity" is set to 'false' (or it was not supplied by the client), the Printer object:

- 1224 1. creates a Job object, assigns a unique value to the job's "job-uri" and "job-id" attributes, and  
1225 initializes all of the job's other supported Job Description attributes.
- 1226 2. removes all unsupported attributes from the Job object.
- 1227 3. for each unsupported value, removes either the unsupported value or substitutes the unsupported  
1228 attribute value with some supported value. If an attribute has no values after removing unsupported  
1229 values from it, the attribute is removed from the Job object (so that the normal default behavior at  
1230 job processing time will take place for that attribute).
- 1231 4. for each conflicting value, removes either the conflicting value or substitutes the conflicting  
1232 attribute value with some other supported value. If an attribute has no values after removing  
1233 conflicting values from it, the attribute is removed from the Job object (so that the normal default  
1234 behavior at job processing time will take place for that attribute).

1235  
1236 If there were no attributes or values flagged as unsupported, or the value of "ipp-attribute-fidelity" was  
1237 'false', the Printer object is able to accept the create request and create a new Job object. If the "ipp-  
1238 attribute-fidelity" attribute is set to 'true', the Job Template attributes that populate the new Job object are  
1239 necessarily all the Job Template attributes supplied in the create request. If the "ipp-attribute-fidelity"  
1240 attribute is set to 'false', the Job Template attributes that populate the new Job object are all the client  
1241 supplied Job Template attributes that are supported or that have value substitution. Thus, some of the  
1242 requested Job Template attributes may not appear in the Job object because the Printer object did not  
1243 support those attributes. The attributes that populate the Job object are persistently stored with the Job  
1244 object for that Job. A Get-Job-Attributes operation on that Job object will return only those attributes that  
1245 are persistently stored with the Job object.

1246 Note: All Job Template attributes that are persistently stored with the Job object are intended to be  
1247 "override values"; that is, they that take precedence over whatever other embedded instructions might be in  
1248 the document data itself. However, it is not possible for all Printer objects to realize the semantics of  
1249 "override". End users may query the Printer's "pdl-override-supported" attribute to determine if the Printer  
1250 either attempts or does not attempt to override document data instructions with IPP attributes.

1251 There are some cases, where a Printer supports a Job Template attribute and has an associated default value  
1252 set for that attribute. In the case where a client does not supply the corresponding attribute, the Printer does  
1253 not use its default values to populate Job attributes when creating the new Job object; only Job Template  
1254 attributes actually in the create request are used to populate the Job object. The Printer's default values are  
1255 only used later at Job processing time if no other IPP attribute or instruction embedded in the document  
1256 data is present.

1257 Note: If the default values associated with Job Template attributes that the client did not supply were to be  
1258 used to populate the Job object, then these values would become "override values" rather than defaults. If  
1259 the Printer supports the 'attempted' value of the "pdl-override-supported" attribute, then these override  
1260 values could replace values specified within the document data. This is not the intent of the default value  
1261 mechanism. A default value for an attribute is used only if the create request did not specify that attribute  
1262 (or it was ignored when allowed by "ipp-attribute-fidelity" being 'false') and no value was provided within  
1263 the content of the document data.

1264 If the client does not supply a value for some Job Template attribute, and the Printer does not support that  
1265 attribute, as far as IPP is concerned, the result of processing that Job (with respect to the missing attribute)  
1266 is undefined.

#### 1267 3.1.2.3.5 Return one of the success status codes

1268 Once the Job object has been created, the Printer object accepts the request and returns to the client:

- 1269 1. the 'successful-ok' status code, if there are no unsupported or conflicting Job Template attributes or  
1270 values.
- 1271 2. the 'successful-ok-conflicting-attributes' status code, if there are any conflicting Job Template  
1272 attribute or values.
- 1273 3. the 'successful-ok-ignored-or-substituted-attributes' status code, if there are only unsupported Job  
1274 Template attributes or values.

1275  
1276 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1277 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a  
1278 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1279 serious errors.

1280 The Printer object also returns Job status attributes that indicate the initial state of the Job ('pending',  
1281 'pending-held', 'processing', etc.), etc. See Print-Job Response, [IPP-MOD] section 3.2.1.2.

#### 1282 3.1.2.3.6 Accept appended Document Content

1283 The Printer object accepts the appended Document Content data and either starts it printing, or spools it for  
1284 later processing.

#### 1285 3.1.2.3.7 Scheduling and Starting to Process the Job

1286 The Printer object uses its own configuration and implementation specific algorithms for scheduling the Job  
1287 in the correct processing order. Once the Printer object begins processing the Job, the Printer changes the  
1288 Job's state to 'processing'. If the Printer object supports PDL override (the "pdl-override-supported" attribute  
1289 set to 'attempted'), the implementation does its best to see that IPP attributes take precedence over  
1290 embedded instructions in the document data.

#### 1291 3.1.2.3.8 Completing the Job

1292 The Printer object continues to process the Job until it can move the Job into the 'completed' state. If an  
1293 Cancel-Job operation is received, the implementation eventually moves the Job into the 'canceled' state. If  
1294 the system encounters errors during processing that do not allow it to progress the Job into a completed  
1295 state, the implementation halts all processing, cleans up any resources, and moves the Job into the 'aborted'  
1296 state.

#### 1297 3.1.2.3.9 Destroying the Job after completion

1298 Once the Job moves to the 'completed', 'aborted', or 'canceled' state, it is an implementation decision as to  
1299 when to destroy the Job object and release all associated resources. Once the Job has been destroyed, the  
1300 Printer would return either the "client-error-not-found" or "client-error-gone" status codes for operations  
1301 directed at that Job.

1302 Note: the Printer object SHOULD NOT re-use a "job-uri" or "job-id" value for a sufficiently long time  
1303 after a job has been destroyed, so that stale references kept by clients are less likely to access the wrong  
1304 (newer) job.

#### 1305 3.1.2.3.10 Interaction with "ipp-attribute-fidelity"

1306 Some Printer object implementations may support "ipp-attribute-fidelity" set to 'true' and "pdl-override-  
1307 supported" set to 'attempted' and yet still not be able to realize exactly what the client specifies in the create  
1308 request. This is due to legacy decisions and assumptions that have been made about the role of job  
1309 instructions embedded within the document data and external job instructions that accompany the document  
1310 data and how to handle conflicts between such instructions. The inability to be 100% precise about how a  
1311 given implementation will behave is also compounded by the fact that the two special attributes, "ipp-  
1312 attribute-fidelity" and "pdl-override-supported", apply to the whole job rather than specific values for each



1313 attribute. For example, some implementations may be able to override almost all Job Template attributes  
1314 except for "number-up". Character Sets, natural languages, and internationalization

1315 This section discusses character set support, natural language support and internationalization.

1316 3.1.2.3.11 Character set code conversion support

1317 IPP clients and IPP objects are REQUIRED to support UTF-8. They MAY support additional charsets. It  
1318 is RECOMMENDED that an IPP object also support US-ASCII, since many clients support US-ASCII, and  
1319 indicate that UTF-8 and US-ASCII are supported by populating the Printer's "charset-supported" with 'utf-8'  
1320 and 'us-ascii' values. An IPP object is required to code covert with as little loss as possible between the  
1321 charsets that it supports, as indicated in the Printer's "charsets-supported" attribute.

1322 How should the server handle the situation where the "attributes-charset" of the response itself is "us-ascii",  
1323 but one or more attributes in that response is in the "utf-8" format?

1324 Example: Consider a case where a client sends a Print-Job request with "utf-8" as the value of "attributes-  
1325 charset" and with the "job-name" attribute supplied. Later another client submits a Get-Job-Attribute or  
1326 Get-Jobs request. This second request contains the "attributes-charset" with value "us-ascii" and  
1327 "requested-attributes" attribute with exactly one value "job-name".

1328 According to the IPP-Mod document (section 3.1.4.2), the value of the "attributes-charset" for the response  
1329 of the second request must be "us-ascii" since that is the charset specified in the request. The "job-name"  
1330 value, however, is in "utf-8" format. Should the request be rejected even though both "utf-8" and "us-ascii"  
1331 charsets are supported by the server? or should the "job-name" value be converted to "us-ascii" and return  
1332 "successful-ok-conflicting-attributes" (0x0002) as the status code?

1333 Answer: An IPP object that supports both utf-8 (REQUIRED) and us-ascii, the second paragraph of section  
1334 3.1.4.2 applies so that the IPP object MUST accept the request, perform code set conversion between these  
1335 two charsets with "the highest fidelity possible" and return 'successful-ok', rather than a warning  
1336 'successful-ok-conflicting-attributes, or an error. The printer will do the best it can to convert between each  
1337 of the character sets that it supports--even if that means providing a string of question marks because none  
1338 of the characters are representable in US ASCII. If it can't perform such conversion, it MUST NOT  
1339 advertise us-ascii as a value of its "attributes-charset-supported" and MUST reject any request that requests  
1340 'us-ascii'.

1341 One IPP object implementation strategy is to convert all request text and name values to a Unicode internal  
1342 representation. This is 16-bit and virtually universal. Then convert to the specified operation attributes-  
1343 charset on output.

1344 Also it would be smarter for a client to ask for 'utf-8', rather than 'us-ascii' and throw away characters that it  
1345 doesn't understand, rather than depending on the code conversion of the IPP object.

1346 3.1.2.3.12 What charset to return when an unsupported charset is requested (Issue 1.19)?

1347 Section 3.1.4.1 Request Operation attributes was clarified in November 1998 as follows:

1348 All clients and IPP objects MUST support the 'utf-8' charset [RFC2044] and MAY support additional  
1349 charsets provided that they are registered with IANA [IANA-CS]. If the Printer object does not support the  
1350 client supplied charset value, the Printer object MUST reject the request, set the "attributes-charset" to 'utf-  
1351 8' in the response, and return the 'client-error-charset-not-supported' status code and any 'text' or 'name'  
1352 attributes using the 'utf-8' charset.

1353 Since the client and IPP object MUST support UTF-8, returning any text or name attributes in UTF-8 when  
1354 the client requests a charset that is not supported should allow the client to display the text or name.

1355 Since such an error is a client error, rather than a user error, the client should check the status code first so  
1356 that it can avoid displaying any other returned 'text' and 'name' attributes that are not in the charset  
1357 requested.

1358 Furthermore, [ipp-mod] section 14.1.4.14 client-error-charset-not-supported (0x040D) was clarified in  
1359 November 1998 as follows:

1360 For any operation, if the IPP Printer does not support the charset supplied by the client in the "attributes-  
1361 charset" operation attribute, the Printer MUST reject the operation and return this status and any 'text' or  
1362 'name' attributes using the 'utf-8' charset (see Section 3.1.4.1).

### 1363 3.1.2.3.13 Natural Language Override (NLO)

1364 The 'text' and 'name' attributes each have two forms. One has an implicit natural language, and the other  
1365 has an explicit natural language. The 'textWithoutLanguage' and 'textWithLanguage' are the two 'text'  
1366 forms. The 'nameWithoutLanguage' and 'nameWithLanguage' are the two 'name' forms. If a receiver (IPP  
1367 object or IPP client) supports an attribute with attribute syntax 'text', it MUST support both forms in a  
1368 request and a response. A sender (IPP client or IPP object) MAY send either form for any such attribute.  
1369 When a sender sends a WithoutLanguage form, the implicit natural language is specified in the "attributes-  
1370 natural-language" operation attribute, which all senders MUST include in every request and response.

1371 When a sender sends a WithLanguage form, it MAY be different from the implicit natural language  
1372 supplied by the sender or it MAY be the same. The receiver MUST treat either form equivalently.

1373 There is an implementation decision for senders, whether to always send the WithLanguage forms or use  
1374 the WithoutLanguage form when the attribute's natural language is the same as the request or response. The  
1375 former approach makes the sender implementation simpler. The latter approach is more efficient on the  
1376 wire and allows inter-working with non-conforming receivers that fail to support the WithLanguage forms.  
1377 As each approach have advantages, the choice is completely up to the implementer of the sender.

1378 Furthermore, when a client receives a 'text' or 'name' job attribute that it had previously supplied, that client  
1379 MUST NOT expect to see the attribute in the same form, i.e., in the same WithoutLanguage or  
1380 WithLanguage form as the client supplied when it created the job. The IPP object is free to transform the  
1381 attribute from the WithLanguage form to the WithoutLanguage form and vice versa, as long as the natural

1382 language is preserved. However, in order to meet this latter requirement, it is usually simpler for the IPP  
1383 object implementation to store the natural language explicitly with the attribute value, i.e., to store using an  
1384 internal representation that resembles the WithLanguage form.

1385 The IPP Printer MUST copy the natural language of a job, i.e., the value of the "attributes-natural-language"  
1386 operation attribute supplied by the client in the create operation, to the Job object as a Job Description  
1387 attribute, so that a client is able to query it. In returning a Get-Job-Attributes response, the IPP object MAY  
1388 return one of three natural language values in the response's "attributes-natural-language" operation  
1389 attribute: (1) that requested by the requester, (2) the natural language of the job, or (3) the configured  
1390 natural language of the IPP Printer, if the requested language is not supported by the IPP Printer.

1391 This "attributes-natural-language" Job Description attribute is useful for an IPP object implementation that  
1392 prints start sheets in the language of the user who submitted the job. This same Job Description attribute is  
1393 useful to a multi-lingual operator who has to communicate with different job submitters in different natural  
1394 languages. This same Job Description attribute is expected to be used in the future to generate notification  
1395 messages in the natural language of the job submitter.

1396 Early drafts of [IPP-MOD] contained a job-level natural language override (NLO) for the Get-Jobs  
1397 response. A job-level (NLO) is an (unrequested) Job Attribute which then specified the implicit natural  
1398 language for any other WithoutLanguage job attributes returned in the response for that job.  
1399 Interoperability testing of early implementations showed that no one was implementing the job-level NLO  
1400 in Get-Job responses. So the job-level NLO was eliminated from the Get-Jobs response. This  
1401 simplification makes all requests and responses consistent in that the implicit natural language for any  
1402 WithoutLanguage 'text' or 'name' form is always supplied in the request's or response's "attributes-natural-  
1403 language" operation attribute.

### 1404 3.1.3 Status codes returned by operation

1405 This section corresponds to [IPP-MOD] section 3.1.6 "Operation Response Status Codes and Status  
1406 Messages". This section lists all status codes once in the first operation (Print-Job). Then it lists the status  
1407 codes that are different or specialized for subsequent operations under each operation.

#### 1408 3.1.3.1 Printer Operations

##### 1409 3.1.3.1.1 Print-Job

1410 The Printer object MUST return one of the following "status-code" values for the indicated reason.  
1411 Whether all of the document data has been accepted or not before returning the success or error response  
1412 depends on implementation. See Section 13 in [IPP-MOD] for a more complete description of each status  
1413 code.

1414 For the following success status codes, the Job object has been created and the "job-id", and "job-uri"  
1415 assigned and returned in the response:

1416     successful-ok: no request attributes were substituted or ignored.

1417 successful-ok-ignored-or-substituted-attributes: some supplied (1) attributes were ignored or (2)  
1418 unsupported attribute syntaxes or values were substituted with supported values or were ignored.  
1419 Unsupported attributes, attribute syntax's, or values MUST be returned in the Unsupported  
1420 Attributes group of the response.

1421 successful-ok-conflicting-attributes: some supplied attribute values conflicted with the values of other  
1422 supplied attributes and were either substituted or ignored. Attributes or values which conflict with  
1423 other attributes and have been substituted or ignored MUST be returned in the Unsupported  
1424 Attributes group of the response as supplied by the client.  
1425

1426 [ipp-mod] section 3.1.6 Operation Status Codes and Messages states:

1427 If the Printer object supports the "status-message" operation attribute, it SHOULD use the REQUIRED 'utf-  
1428 8' charset to return a status message for the following error status codes (see section 13 in [IPP-MOD]):  
1429 'client-error-bad-request', 'client-error-charset-not-supported', 'server-error-internal-error', 'server-error-  
1430 operation-not-supported', and 'server-error-version-not-supported'. In this case, it MUST set the value of  
1431 the "attributes-charset" operation attribute to 'utf-8' in the error response.

1432 For the following error status codes, no job is created and no "job-id" or "job-uri" is returned:

1433 client-error-bad-request: The request syntax does not conform to the specification.

1434 client-error-forbidden: The request is being refused for authorization or authentication reasons. The  
1435 implementation security policy is to not reveal whether the failure is one of authentication or  
1436 authorization.

1437 client-error-not-authenticated: Either the request requires authentication information to be supplied or  
1438 the authentication information is not sufficient for authorization.

1439 client-error-not-authorized: The requester is not authorized to perform the request on the target object.

1440 client-error-not-possible: The request cannot be carried out because of the state of the system. See also  
1441 'server-error-not-accepting-jobs' status code, which MUST take precedence if the Printer object's  
1442 "printer-accepting-jobs" attribute is 'false'.

1443 client-error-timeout: not applicable.

1444 client-error-not-found: the target object does not exist.

1445 client-error-gone: the target object no longer exists and no forwarding address is known.

1446 client-error-request-entity-too-large: the size of the request and/or print data exceeds the capacity of the  
1447 IPP Printer to process it.

1448 client-error-request-value-too-long: the size of request variable length attribute values, such as 'text' and  
1449 'name' attribute syntax's, exceed the maximum length specified in [IPP-MOD] for the attribute and  
1450 MUST be returned in the Unsupported Attributes Group.

1451 client-error-document-format-not-supported: the document format supplied is not supported. The  
1452 "document-format" attribute with the unsupported value MUST be returned in the Unsupported  
1453 Attributes Group. This error SHOULD take precedence over any other 'xxx-not-supported' error,  
1454 except 'client-error-charset-not-supported'.

1455 client-error-attributes-or-values-not-supported: one or more supplied attributes, attribute syntax's, or  
1456 values are not supported and the client supplied the "ipp-attributes-fidelity" operation attribute with  
1457 a 'true' value. They MUST be returned in the Unsupported Attributes Group as explained below.  
1458

client-error-uri-scheme-not-supported: not applicable.

1459 client-error-charset-not-supported: the charset supplied in the "attributes-charset" operation attribute is  
1460 not supported. The Printer's "configured-charset" MUST be returned in the response as the value of  
1461 the "attributes-charset" operation attribute and used for any 'text' and 'name' attributes returned in the  
1462 error response. This error SHOULD take precedence over any other error, unless the request syntax  
1463 is so bad that the client's supplied "attributes-charset" cannot be determined.

1464 client-error-conflicting-attributes: one or more supplied attribute values conflicted with each other and  
1465 the client supplied the "ipp-attributes-fidelity" operation attribute with a 'true' value. They MUST  
1466 be returned in the Unsupported Attributes Group as explained below.

1467 server-error-internal-error: an unexpected condition prevents the request from being fulfilled.

1468 server-error-operation-not-supported: not applicable (since Print-Job is REQUIRED).

1469 server-error-service-unavailable: the service is temporarily overloaded.

1470 server-error-version-not-supported: the version in the request is not supported. The "closest" version  
1471 number supported MUST be returned in the response.

1472 server-error-device-error: a device error occurred while receiving or spooling the request or document  
1473 data or the IPP Printer object can only accept one job at a time.

1474 server-error-temporary-error: a temporary error such as a buffer full write error, a memory overflow, or  
1475 a disk full condition occurred while receiving the request and/or the document data.

1476 server-error-not-accepting-jobs: the Printer object's "printer-is-not-accepting-jobs" attribute is 'false'.

1477 server-error-busy: the Printer is too busy processing jobs to accept another job at this time.

1478 server-error-job-canceled: the job has been canceled by an operator or the system while the client was  
1479 transmitting the document data.

#### 1480 3.1.3.1.2 Print-URI

1481 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Print-  
1482 URI with the following specializations and differences. See Section 14 for a more complete description of  
1483 each status code.

1484 client-error-uri-scheme-not-supported: the URI scheme supplied in the "document-uri" operation  
1485 attribute is not supported and is returned in the Unsupported Attributes group.

1486 server-error-operation-not-supported: the Print-URI operation is not supported.

1487

#### 1488 3.1.3.1.3 Validate-Job

1489 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to  
1490 Validate-Job. See Section 13 in [IPP-MOD] for a more complete description of each status code.

#### 1491 3.1.3.1.4 Create-Job

1492 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Create-  
1493 Job with the following specializations and differences. See Section 13 in [IPP-MOD] for a more complete  
1494 description of each status code.

1495 server-error-operation-not-supported: the Create-Job operation is not supported.

1496 client-error-multiple-document-jobs-not-supported: while the Create-Job and Send-Document  
1497 operations are supported, this implementation doesn't support more than one document with data.

#### 1498 3.1.3.1.5 Get-Printer-Attributes

1499 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the  
1500 Get-Printer-Attributes operation with the following specialization's and differences. See Section 13 in  
1501 [IPP-MOD] for a more complete description of each status code.

1502 For the following success status codes, the requested attributes are returned in Group 3 in the response:

1503 successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1504 attributes were unsupported.

1505 successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1506 operation attribute MAY, but NEED NOT, be returned with the unsupported values.

1507 successful-ok-conflicting-attributes: same as Print-Job.

1508 For the error status codes, Group 3 is returned containing no attributes or is not returned at all:

1509 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.

1510 client-error-request-entity-too-large: same as Print-job, except that no print data is involved.

1511 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1512 MUST be ignored and 'successful-ok-ignored-or-substituted-attributes' returned.

1513 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not involved.

1514 server-error-operation-not-supported: not applicable (since Get-Printer-Attributes is REQUIRED).

1515 server-error-device-error: same as Print-Job, except that no document data is involved.

1516 server-error-temporary-error: same as Print-Job, except that no document data is involved.

1517 server-error-not-accepting-jobs: not applicable..

1518 server-error-busy: same as Print-Job, except the IPP object is too busy to accept even query requests.

1519 server-error-job-canceled: not applicable..

#### 1520 3.1.3.1.6 Get-Jobs

1521 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the  
1522 Get-Jobs operation with the following specialization's and differences. See Section 13 in [IPP-MOD] for a  
1523 more complete description of each status code.

1524 For the following success status codes, the requested attributes are returned in Group 3 in the response:

1525 successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1526 attributes were unsupported.

1527 successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1528 operation attribute MAY, but NEED NOT, be returned with the unsupported values.

1529 successful-ok-conflicting-attributes: same as Print-Job.

1530 For any error status codes, Group 3 is returned containing no attributes or is not returned at all. The  
1531 following brief error status code descriptions contain unique information for use with Get-Jobs operation.  
1532 See section 14 for the other error status codes that apply uniformly to all operations:

1533 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.  
1534 client-error-request-entity-too-large: same as Print-job, except that no print data is involved.  
1535 client-error-document-format-not-supported: not applicable.  
1536 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1537 MUST be ignored and 'successful-ok-ignored-or-substituted-attributes' returned.  
1538 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not involved.  
1539 server-error-operation-not-supported: not applicable (since Get-Jobs is REQUIRED).  
1540 server-error-device-error: same as Print-Job, except that no document data is involved.  
1541 server-error-temporary-error: same as Print-Job, except that no document data is involved.  
1542 server-error-not-accepting-jobs: not applicable.  
1543 server-error-job-canceled: not applicable.

#### 1544 3.1.3.1.7 Pause-Printer

1545 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Pause-  
1546 Printer with the following specializations and differences. See Section 13 in [IPP-MOD] for a more  
1547 complete description of each status code.

1548 For the following success status codes, the Printer object is being stopped from scheduling jobs on all its  
1549 devices.

1550 successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1551 successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
1552 successful-ok-conflicting-attributes: same as Print-Job.  
1553

1554 For any of the error status codes, the Printer object has not been stopped from scheduling jobs on all its  
1555 devices.

1556 client-error-not-possible: not applicable.  
1557 client-error-not-found: the target Printer object does not exist.  
1558 client-error-gone: the target Printer object no longer exists and no forwarding address is known.  
1559 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.  
1560 client-error-document-format-not-supported: not applicable.  
1561 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1562 jobs" attribute is not involved.  
1563 server-error-operation-not-supported: the Pause-Printer operation is not supported.  
1564 server-error-device-error: not applicable.  
1565 server-error-temporary-error: same as Print-Job, except no document data is involved.  
1566 server-error-not-accepting-jobs: not applicable.  
1567 server-error-job-canceled: not applicable.

#### 1568 3.1.3.1.8 Resume-Printer

- 1569 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the  
1570 specialization's described for Pause-Printer are applicable to Resume-Printer. See Section 13 in [IPP-  
1571 MOD] for a more complete description of each status code.
- 1572 For the following success status codes, the Printer object resumes scheduling jobs on all its devices.
- 1573     successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1574     successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
1575     successful-ok-conflicting-attributes: same as Print-Job.
- 1576 For any of the error status codes, the Printer object does not resume scheduling jobs.
- 1577     server-error-operation-not-supported: the Resume-Printer operation is not supported.  
1578
- 1579 3.1.3.1.8.1        What about Printers unable to change state due to an error condition?
- 1580 If, in case, the IPP printer is unable to change its state due to some problem with the actual printer device  
1581 (say, it is shut down or there is a media-jam as indicated in [ipp-mod]), what should be the result of the  
1582 "Resume-printer" operation? Should it still change the 'printer-state-reasons' and return success or should it  
1583 fail ?
- 1584 The 'resume-printer' operation must clear the 'paused' or 'moving-to-paused' 'printer-state-message'. The  
1585 operation must return a 'successful-ok' status code.
- 1586 3.1.3.1.8.2        How is 'printer-state' handled on Resume-Printer?
- 1587
- 1588 If "Resume-Printer" succeeds, what should be the value of 'Printer-state' and who should take care of the  
1589 'Printer-state' later on ?
- 1590 The "Resume-Printer" operation may change the "printer-state-reasons" value.
- 1591 The "printer-state" will change to one of three states:
- 1592     1. 'idle' - no additional jobs and no error conditions present  
1593     2. 'processing' - job available and no error conditions present  
1594     3. current state (i.e. no change) an error condition is present (e.g. media jam)
- 1595 In the third case the 'printer-state-reason' will be cleared by automata when it detects the error condition no  
1596 longer exists. The 'printer-state' will move to 'idle' or 'processing' when conditions permit. (i.e. no more  
1597 error conditions)
- 1598 3.1.3.1.9 Purge-Printer



1599 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the  
1600 specialization's described for Pause-Printer are applicable to Purge-Printer. See Section 13 in [IPP-MOD]  
1601 for a more complete description of each status code.

1602 For the following success status codes, the Printer object purges all it's jobs.

1603     successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1604     successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
1605     successful-ok-conflicting-attributes: same as Print-Job.

1606 For any of the error status codes, the Printer object does not purge any jobs.

1607     server-error-operation-not-supported: the Purge-Printer operation is not supported.

1608 3.1.3.2 Job Operations

1609 3.1.3.2.1 Send-Document

1610 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to the  
1611 Get-Printer-Attributes operation with the following specialization's and differences. See Section 13 in  
1612 [IPP-MOD] for a more complete description of each status code.

1613 For the following success status codes, the document has been added to the specified Job object and the  
1614 job's "number-of-documents" attribute has been incremented:

1615     successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1616     successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
1617     successful-ok-conflicting-attributes: same as Print-Job.

1618 For the error status codes, no document has been added to the Job object and the job's "number-of-  
1619 documents" attribute has not been incremented:

1620     client-error-not-possible: Same as Print-Job, except that the Printer's "printer-is-accepting-jobs"  
1621     attribute is not involved, so that the client is able to finish submitting a job that was created with a  
1622     Create-Job operation after this attribute has been set to 'true'. Another condition is that the state of  
1623     the job precludes Send-Document, i.e., the job has already been closed out by the client. However,  
1624     if the IPP Printer closed out the job due to timeout, the 'client-error-timeout' error status SHOULD  
1625     be returned instead.

1626     client-error-timeout: This request was sent after the Printer closed the job, because it has not received a  
1627     Send-Document or Send-URI operation within the Printer's "multiple-operation-time-out" period .

1628     client-error-request-entity-too-large: same as Print-Job.

1629     client-error-conflicting-attributes: same as Print-Job, except that "ipp-attributes-fidelity" operation  
1630     attribute is not involved..

1631     server-error-operation-not-supported: the Send-Document request is not supported.

1632     server-error-not-accepting-jobs: not applicable.

1633     server-error-job-canceled: the job has been canceled by an operator or the system while the client was  
1634     transmitting the data.

## 1635 3.1.3.2.2 Send-URI

1636 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the  
1637 specialization's described for Send-Document are applicable to Send-URI. See Section 13 in [IPP-MOD]  
1638 for a more complete description of each status code.

1639 client-error-uri-scheme-not-supported: the URI scheme supplied in the "document-uri" operation  
1640 attribute is not supported and the "document-uri" attribute MUST be returned in the Unsupported  
1641 Attributes group.

1642 server-error-operation-not-supported: the Send-URI operation is not supported.

1643

## 1644 3.1.3.2.3 Cancel-Job

1645 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Cancel-  
1646 Job with the following specializations and differences. See Section 13 in [IPP-MOD] for a more complete  
1647 description of each status code.

1648 For the following success status codes, the Job object is being canceled or has been canceled:

1649 successful-ok: no request attributes were substituted or ignored (same as Print-Job).

1650 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

1651 successful-ok-conflicting-attributes: same as Print-Job.

1652

1653 For any of the error status codes, the Job object has not been canceled or was previously canceled.

1654 client-error-not-possible: The request cannot be carried out because of the state of the Job object  
1655 ('completed', 'canceled', or 'aborted') or the state of the system.

1656 client-error-not-found: the target Printer and/or Job object does not exist.

1657 client-error-gone: the target Printer and/or Job object no longer exists and no forwarding address is  
1658 known.

1659 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.

1660 client-error-document-format-not-supported: not applicable.

1661 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1662 and values MUST be ignored.

1663 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1664 jobs" attribute is not involved.

1665 server-error-operation-not-supported: not applicable (Cancel-Job is REQUIRED).

1666 server-error-device-error: same as Print-Job, except no document data is involved.

1667 server-error-temporary-error: same as Print-Job, except no document data is involved.

1668 server-error-not-accepting-jobs: not applicable..

1669 server-error-job-canceled: not applicable.

## 1670 3.1.3.2.4 Get-Job-Attributes

1671 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Get-  
1672 Job-Attributes with the following specializations and differences. See Section 13 in [IPP-MOD] for a more  
1673 complete description of each status code.

1674 For the following success status codes, the requested attributes are returned in Group 3 in the response:  
1675     successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1676     attributes were unsupported.  
1677     successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1678     operation attribute MAY, but NEED NOT, be returned with the unsupported values.  
1679     successful-ok-conflicting-attributes: same as Print-Job.

1680 For the error status codes, Group 3 is returned containing no attributes or is not returned at all.  
1681     client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.  
1682     client-error-document-format-not-supported: not applicable.  
1683     client-error-attributes-or-values-not-supported: not applicable.  
1684     client-error-uri-scheme-not-supported: not applicable.  
1685     client-error-conflicting-attributes: not applicable  
1686     server-error-operation-not-supported: not applicable (since Get-Job-Attributes is REQUIRED).  
1687     server-error-device-error: same as Print-Job, except no document data is involved.  
1688     server-error-temporary-error: sane as Print-Job, except no document data is involved..  
1689     server-error-not-accepting-jobs: not applicable.  
1690     server-error-job-canceled: not applicable.

#### 1691 3.1.3.2.5 Hold-Job

1692 All of the Print-Job status codes described in Section 3.1.3.1.1 Print-Job Response are applicable to Hold-  
1693 Job with the following specializations and differences. See Section 13 in [IPP-MOD] for a more complete  
1694 description of each status code.

1695 For the following success status codes, the Job object is being held or has been held:  
1696     successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1697     successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
1698     successful-ok-conflicting-attributes: same as Print-Job.  
1699

1700 For any of the error status codes, the Job object has not been held or was previously held.  
1701     client-error-not-possible: The request cannot be carried out because of the state of the Job object  
1702     ('completed', 'canceled', or 'aborted') or the state of the system.  
1703     client-error-not-found: the target Printer and/or Job object does not exist.  
1704     client-error-gone: the target Printer and/or Job object no longer exists and no forwarding address is  
1705     known.  
1706     client-error-request-entity-too-large: same as Print-Job, except no document data is involved.  
1707     client-error-document-format-not-supported: not applicable.

- 1708 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1709 jobs" attribute is not involved.
- 1710 server-error-operation-not-supported: the Hold-Job operation is not supported.
- 1711 server-error-device-error: not applicable.
- 1712 server-error-temporary-error: same as Print-Job, except no document data is involved.
- 1713 server-error-not-accepting-jobs: not applicable.
- 1714 server-error-job-canceled: not applicable.
- 1715 3.1.3.2.6 Release-Job
- 1716 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the  
1717 specialization's described for Hold-Job are applicable to Release-Job. See Section 13 in [IPP-MOD] for a  
1718 more complete description of each status code.
- 1719 server-error-operation-not-supported: the Release-Job operation is not supported.
- 1720 3.1.3.2.7 Restart-Job
- 1721 All of the Print-Job status code descriptions in Section 3.1.3.1.1 Print-Job Response with the  
1722 specialization's described for Hold-Job are applicable to Restart-Job. See Section 13 in [IPP-MOD] for a  
1723 more complete description of each status code.
- 1724 server-error-operation-not-supported: the Restart-Job operation is not supported.
- 1725
- 1726 3.1.3.2.7.1 Can documents be added to a restarted job?
- 1727 Assume I give a Create-Job request along with a set of 5 documents . All the documents get printed and the  
1728 job state is moved to completed . I issue a Restart-Job request on the job. Now the issue is that, if I try to  
1729 add new documents to the restarted job, will the IPP Server permit me to do so or return "client-error-not-  
1730 possible " and again print those 5 jobs?
- 1731 A job can not move to the 'completed' state until all the documents have been processed. The 'last-  
1732 document' flag indicates when the last document for a job is being sent from the client. This is the semantic  
1733 equivalent of closing a job. No documents may be added once a job is closed. Section 3.3.7 of the IPP/1.1  
1734 model states "The job is moved to the 'pending' job state and restarts the beginning on the same IPP Printer  
1735 object with the same attribute values." 'number-of-documents' is a job attribute.
- 1736
- 1737
- 1738 3.1.4 Returning unsupported attributes in Get-Xxxx responses (Issue 1.18)
- 1739 In the Get-Printer-Attributes, Get-Jobs, or Get-Job-Attributes responses, the client cannot depend on getting  
1740 unsupported attributes returned in the Unsupported Attributes group that the client requested, but are not  
1741 supported by the IPP object. However, such unsupported requested attributes will not be returned in the  
1742 Job Attributes or Printer Attributes group (since they are unsupported). Furthermore, the IPP object is

1743 REQUIRED to return the 'successful-ok-ignored-or-substituted-attributes' status code, so that the client  
1744 knows that not all that was requested has been returned.

### 1745 3.1.5 Sending empty attribute groups

1746 The [IPP-MOD] and [IPP-PRO] specifications RECOMMEND that a sender not send an empty attribute  
1747 group in a request or a response. However, they REQUIRE a receiver to accept an empty attribute group as  
1748 equivalent to the omission of that group. So a client SHOULD omit the Job Template Attributes group  
1749 entirely in a create operation that is not supplying any Job Template attributes. Similarly, an IPP object  
1750 SHOULD omit an empty Unsupported Attributes group if there are no unsupported attributes to be returned  
1751 in a response.

1752 The [IPP-PRO] specification REQUIRES a receiver to be able to receive either an empty attribute group or  
1753 an omitted attribute group and treat them equivalently. The term "receiver" means an IPP object for a  
1754 request and a client for a response. The term "sender" means a client for a request and an IPP object for a  
1755 response.

1756 There is an exception to the rule for Get-Jobs when there are no attributes to be returned. [IPP-PRO]  
1757 contains the following paragraph:

1758 The syntax allows an xxx-attributes-tag to be present when the xxx-attribute-sequence that follows is  
1759 empty. The syntax is defined this way to allow for the response of Get-Jobs where no attributes are returned  
1760 for some job-objects. Although it is RECOMMENDED that the sender not send an xxx-attributes-tag if  
1761 there are no attributes (except in the Get-Jobs response just mentioned), the receiver MUST be able to  
1762 decode such syntax.

## 1763 3.2 Printer Operations

### 1764 3.2.1 Print-Job operation

#### 1765 3.2.1.1 Flow controlling the data portion of a Print-Job request (Issue 1.22)

1766 A paused printer, or one that is stopped due to paper out or jam or spool space full or buffer space full, may  
1767 flow control the data of a Print-Job operation (at the TCP/IP layer), so that the client is not able to send all  
1768 the document data. Consequently, the Printer will not return a response until the condition is changed.

1769 The Printer should not return a Print-Job response with an error code in any of these conditions, since either  
1770 the printer will be resumed and/or the condition will be freed either by human intervention or as jobs print.

1771 In writing test scripts to test IPP Printers, the script must also be written not to expect a response, if the  
1772 printer has been paused, until the printer is resumed, in order to work with all possible implementations.

#### 1773 3.2.1.2 Returning job-state in Print-Job response (Issue 1.30)

- 1774 An IPP client submits a small job via Print-Job. By the time the IPP printer/print server is putting together  
1775 a response to the operation, the job has finished printing and been removed as an object from the print  
1776 system. What should the job-state be in the response?
- 1777 The Model suggests that the Printer return a response before it even accepts the document content. The Job  
1778 Object Attributes are returned only if the IPP object returns one of the success status codes. Then the job-  
1779 state would always be "pending" or "pending-held".
- 1780 This issue comes up for the implementation of an IPP Printer object as a server that forwards jobs to  
1781 devices that do not provide job status back to the server. If the server is reasonably certain that the job  
1782 completed successfully, then it should return the job-state as 'completed'. Also the server can keep the job  
1783 in its "job history" long after the job is no longer in the device. Then a user could query the server and see  
1784 that the job was in the 'completed' state and completed as specified by the jobs "time-at-completed" time,  
1785 which would be the same as the server submitted the job to the device.
- 1786 An alternative is for the server to respond to the client before or while sending the job to the device, instead  
1787 of waiting until the server has finished sending the job to the device. In this case, the server can return the  
1788 job's state as 'pending' with the 'job-outgoing' value in the job's "job-state-reasons" attribute.
- 1789 If the server doesn't know for sure whether the job completed successfully (or at all), it could return the  
1790 (out-of-band) 'unknown' value.
- 1791 On the other hand, if the server is able to query the device and/or setup some sort of event notification that  
1792 the device initiates when the job makes state transitions, then the server can return the current job state in  
1793 the Print-Job response and in subsequent queries because the server knows what the job state is in the  
1794 device (or can query the device).
- 1795 All of these alternatives depend on implementation of the server and the device.
- 1796 3.2.2 Get-Printer-Attributes operation
- 1797 If a Printer supports the "printer-make-and-model" attribute and returns the .INF file model name of the  
1798 printer in that attribute, the Microsoft client will automatically install the correct driver (if available).
- 1799 Clients which poll periodically for printer status or queued-job-count should use the "requested-attributes"  
1800 operation attribute to limit the scope of the query in order to save Printer and network resources.
- 1801 3.2.3 Get-Jobs operation
- 1802 3.2.3.1 Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?
- 1803 In [IPP-MOD] section 3.2.6.1 'Get-Jobs Request', if the attribute 'my-jobs' is present and set to TRUE,  
1804 MUST the 'requesting-user-name' attribute be there too, and if it's not present what should the IPP printer  
1805 do?

1806 [IPP-MOD] Section 8.3 describes the various cases of "requesting-user-name" being present or not for any  
1807 operation. If the client does not supply a value for "requesting-user-name", the printer MUST assume that  
1808 the client is supplying some anonymous name, such as "anonymous".

#### 1809 3.2.3.2 Why is there a "limit" attribute in the Get-Jobs operation?

1810 When using the Get-Jobs operation a client implementer might choose to limit the number of jobs that the  
1811 client shows on the first screenful. For example, if its UI can only display 50 jobs, it can defend itself  
1812 against a printer that would otherwise return 500 jobs, perhaps taking a long time on a slow dial-up line.  
1813 The client can then go and ask for a larger number of jobs in the background, while showing the user the  
1814 first 50 jobs. Since the job history is returned in reverse order, namely the most recently completed jobs are  
1815 returned first, the user is most likely interested in the first jobs that are returned. Limiting the number of  
1816 jobs may be especially useful for a client that is requesting 'completed' jobs from a printer that keeps a long  
1817 job history. Clients that don't mind sometimes getting very large responses, can omit the "limit" attribute in  
1818 their Get-Jobs requests.

#### 1819 3.2.4 Create-Job operation

1820 A Printer may respond to a Create-Job operation with "job-state" 'pending' or 'pending-held' and "job-state-  
1821 reason" 'job-data-insufficient' to indicate that operation has been accepted by the Printer, but the Printer is  
1822 expecting additional document data before it can move the job into the 'processing' state. Alternatively, it  
1823 may respond with "job-state" 'processing' and "job-state-reason" 'job-incoming' to indicate that the Create-  
1824 Job operation has been accepted by the Printer, but the Printer is expecting additional Send-Document  
1825 and/or Send-URI operations and/or is accessing/accepting document data. The second alternative is for  
1826 non-spooling Printers that don't implement the 'pending' state.

1827 Should the server wait for the "last-document" operation attribute set to 'true' before starting to "process"  
1828 the job?

1829 It depends on implementation. Some servers spool the entire job, including all document data, before  
1830 starting to process, so such an implementation would wait for the "last-document" before starting to process  
1831 the job. If the time-out occurs without the "last-document", then the server takes one of the indicated  
1832 actions in section 3.3.1 in the [IPP-MOD] document. Other servers will start to process document data as  
1833 soon as they have some. These are the so-called "non-spooling" printers. Currently, there isn't a way for a  
1834 client to determine whether the Printer will spool all the data or will start to process (and print) as soon as it  
1835 has some data.

### 1836 3.3 Job Operations

#### 1837 3.3.1 Validate-Job

1838 The Validate-Job operation has been designed so that its implementation may be a part of the Print-Job  
1839 operation. Therefore, requiring Validate-Job is not a burden on implementers. Also it is useful for client's

1840 to be able to count on its presence in all conformance implementations, so that the client can determine  
1841 before sending a long document, whether the job will be accepted by the IPP Printer or not.

### 1842 3.3.2 Restart-Job

1843 The Restart-Job operation allows the reprocessing of a completed job. Some jobs store the document data  
1844 on the printer. Jobs created using the Print-Job operation are an example. It is required that the printer  
1845 retains the job data after the job has moved to a 'completed state' in order for the Restart-Job operation to  
1846 succeed.

1847 Some jobs contain only a reference to the job data. A job created using the Print-URI is an example of such  
1848 a job. When the Restart-Job operation is issued the job is reprocessed. The job data **MUST** be retrieved  
1849 again to print the job.

1850 It is possible that a job fails while attempting to access the print data. When such a job is the target of a  
1851 Restart-Job the Printer **SHALL** attempt to retrieve the job data again.

## 1852 4 Object Attributes

### 1853 4.1 Attribute Syntax's

#### 1854 4.1.1 The 'none' value for empty sets (Issue 1.37)

1855 [IPP-MOD] states that the 'none' value should be used as the value of a 1setOf when the set is empty. In  
1856 most cases, sets that are potentially empty contain keywords so the keyword 'none' is used, but for the 3  
1857 finishings attributes, the values are enums and thus the empty set is represented by the enum 3. Currently  
1858 there are no other attributes with 1setOf values, which can be empty and can contain values that are not  
1859 keywords. This exception requires special code and is a potential place for bugs. It would have been better  
1860 if we had chosen an out-of-band value, either "no-value" or some new value, such as 'none'. Since we  
1861 didn't, implementations have to deal with the different representations of 'none', depending on the attribute  
1862 syntax.

#### 1863 4.1.2 Multi-valued attributes (Issue 1.31)

1864 What is the attribute syntax for a multi-valued attribute? Since some attributes support values in more than  
1865 one data type, such as "media", "job-hold-until", and "job-sheets", IPP semantics associate the attribute  
1866 syntax with each value, not with the attribute as a whole. The protocol associates the attribute syntax tag  
1867 with each value. Don't be fooled, just because the attribute syntax tag comes before the attribute keyword.  
1868 All attribute values after the first have a zero length attribute keyword as the indication of a subsequent  
1869 value of the same attribute.

#### 1870 4.1.3 Case Sensitivity in URIs (issue 1.6)



1871 IPP client and server implementations must be aware of the diverse uppercase/lowercase nature of URIs.  
1872 RFC 2396 defines URL schemes and Host names as case insensitive but reminds us that the rest of the URL  
1873 may well demonstrate case sensitivity. When creating URL's for fields where the choice is completely  
1874 arbitrary, it is probably best to select lower case. However, this cannot be guaranteed and implementations  
1875 MUST NOT rely on any fields being case-sensitive or case-insensitive in the URL beyond the URL scheme  
1876 and host name fields.

1877 The reason that the IPP specification does not make any restrictions on URIs, is so that implementations of  
1878 IPP may use off-the-shelf components that conform to the standards that define URIs, such as RFC 2396  
1879 and the HTTP/1.1 specifications [RFC2616]. See these specifications for rules of matching, comparison,  
1880 and case-sensitivity.

1881 It is also recommended that System Administrators and implementations avoid creating URLs for different  
1882 printers that differ only in their case. For example, don't have Printer1 and printer1 as two different IPP  
1883 Printers.

1884 Example of equivalent URI's

1885 `http://abc.com:80/~smith/home.html`

1886 `http://ABC.com/%7Esmith/home.html`

1887 `http://ABC.com:/%7esmith/home.html`

1888 Example of equivalent URI's using the IPP scheme

1889 `ipp://abc.com:631/~smith/home.html`

1890 `ipp://ABC.com/%7Esmith/home.html`

1891 `http://ABC.com:631/%7esmith/home.html`

1892 The HTTP/1.1 specification [RFC2616] contains more details on comparing URLs.

1893 4.1.4 Maximum length for xxxWithLanguage and xxxWithoutLanguage

1894 The 'textWithLanguage' and 'nameWithLanguage' are compound syntaxes that have two components. The  
1895 first component is the 'language' component that can contain up to 63 octets. The second component is the  
1896 'text' or 'name' component. The maximum length of these are 1023 octets and 255 octets respectively. The  
1897 definition of attributes with either syntax may further restrict the length. (e.g. printer-name (name(127)))

1898 The length of the 'language' component has no effect on the allowable length of 'text' in 'textWithLanguage'  
1899 or the length of 'name' in 'nameWithLanguage'

1900 4.2 Job Template Attributes

1901 4.2.1 multiple-document-handling(type2 keyword)

1902 4.2.1.1 Support of multiple document jobs

1903 IPP/1.0 is silent on which of the four effects an implementation would perform if it supports Create-Job, but  
1904 does not support "multiple-document-handling" or multiple documents per job. IPP/1.1 was changed so  
1905 that a Printer could support Create-Job without having to support multiple document jobs. The "multiple-  
1906 document-jobs-supported" (boolean) Printer description attribute was added to IPP/1.1 along with the  
1907 'server-error-multiple-document-jobs-not-supported' status code for a Printer to indicate whether or not it  
1908 supports multiple document jobs, when it supports the Create-Job operation. Also IPP/1.1 was clarified  
1909 that the Printer MUST support the "multiple-document-handling" (type2 keyword) Job Template attribute  
1910 with at least one value if the Printer supports multiple documents per job.

1911 4.3 Job Description Attributes

1912 The time-at-creation, time-at-processing, and time-at-completed attributes may be returned in integer time  
1913 ticks or absolute dateTime syntax. There are various ways for a Printer to get the time of day. Some  
1914 suggestions:

- 1915 1. A Printer can get time from an NTP timeserver if there's one reachable on the network . See  
1916 RFC 1305. Also DHCP option 32 in RFC 2132 returns the IP address of the NTP server.
- 1917 2. Get the date and time at startup from a human operator
- 1918 3. Have an operator set the date and time using a web administrative interface
- 1919 4. Get the date and time from incoming HTTP requests, though the problems of spoofing need  
1920 to be considered. Perhaps comparing several HTTP requests could reduce the chances of spoofing.
- 1921 5. Internal date time clock battery driven.
- 1922 6. Query "<http://tycho.usno.navy.mil/cgi-bin/timer.pl>"

1923 4.4 Printer Description Attributes

1924 4.4.1 queued-job-count

1925 4.4.1.1 Why is "queued-job-count" RECOMMENDED (Issue 1.14)?

1926 The reason that "queued-job-count" is RECOMMENDED, is that some clients look at that attribute alone  
1927 when summarizing the status of a list of printers, instead of doing a Get-Jobs to determine the number of  
1928 jobs in the queue. Implementations that fail to support the "queued-job-count" will cause that client to  
1929 display 0 jobs when there are actually queued jobs.

1930 We would have made it a REQUIRED Printer attribute, but some implementations had already been  
1931 completed before the issue was raised, so making it a SHOULD was a compromise.

1932 4.4.1.2 Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)?

1933 The "queued-job-count" is not a good measure of how busy the printer is when there are held jobs. A future  
1934 registration could be to add a "held-job-count" (or an "active-job-count") Printer Description attribute if  
1935 experience shows that such an attribute (combination) is needed to quickly indicate how busy a printer  
1936 really is.

1937 4.4.2 printer-current-time (dateTime)

1938 A Printer implementation MAY support this attribute by obtaining the date and time by any number of  
1939 implementation-dependent means at startup or subsequently. Examples include:

- 1940 1. an internal date time clock,
- 1941 2. from the operator at startup using the console,
- 1942 3. from an operator using an administrative web page,
- 1943 4. from HTTP headers supplied in client requests,
- 1944 5. use HTTP to query "<http://tycho.usno.navy.mil/cgi-bin/timer.pl>"
- 1945 6. from the network, using NTP [RFC1305] or DHCP option 32 [RFC2132] that returns the IP address  
1946 of the NTP server.

1947 If an implementation supports this attribute by obtaining the current time from the network (at startup or  
1948 later), but the time is not available, then the implementation MUST return the value of this attribute using  
1949 the out-of-band 'no-value' meaning not configured. See the beginning of section 4.1.

1950 Since the new "date-and-time-at-xxx" Job Description attributes refer to the "printer-current-time", they  
1951 will be covered also.

1952 4.4.3 'Printer-uri

1953 Must the operational attribute for printer-uri match one of the values in printer-uri-supported?

1954 A forgiving printer implementation would not reject the operation. But the implementation has its rights to  
1955 reject a printer or job operation if the operational attribute printer-uri is not a value of the printer-uri-  
1956 supported. The printer may not be improperly configured. The request obviously reached the printer. The  
1957 printer could treat the printer-uri as the logical equivalent of a value in the printer-uri-supported. It would  
1958 be implementation dependent for which value, and associated security policy, would apply. This does also  
1959 apply to a job object specified with a printer-uri and job-id, or with a job-uri. See section 4.1.3 for how to  
1960 compare URI's.

## 1961 4.5 Empty Jobs

1962 The IPP object model does not prohibit a job that contains no documents. Such a job may be created in a  
1963 number of ways including a 'create-job' followed by an 'add-document' that contains no data and has the  
1964 'last-document' flag set.

1965 An empty job is processed just as any other job. The operation that "closes" an empty job is not rejected  
1966 because the job is empty. If no other conditions exist, other than the job is empty, the response to the  
1967 operation will indicate success. After the job is scheduled and processed, the job state SHALL be  
1968 'completed'

1969 There will be some variation in the value(s) of the 'job-state-reasons' attribute. It is required that if no  
1970 conditions, other than the job being empty, exist the 'job-state-reasons' SHALL include the 'completed-  
1971 successfully'. If other conditions existed, the 'completed-with-warnings' or 'completed-with-errors' values  
1972 may be used."

1973 **5 Directory Considerations**

## 1974 5.1 General Directory Schema Considerations

1975 The [ipp-mod] document lists RECOMMENDED and OPTIONAL Printer object attributes for directory  
1976 schemas. See [ipp-mod] APPENDIX E: Generic Directory Schema.

1977 The SLP printer template is defined in the "Definition of the Printer Abstract Service Type v2.0" document  
1978 [svrloc-printer]. The LDAP printer template is defined in the "Internet Printing Protocol (IPP): LDAP  
1979 Schema for Printer Services" document [ldap-printer]. Both documents systematically add "printer-" to any  
1980 attribute that doesn't already start with "printer-" in order to keep the printer directory attributes distinct  
1981 from other directory attributes. Also, instead of using "printer-uri-supported", "uri-authentication-  
1982 supported", and "uri-security-supported", they use a "printer-xri-supported" attribute with special syntax to  
1983 contain all of the same information in a single attribute.

## 1984 5.2 IPP Printer with a DNS name

1985 If the IPP printer has a DNS name should there be at least two values for the printer-uri-supported attribute.  
1986 One URL with the fully qualified DNS name the other with the IP address in the URL?

1987 The printer may contain one or the other or both. It's up to the administrator to configure this attribute.

1988 **6 Security Considerations**

1989 This section corresponds to the IPP-MOD Section 8 "Security Considerations.

## 1990 6.1 Querying jobs with IPP that were submitted using other job submission protocols (Issue 1.32)

1991 The following clarification was added to [IPP-MOD] section 8.5:

1992       8.5 Queries on jobs submitted using non-IPP protocols

1993 If the device that an IPP Printer is representing is able to accept jobs using other job submission protocols  
1994 in addition to IPP, it is RECOMMEND that such an implementation at least allow such "foreign" jobs to be  
1995 queried using Get-Jobs returning "job-id" and "job-uri" as 'unknown'. Such an implementation NEED NOT  
1996 support all of the same IPP job attributes as for IPP jobs. The IPP object returns the 'unknown' out-of-band  
1997 value for any requested attribute of a foreign job that is supported for IPP jobs, but not for foreign jobs.

1998 It is further RECOMMENDED, that the IPP Printer generate "job-id" and "job-uri" values for such "foreign  
1999 jobs", if possible, so that they may be targets of other IPP operations, such as Get-Job-Attributes and  
2000 Cancel-Job. Such an implementation also needs to deal with the problem of authentication of such foreign  
2001 jobs. One approach would be to treat all such foreign jobs as belonging to users other than the user of the  
2002 IPP client. Another approach would be for the foreign job to belong to 'anonymous'. Only if the IPP client  
2003 has been authenticated as an operator or administrator of the IPP Printer object, could the foreign jobs be  
2004 queried by an IPP request. Alternatively, if the security policy were to allow users to query other users'  
2005 jobs, then the foreign jobs would also be visible to an end-user IPP client using Get-Jobs and Get-Job-  
2006 Attributes.

2007 Thus IPP MAY be implemented as a "universal" protocol that provides access to jobs submitted with any  
2008 job submission protocol. As IPP becomes widely implemented, providing a more universal access makes  
2009 sense.

## 2010 **7 Encoding and Transport**

2011 This section discusses various aspects of IPP/1.1 Encoding and Transport [IPP-PRO].

2012 A server is not required to send a response until after it has received the client's entire request. Hence, a  
2013 client must not expect a response until after it has sent the entire request. However, we recommend that the  
2014 server return a response as soon as possible if an error is detected while the client is still sending the data,  
2015 rather than waiting until all of the data is received. Therefore, we also recommend that a client listen for an  
2016 error response that an IPP server MAY send before it receives all the data. In this case a client, if chunking  
2017 the data, can send a premature zero-length chunk to end the request before sending all the data (and so the  
2018 client can keep the connection open for other requests, rather than closing it). If the request is blocked for  
2019 some reason, a client MAY determine the reason by opening another connection to query the server using  
2020 Get-Printer-Attributes.

2021 IPP, by design, uses TCP's built-in flow control mechanisms [RFC 793] to throttle clients when Printers are  
2022 busy. Therefore, it is perfectly normal for an IPP client transmitting a Job to be blocked for a really long  
2023 time. Accordingly, socket timeouts must be avoided. Some socket implementations have a timeout option,  
2024 which specifies how long a write operation on a socket can be blocked before it times out and the blocking  
2025 ends. A client should set this option for infinite timeout when transmitting Job submissions.

2026 Some IPP client applications might be able to perform other useful work while a Job transmission is  
2027 blocked. For example, the client may have other jobs that it could transmit to other Printers simultaneously.  
2028 A client may have a GUI, which must remain responsive to the user while the Job transmission is blocked.

2029 These clients should be designed to spawn a thread to handle the Job transmission at its own pace, leaving  
 2030 the main application free to do other work. Alternatively, single-threaded applications could use non-  
 2031 blocking I/O.

2032 Some Printer conditions, such as jam or lack of paper, could cause a client to be blocked indefinitely.  
 2033 Clients may open additional connections to the Printer to Get-Printer-Attributes, determine the state of the  
 2034 device, alert a user if the printer is stopped, and let a user decide whether to abort the job transmission or  
 2035 not.

2036 In the following sections, there are tables of all HTTP headers, which describe their use in an IPP client or  
 2037 server. The following is an explanation of each column in these tables.

- 2038 - the "header" column contains the name of a header
- 2039 - the "request/client" column indicates whether a client sends the header.
- 2040 - the "request/ server" column indicates whether a server supports the header when received.
- 2041 - the "response/ server" column indicates whether a server sends the header.
- 2042 - the "response /client" column indicates whether a client supports the header when received.
- 2043 - the "values and conditions" column specifies the allowed header values and the conditions for  
 2044 the header to be present in a request/response.

2045 The table for "request headers" does not have columns for responses, and the table for "response headers"  
 2046 does not have columns for requests.

2047 The following is an explanation of the values in the "request/client" and "response/ server" columns.

- 2048 - **must:** the client or server MUST send the header,
- 2049 - **must-if:** the client or server MUST send the header when the condition described in the "values  
 2050 and conditions" column is met,
- 2051 - **may:** the client or server MAY send the header
- 2052 - **not:** the client or server SHOULD NOT send the header. It is not relevant to an IPP  
 2053 implementation.

2054 The following is an explanation of the values in the "response/client" and "request/ server" columns.

- 2055 - **must:** the client or server MUST support the header,
- 2056 - **may:** the client or server MAY support the header
- 2057 - **not:** the client or server SHOULD NOT support the header. It is not relevant to an IPP  
 2058 implementation.

## 2059 7.1 General Headers

2060 The following is a table for the general headers.

General-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Cache-Control	must	not	must	not	"no-cache" only

General-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Connection	must-if	must	must-if	must	"close" only. Both client and server SHOULD keep a connection for the duration of a sequence of operations. The client and server MUST include this header for the last operation in such a sequence.
Date	may	may	must	may	per RFC 1123 [RFC1123] from RFC 2616 [RFC2616]
Pragma	must	not	must	not	"no-cache" only
Transfer-Encoding	must-if	must	must-if	must	"chunked" only . Header MUST be present if Content-Length is absent.
Upgrade	not	not	not	not	
Via	not	not	not	not	

## 2061 7.2 Request Headers

2062 The following is a table for the request headers.

Request-Header	Client	Server	Request Values and Conditions
Accept	may	must	"application/ipp" only. This value is the default if the client omits it
Accept-Charset	not	not	Charset information is within the application/ipp entity
Accept-Encoding	may	must	empty and per RFC 2616 [RFC2616] and IANA registry for content-codings
Accept-Language	not	not	language information is within the application/ipp entity
Authorization	must-if	must	per RFC 2616. A client MUST send this header when it receives a 401 "Unauthorized" response and does not receive a "Proxy-Authenticate" header.
From	not	not	per RFC 2616. Because RFC recommends sending this header only with the user's approval, it is not very useful

<b>Request-Header</b>	<b>Client</b>	<b>Server</b>	<b>Request Values and Conditions</b>
Host	must	must	per RFC 2616
If-Match	not	not	
If-Modified-Since	not	not	
If-None-Match	not	not	
If-Range	not	not	
If-Unmodified-Since	not	not	
Max-Forwards	not	not	
Proxy-Authorization	must-if	not	per RFC 2616. A client <b>MUST</b> send this header when it receives a 401 "Unauthorized" response and a "Proxy-Authenticate" header.
Range	not	not	
Referrer	not	not	
User-Agent	not	not	

## 2063 7.3 Response Headers

2064 The following is a table for the request headers.

<b>Response-Header</b>	<b>Server</b>	<b>Client</b>	<b>Response Values and Conditions</b>
Accept-Ranges	not	not	
Age	not	not	
Location	must-if	may	per RFC 2616. When URI needs redirection.
Proxy-Authenticate	not	must	per RFC 2616
Public	may	may	per RFC 2616
Retry-After	may	may	per RFC 2616
Server	not	not	
Vary	not	not	
Warning	may	may	per RFC 2616
WWW-Authenticate	must-if	must	per RFC 2616. When a server needs to authenticate a client.



## 2065 7.4 Entity Headers

2066 The following is a table for the entity headers.

Entity-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Allow	not	not	not	not	
Content-Base	not	not	not	not	
Content-Encoding	may	must	must	must	per RFC 2616 and IANA registry for content codings.
Content-Language	not	not	not	not	Application/ipp handles language
Content-Length	must-if	must	must-if	must	the length of the message-body per RFC 2616. Header MUST be present if Transfer-Encoding is absent..
Content-Location	not	not	not	not	
Content-MD5	may	may	may	may	per RFC 2616
Content-Range	not	not	not	not	
Content-Type	must	must	must	must	"application/ipp" only
ETag	not	not	not	not	
Expires	not	not	not	not	
Last-Modified	not	not	not	not	

## 2067 7.5 Optional support for HTTP/1.0

2068 IPP implementations consist of an HTTP layer and an IPP layer. In the following discussion, the term  
 2069 "client" refers to the HTTP client layer and the term "server" refers to the HTTP server layer. The Encoding  
 2070 and Transport document [IPP-PRO] requires that HTTP 1.1 MUST be supported by all clients and all  
 2071 servers. However, a client and/or a server implementation may choose to also support HTTP 1.0.

2072 – This option means that a server may choose to communicate with a (non-conforming) client that only  
 2073 supports HTTP 1.0. In such cases the server should not use any HTTP 1.1 specific parameters or features  
 2074 and should respond using HTTP version number 1.0.

2075 – This option also means that a client may choose to communicate with a (non-conforming) server that  
2076 only supports HTTP 1.0. In such cases, if the server responds with an HTTP 'unsupported version number'  
2077 to an HTTP 1.1 request, the client should retry using HTTP version number 1.0.

## 2078 7.6 HTTP/1.1 Chunking

### 2079 7.6.1 Disabling IPP Server Response Chunking

2080 Clients **MUST** anticipate that the HTTP/1.1 server may chunk responses and **MUST** accept them in  
2081 responses. However, a (non-conforming) HTTP client that is unable to accept chunked responses may  
2082 attempt to request an HTTP 1.1 server not to use chunking in its response to an operation by using the  
2083 following HTTP header:

2084       TE: identity

2085 This mechanism should not be used by a server to disable a client from chunking a request, since chunking  
2086 of document data is an important feature for clients to send long documents.

### 2087 7.6.2 Warning About the Support of Chunked Requests

2088 This section describes some problems with the use of chunked requests and HTTP/1.1 servers.

2089 The HTTP/1.1 standard [RFC2616] requires that conforming servers support chunked requests for any  
2090 method. However, in spite of this requirement, some HTTP/1.1 implementations support chunked  
2091 responses in the GET method, but do not support chunked POST method requests. Some HTTP/1.1  
2092 implementations that support CGI scripts [CGI] and/or servlets [Servlet] require that the client supply a  
2093 Content-Length. These implementations might reject a chunked POST method and return a 411 status code  
2094 (Length Required), might attempt to buffer the request and run out of room returning a 413 status code  
2095 (Request Entity Too Large), or might successfully accept the chunked request.

2096 Because of this lack of conformance of HTTP servers to the HTTP/1.1 standard, the IPP standard [IPP-  
2097 PRO] **REQUIRES** that a conforming IPP Printer object implementation support chunked requests and that  
2098 conforming clients accept chunked responses. Therefore, IPP object implementers are warned to seek  
2099 HTTP server implementations that support chunked POST requests in order to conform to the IPP standard  
2100 and/or use implementation techniques that support chunked POST requests.

## 2101 **8 References**

2102 [CGI]

2103       CGI/1.1 (<http://www.ietf.org/internet-drafts/draft-coar-cgi-v11-00.txt>).

2104 [IPP-MOD]

2105       R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and  
2106       Semantics", draft-ietf-ipp-model-v11-06.txt, March 1, 2000.

- 2107 [IPP-PRO]  
2108 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and  
2109 Transport", draft-ietf-ipp-protocol-v11-05.txt, March 1, 2000.
- 2110 [ldap-printer]  
2111 Fleming, P., Jones, K., Lewis, H., McDonald, I., "Internet Printing Protocol (IPP): LDAP Schema  
2112 for Printer Services", <draft-ietf-ipp-ldap-printer-schema-01.txt>, work in progress, April 27, 2000.
- 2113 [RFC793]  
2114 J. Postel, "Transmission Control Protocol", RFC 793.
- 2115 [RFC1123]  
2116 Braden, S., "Requirements for Internet Hosts - Application and Support", RFC 1123, October, 1989.
- 2117 [RFC2026]  
2118 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 2119 [RFC2119]  
2120 S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119, March  
2121 1997.
- 2122 [RFC2396]  
2123 Berners-Lee, T., Fielding, R., Masinter, L., "Uniform Resource Identifiers (URI): Generic  
2124 Syntax", RFC 2396, August 1998.
- 2125 [RFC2565]  
2126 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and  
2127 Semantics", RFC 2566, April 1999.
- 2128 [RFC2566]  
2129 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and  
2130 Transport", RFC 2565, April 1999.
- 2131 [RFC2567]  
2132 Wright, D., "Design Goals for an Internet Printing Protocol", draft-ietf-ipp-req-03.txt, November,  
2133 1998.
- 2134 [RFC2568]  
2135 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",  
2136 RFC 2568, April 1999.
- 2137 [RFC2569]  
2138 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC  
2139 2569, April 1999.
- 2140 [RFC2616]

- 2141 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext  
2142 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.
- 2143 [Servlet]  
2144 Servlet Specification Version 2.1 (<http://java.sun.com/products/servlet/2.1/index.html>).
- 2145 [svrloc-printer]  
2146 St. Pierre, P., Isaacson, S., McDonald, I., "Definition of the Printer Abstract Service Type v2.0",  
2147 <draft-ietf-svrloc-printer-scheme-06.txt>, work in progress, March 8, 2000.
- 2148 [SSL]  
2149 Netscape, The SSL Protocol, Version 3, (Text version 3.02), November 1996.

## 2150 **9 Authors' Address**

- 2151 Thomas N. Hastings  
2152 Xerox Corporation  
2153 701 Aviation Blvd.  
2154 El Segundo, CA 90245  
2155 [hastings@cp10.es.xerox.com](mailto:hastings@cp10.es.xerox.com)  
2156
- 2157 Carl-Uno Manros  
2158 Xerox Corporation  
2159 701 Aviation Blvd.  
2160 El Segundo, CA 90245  
2161 [manros@cp10.es.xerox.com](mailto:manros@cp10.es.xerox.com)  
2162
- 2163 Carl Kugler  
2164 Mail Stop 003G  
2165 IBM Printing Systems Co  
2166 6300 Diagonal Hwy  
2167 Boulder CO 80301  
2168 [Kugler@us.ibm.com](mailto:Kugler@us.ibm.com)  
2169
- 2170 Henrik Holst  
2171 i-data Printing Systems  
2172 Vadstrupvej 35-43  
2173 2880 Bagsvaerd, Denmark  
2174 [hh@i-data.com](mailto:hh@i-data.com)  
2175
- 2176 Peter Zehler  
2177 Xerox Corporation  
2178 800 Philips Road  
2179 Webster, NY 14580  
2180

2181 Phone: 716 265-8755  
2182 peter.zehler@usa.xerox.com

## 2183 **10 Notices**

2184 The IETF takes no position regarding the validity or scope of any intellectual property or other rights that  
2185 might be claimed to pertain to the implementation or use of the technology described in this document or  
2186 the extent to which any license under such rights might or might not be available; neither does it represent  
2187 that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to  
2188 rights in standards-track and standards-related documentation can be found in BCP-11[BCP-11]. Copies of  
2189 claims of rights made available for publication and any assurances of licenses to be made available, or the  
2190 result of an attempt made to obtain a general license or permission for the use of such proprietary rights by  
2191 implementers or users of this specification can be obtained from the IETF Secretariat.

2192 The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications,  
2193 or other proprietary rights, which may cover technology that may be required to practice this standard.  
2194 Please address the information to the IETF Executive Director.

2195 Copyright (C) The Internet Society (1999). All Rights Reserved

2196 This document and translations of it may be copied and furnished to others, and derivative works that  
2197 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and  
2198 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and  
2199 this paragraph are included on all such copies and derivative works. However, this document itself may not  
2200 be modified in any way, such as by removing the copyright notice or references to the Internet Society or  
2201 other Internet organizations, except as needed for the purpose of developing Internet standards in which  
2202 case the procedures for copyrights defined in the Internet Standards process must be followed, or as  
2203 required to translate it into languages other than English.

2204 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its  
2205 successors or assigns.

2206 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET  
2207 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,  
2208 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE  
2209 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED  
2210 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## 2211 **11 Change History (to be removed at time of RFC publishing)**

2212 The change history is in *reverse* chronological order:

2213 11.1 Changes from 000509 to 000530

2214 The following changes were made to the 5/09/00 version to make the 5/30/00 version:

- 2215 1. Added section 5.1 on General Directory Considerations which includes references to SLP and LDAPA  
2216 Printer schemas and their introduction of the "printer-xri-supported" attribute which combines "printer-  
2217 uri-supported", "uri-security-supported", and "uri-authentication-supported" attributes.
- 2218 11.2 Changes from 990927 to 000509
- 2219 The following changes were made to the 9/27/99 version to make the 5/09/00 version:
- 2220 1. Table 5 - Corrected some attributes returned by Send-Document and Send-URI to be the same as Print-  
2221 Job as in [ipp-mod].
- 2222 2. Corrected several uses of 'client-error-bad-syntax' to be 'client-error-bad-request' as in the [ipp-mod].
- 2223 3. Added section 3.1.3.1.8.1 to clarify what Resume-Printer does if the Printer is unable to resume the  
2224 output device and section 3.1.3.1.8.2 about the "printer-state" for such a condition.
- 2225 4. Added section 3.3.2 to indicate that on a Restart-Job that a Printer MUST re-fetch the document data  
2226 when the job was created with Print-URI or Send-URI.
- 2227 5. Section 4.1.4 - clarified that the length field for 'textWithLanguage' and 'nameWithLanguage' does *not*  
2228 include the language field, so that the same maximum length of the data applies to the WithLanguage as  
2229 the WithoutLanguage types, not counting the language field.
- 2230 6. Added section 4.5 about empty jobs, i.e., with no documents. They are processed as any other job,  
2231 possibly producing start and/or end sheets.
- 2232 11.3 Changes from 990914 to 990927
- 2233 1. Add comments about this document is also IPP/1.0 relevant.
- 2234 2. Section 4.1.3: Add more examples of URI's with the port 631 and the ipp scheme.
- 2235 3. Section 4.4.3: Move the DNS stuff to the 'how to compare URI's.
- 2236 4. Section 4.4.3.2: Swap lines, first tell about the forgiven printer and then what the printer is allowed to  
2237 do.
- 2238 5. Fixed some errors in the Summary Attribute tables 1-5 and broke them into five portrait tables, so that it  
2239 can be made into plain text for INTERNET-DRAFTS.
- 2240 11.4 Changes from 990726 to 990914:
- 2241 1. Added IPP/1.1 operations and attributes to table 1.
- 2242 2. Validate version: Added text and table from issue 32

- 2243 3. Printer-uri-supported: Added section 4.4.3
- 2244 4. Added IPP/1.1 operations to section 3.1.2.1.4.3
- 2245 5. Added answer to question "Should the server wait for the "last-document" operation attribute set to  
2246 'true' before starting to "process" the job?" in section 3.2.4
- 2247 6. Changed 'server-error-uri-scheme-not-supported' to 'client-error-uri-scheme-not-supported' in section  
2248 3.1.2.1.5 when talking about the 'document-uri' attribute.
- 2249 7. Added 'Suggested Operation Processing Steps' and 'Suggested Additional Processing Steps for  
2250 Operations that Create/Validate Jobs and Add Document' flow-chart overview.
- 2251 11.5 Changes to produce the February 12, 1999 version from the January 8, 1999 version:
- 2252 1. Section 2.2.1.5: added check for document not found or accessible in Print-URI and Send-URI
- 2253 2. Section 3.6.2: Clarified that the IPP standard requires that servers **MUST** accept chunked requests  
2254 and that clients **MUST** accept chunked responses, in spite of the lack of conformance of HTTP  
2255 servers to the HTTP/1.1 requirement to support chunking.
- 2256 11.6 Changes to produce the January 8, 1999 version from the December 6, 1998 version:
- 2257 1. Added section 3.6.2: Warning About the Use of Chunked Requests with CGI Script  
2258 Implementations
- 2259 2. Section 2.2.1.2: changed "printer-operations-supported" to "operations-supported".
- 2260 3. Section 2.2.1.6: changed "job-media-supported" to "job-media-sheets-supported"
- 2261 4. Section 2.2.3: separated the validation checks for variable length attributes into two separate tests:  
2262 one for correct attribute syntax and one for correct length.
- 2263 5. Section 2.2.3: changed "multiple-document-handling-supported" to "printer-resolution-supported"
- 2264 6. Section 2.6.1: recommended that an IPP object also support US-ASCII charset.
- 2265 7. Section 3: Clarified that a server is not required to send a response until after it has received the  
2266 client's entire request, but recommend that the server return a response as soon as possible if an error  
2267 is detected while the client is still sending the data, rather than waiting until all of the data is  
2268 received. Also recommended that a client listen for an error response that an IPP server **MAY** send  
2269 before it receives all the data.
- 2270 11.7 Changes to produce the December 6, 1998 version from the November 16, 1998 version:

- 2271 Included all of the remaining agreed issues raised before the November 16, 1998 production of the Internet-  
2272 Drafts for IPP/1.0 that included adding explanations to the Implementers Guide.
- 2273 Changes from 990422 to 990726:
- 2274 1. Encoding and Transport: Address issues 4, 5, 20 from Issues-raised-at-Bake-Off2.doc
  - 2275 2. Decide whether to accept or reject the request: discuss issues 6, 9, 10
  - 2276 3. Get-Printer-Attributes: add notes about printer-make-and-model and .INF files; issue 7
  - 2277 4. Create-Job: clarify job-incoming vs. data-insufficient; issue 13
  - 2278 5. Get-Printer Attributes: polling -- issue 16
  - 2279 6. Job Description Attributes: ways to get time; issue 17
  - 2280 7. Validate the values of the Job Template Attributes: clarify zero-length keywords; issue 22
  - 2281 8. Validate Optional Operation Attributes: Note about checking for compression in IPP/1.0; issue 28
  - 2282 9. Validate version number: advantages to backward compatibility; issue 33
  - 2283 10. Note: examples for issue 2 seem to be covered sufficiently in the new MOD doc.