



A Program of the IEEE-ISTO

IPP Working Group Session

June 6, 2012

Webster, NY

PWG F2F Meeting

IPP WG Meeting Agenda



Wednesday, June 6

1:00 - 1:05	Introductions, Minute Taker, Agenda Review
1:05 - 1:15	Current IPP WG status
1:15 - 1:30	Updated Results of IPP/2.0 Interoperability
1:30 - 3:15	IPP Everywhere
3:15 - 3:30	Break
3:30 - 4:30	PWG Media Standardized Names 2.0 (MSN2)
4:30 - 5:00	Next Steps

IPP WG Officers

- IPP WG Co-Chairs:
 - Paul Tykodi (TCS)
 - Ira McDonald (High North)
- IPP WG Secretary:
 - Michael Sweet (Apple)
- IPP WG Document Editors:
 - Ira McDonald (High North) – IPP Everywhere, IPP JPS3, IPP Scan Service, IPP over HTTPS Transport Binding and “ipps” URI Scheme, LDAP Schema for Printer Services
 - Michael Sweet (Apple) – IPP Everywhere, IPP JPS3, PWG Media Standardized Names 2.0, IPP over HTTPS Transport Binding and “ipps” URI Scheme, LDAP Schema for Printer Services, IPP FaxOut Service

IPP WG Status

- IPP Everywhere specs in development:
 - IPP Everywhere
 - IPP: Job and Printer Extensions - Set 3 (JPS3 - **PWG Formal Vote**)
 - IETF IPP over HTTPS Transport Binding and “ipps” URI Scheme
 - IETF LDAP Schema for Printer Services (updates RFC 3712)
 - PWG Media Standardized Names 2.0 (MSN2)
- IPP Multifunction specs in development:
 - IPP Scan Service
 - IPP FaxOut Service
- IPP Cloud binding specs in development:
 - None (yet)

- Candidate Standard:
 - PWG Raster Format
- Up-to-date pending IANA registrations online:
 - <http://www.pwg.org/ipp/ipp-registrations.xml> (+ .txt)
 - Will maintain this in parallel for new specifications
 - Also have some MIB registrations pending

Document Editors Needed

- As we complete our work on IPP Everywhere, we need to identify editors for the IPP Multifunction specifications
- Need a new editor for IPP Scan Service since Andrew is no longer able to serve as editor
- Additional multifunction services need to be addressed: FaxIn, Copy, System Control, Transform
 - These should be relatively easy since they are essentially binding specs that reference the corresponding Semantic Model specs
 - See FaxOut for an example of how easy it will be
- IPP Multifunction spec will likely be an update of IPP Everywhere with pointers to the corresponding service specifications

- During the August 2011 F2F we decided the IPP/2.0 interoperability event will be virtual using the CUPS ipptool program and conformance test files
- May 2012 release of ipptool covers:
 - All required operations and attributes for IPP/2.0
 - Partial coverage of operations and attributes for IPP/2.1
 - Basic testing for existence of IPP/2.2 operations and attributes
- Future update to include tests for undefined attribute and group tags, plus additions to IPP/2.1 and IPP/2.2 tests
- Test results to be sent to Mike Sweet (msweet@apple.com) for presentation at future F2F's
 - Updated results today!
 - "Final" results at August 2012 F2F?

- Thus far Mike has not received testing results from any vendor
 - ... so he tested a bunch of shipping printers himself!
- We need independent testing results to make this event a success
- We want results from printers regardless of their level of conformance
 - Important to understand where the issues are!
 - Results will be collated and reported anonymously!

Updated Results

- Tested 43 shipping printers from 10 vendors
 - 14 IPP/1.1 printers
 - 29 IPP/2.0 printers
- Omitted most of the higher-level print job tests for this set of runs
- All printers completed the tests
 - Previous incomplete results were an ipptool problem
- Summary:
 - Average score was 81% correct responses
 - Worst was 47%
 - Best was 97%

Updated Results (part 1)

Printer/Test	A1	A2	A3	A4	B5	C6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20	D21	D22
IPP Version	2.0	2.0	2.0	2.0	2.0	2.0	1.1	1.1	1.1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.1	2.0
RFC 2911 section 3.1.1: Bad request-id value 0	P	P	P	P	P	P	F	F	F	P	P	P	P	P	P	P	P	P	P	F	P	
RFC 2911 section 3.1.4: No Operation Attributes	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.1.4: attributes-charset	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.1.4: attributes-natural-language	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.1.4: attributes-natural-language + attributes-cha	P	P	P	P	P	P	F	F	F	P	P	P	P	P	P	P	P	P	P	P	F	P
RFC 2911 section 3.1.4: attributes-charset + attributes-natural-lang	P	P	P	P	P	P	F	F	F	P	P	P	P	P	P	P	P	P	P	P	F	P
RFC 2911 section 3.1.8: Unsupported IPP version 0.0	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
RFC 2911 section 3.2: No printer-uri operation attribute	P	P	P	P	P	P	F	F	F	P	P	P	P	P	P	P	P	P	P	P	F	P
RFC 2911 section 3.2.1: Print-Job Operation	F	F	F	P	P	P	P	P	P	F	P	P	P	P	P	P	P	P	P	P	P	P
RFC 2911 section 3.2.3: Validate-Job Operation	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
RFC 2911 section 3.2.5: Get-Printer-Attributes Operation (default)	P	P	P	P	P	P	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
RFC 2911 section 3.2.5: Get-Printer-Attributes Operation (requested-attributes)	P	P	P	P	P	P	P	P	F	P	P	P	P	P	P	P	P	P	P	P	F	P
RFC 2911 section 3.2.6: Get-Jobs Operation (default)	P	P	P	P	P	P	F	F	P	P	P	P	P	P	P	P	P	P	P	P	P	P
RFC 2911 section 3.2.6: Get-Jobs Operation (requested-attributes)	F	F	F	F	P	P	S	S	S	P	F	F	F	F	P	F	F	P	P	P	S	P
RFC 2911 section 3.2.6: Get-Jobs Operation (my-jobs)	P	P	P	P	P	P	S	S	S	P	F	F	F	P	F	F	P	P	P	S	P	
RFC 2911 section 3.2.6: Get-Jobs Operation (my-jobs different user)	P	P	P	P	P	P	S	S	S	P	P	P	P	P	P	P	P	P	P	S	P	
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs=not-completed)	P	P	P	P	P	P	S	S	S	P	F	F	F	P	F	F	P	P	P	S	P	
Get-Job-Attributes Until Job Complete	F	F	F	F	P	P	F	F	F	F	F	P	P	P	P	S	P	F	P	P	F	P
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs=completed)	P	P	P	F	P	P	F	F	P	P	F	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs, requested-at)	F	F	F	F	P	P	S	S	S	P	F	F	F	P	F	F	P	P	P	F	S	
RFC 2911 section 3.3.3: Cancel-Job Operation (completed job)	P	P	P	F	P	P	S	S	S	P	F	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.3.3: Cancel-Job Operation (pending/processing job)	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
RFC 2911 section 3.3.4: Get-Job-Attributes Operation	F	F	F	F	P	P	F	F	F	P	F	P	P	P	P	P	P	P	P	P	F	P
RFC 2911 section 3.2.2: Print-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Print-URI with bad URI: Print-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
RFC 2911 section 3.2.4: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
RFC 2911 section 3.3.1: Send-Document Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Send-Document missing last-document: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Send-Document missing last-document: Send-Document Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
RFC 2911 section 3.3.3: Cancel-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
RFC 2911 section 3.3.2: Send-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Send-URI with bad URI: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Send-URI with bad URI: Send-URI Operation (bad URI)	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Send-URI with bad URI: Cancel-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	F	F	S	S	F	S	
Print-Job with copies	F	F	F	P	P	P	F	S	S	S	P	P	P	P	P	P	P	P	P	P	S	
PWG 5100.12 section 6.2 - Required Printer Description Attributes	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
Total Passes	18	18	18	18	18	24	24	9	9	10	20	17	19	19	19	23	19	20	22	23	10	22
Total Failures	7	7	7	7	7	1	1	9	9	8	5	10	5	5	5	4	7	5	3	4	4	2
Total Skips	11	11	11	11	11	11	11	17	17	17	11	9	12	12	12	9	10	11	11	9	9	12
Scores	81%	81%	81%	81%	97%	97%	74%	74%	77%	86%	72%	86%	86%	86%	89%	81%	86%	92%	89%	89%	77%	94%

PASS

FAIL

SKIP

Updated Results (part 2)

Printer/Test	D23	D24	D25	D26	D27	D28	D29	D30	E31	E32	E33	E34	E35	F36	F37	G38	H39	H40	I41	I42	I43	Avg	
IPP Version	1.1	2.0	2.0	2.0	2.0	2.0	2.0	1.1	1.1	2.0	2.0	1.1	2.0	2.0	2.0	1.1	2.0	1.1	1.1	1.1	1.1		
RFC 2911 section 3.1.1: Bad request-id value 0	F	F	P	P	P	P	F	F	F	P	P	F	P	P	P	P	F	F	F	F	F		
RFC 2911 section 3.1.4: No Operation Attributes	P	P	P	P	P	P	P	P	F	P	P	F	P	P	P	P	P	P	P	P	P		
RFC 2911 section 3.1.4: attributes-charset	P	P	P	P	P	P	P	P	F	P	P	F	P	P	P	P	P	P	P	P	P		
RFC 2911 section 3.1.4: attributes-natural-language	P	P	P	P	P	P	P	P	F	P	P	F	P	P	P	P	P	P	P	P	P		
RFC 2911 section 3.1.4: attributes-natural-language + attributes-cha	F	F	P	P	P	P	F	F	F	P	P	F	P	P	P	P	F	F	F	F	P		
RFC 2911 section 3.1.4: attributes-charset + attributes-natural-lang	F	P	P	P	P	P	P	F	F	P	P	F	P	P	P	F	P	F	F	F	P		
RFC 2911 section 3.1.8: Unsupported IPP version 0.0	P	F	P	P	P	P	F	P	P	P	P	P	P	P	P	F	P	P	P	P	P		
RFC 2911 section 3.2: No printer-uri operation attribute	F	F	P	P	P	P	F	F	F	P	P	F	P	P	P	P	F	F	F	F	F		
RFC 2911 section 3.2.1: Print-Job Operation	F	F	P	P	P	P	F	F	F	P	P	F	P	P	P	F	P	P	P	P	F		
RFC 2911 section 3.2.3: Validate-Job Operation	P	F	P	P	P	P	P	P	P	P	P	P	P	P	P	F	P	P	P	P	F		
RFC 2911 section 3.2.5: Get-Printer-Attributes Operation (default)	F	F	F	F	F	P	F	F	F	P	F	F	F	F	F	P	F	F	F	F	F		
RFC 2911 section 3.2.5: Get-Printer-Attributes Operation (requested-attr)	P	F	P	P	P	P	P	P	P	P	P	P	P	P	P	F	F	P	P	P	P		
RFC 2911 section 3.2.6: Get-Jobs Operation (default)	P	F	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	F	P	P		
RFC 2911 section 3.2.6: Get-Jobs Operation (requested-attributes)	F	F	F	P	P	P	F	S	P	P	P	P	P	P	P	F	P	F	S	F	F		
RFC 2911 section 3.2.6: Get-Jobs Operation (my-jobs)	P	F	P	P	P	F	P	S	P	P	P	P	P	P	P	F	P	P	S	P	F		
RFC 2911 section 3.2.6: Get-Jobs Operation (my-jobs different user)	P	F	P	P	P	P	P	S	P	P	P	P	P	P	P	P	P	P	S	P	P		
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs=not-completed)	P	F	F	P	P	P	S	P	P	P	P	P	P	P	P	F	P	P	S	P	F		
Get-Job-Attributes Until Job Complete	F	S	P	P	P	P	F	F	P	F	F	P	P	P	F	S	F	P	P	F	F	S	
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs=completed)	F	F	P	P	P	P	F	P	P	F	F	P	P	P	P	P	P	P	F	F	F		
RFC 2911 section 3.2.6: Get-Jobs Operation (which-jobs, requested-at)	F	F	P	P	P	P	F	S	P	F	F	P	P	P	P	F	P	P	P	S	F		
RFC 2911 section 3.3.3: Cancel-Job Operation (completed job)	F	F	P	P	P	P	F	P	P	F	F	P	P	P	P	P	P	P	P	P	F		
RFC 2911 section 3.3.3: Cancel-Job Operation (pending/processing job)	F	F	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	F		
RFC 2911 section 3.3.4: Get-Job-Attributes Operation	F	F	P	P	P	P	F	F	F	P	P	F	P	P	F	P	P	P	F	F	F		
RFC 2911 section 3.2.2: Print-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Print-URI with bad URI: Print-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
RFC 2911 section 3.2.4: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
RFC 2911 section 3.3.1: Send-Document Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Send-Document missing last-document: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Send-Document missing last-document: Send-Document Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
RFC 2911 section 3.3.3: Cancel-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
RFC 2911 section 3.3.2: Send-URI Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Send-URI with bad URI: Create-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Send-URI with bad URI: Send-URI Operation (bad URI)	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Send-URI with bad URI: Cancel-Job Operation	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Print-Job with copies	S	S	S	S	S	S	S	S	S	F	P	P	F	P	P	S	P	S	S	S	S		
PWG 5100.12 section 6.2 - Required Printer Description Attributes	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F		
Total Passes	10	4	19	22	22	21	12	10	13	19	20	13	23	22	11	23	16	15	9	11	8	17	
Total Failures	13	19	5	2	2	3	12	8	11	6	5	11	2	3	11	2	7	8	9	12	14	7	
Total Skips	12	13	12	12	12	12	12	17	11	11	11	11	11	11	13	11	12	12	17	12	13	12	
Scores	63%	47%	86%	94%	94%	92%	67%	77%	69%	83%	86%	69%	94%	92%	69%	94%	80%	77%	74%	66%	60%	81%	

PASS
FAIL
SKIP

Updated Results


- Common Problems:
 - Not validating request-id, order and type of attributes
 - Returning wrong status codes
 - Supporting Print-URI/Send-URI but not “ftp” URIs
 - Supporting Create-Job but not Send-Document
 - Using http: URIs for printer-uri-supported
 - Reporting duplicate Printer attributes
 - Not reporting media-size-supported and other media-col Printer attributes
 - Missing job history

Where to Get CUPS ipptool

- <http://www.cups.org/software.php>
- Binaries available for Linux, Mac OS X, and Windows
- See the file “IPPTOOL.txt” for instructions on running the conformance tests
- Additional documentation in man-ipptool.html and man-ipptoolfile.html

How to Use ipptool

```
ipptool -Itf file.ext -V 2.x ipp://address/path ipp-2.x.test
```



Example for IPP/2.0 printer with PDF support:

```
ipptool -Itf testfile.pdf -V 2.0 ipp://192.168.0.1/ipp \  
ipp-2.0.test | tee make-model-2.0-results.log
```

How to Send ipptool Results

- Send an email to “msweet@apple.com”
- Subject: IPP/<version> Test Results-<company name>-<last name>-<Pass/Fail>
- Attach the output from ipptool to the email
- Include any comments you like
- Example:

To: msweet@apple.com

Subject: IPP/2.0 Test Results-Acme-Doe-Pass

Found no issues with our implementation.

<acme-uberprinter-2.0-results.log>

- Current (prototype) draft at:
 - <ftp://ftp.pwg.org/pub/pwg/ipp/wd/wd-ippeve10-2012MMDD-rev.pdf>
- Proposed Schedule:
 - WG Last Call during July 2012
 - Stable draft and PWG Last Call to span August 2012 F2F
 - PWG Formal Vote starting in August 2012

PWG Media Standardized Names 2.0 (MSN2)



A Program of the IEEE-ISTO

- Current (prototype) draft:
 - <ftp://ftp.pwg.org/pub/pwg/ipp/wd/wd-pwgmsn20-2012MMDD-rev.pdf>
- Proposed Schedule:
 - WG Last Call during July 2012
 - Stable draft and PWG Last Call to span August 2012 F2F
 - PWG Formal Vote starting in August 2012

- IPP 2.0/2.1/2.2 Interoperability Testing
 - Virtual interoperability event through August 2012 F2F
- IPP Everywhere
 - Finish prototype draft specifications in Q2 2012
 - Last Call and Formal Vote Q3 2012
 - Virtual interoperability event for IPP Everywhere starting in Q4 2012
- IPP Multifunction
 - Interim working drafts of IPP Scan Service and IPP FaxOut Service in Q3/Q4 2012
 - Initial working drafts of other specifications starting in Q3 2012
- IPP Shared Infrastructure Extensions starting in Q2 2012?

- We welcome participation from all interested parties
- IPP Working Group web page
 - <http://www.pwg.org/ipp/index.html>
- IPP Working Group wiki
 - <http://pwg-wiki.wikispaces.com/IPP>
- Subscribe to the IPP mailing list
 - <http://www.pwg.org/mailhelp.html>
- IPP WG holds bi-weekly phone conferences announced on the IPP mailing list
 - Next conference call is June 18, 2012 at 3pm (EST)